

INTERNATIONAL STANDARD

**Coaxial communication cables –
Part 11: Sectional specification for semi-rigid cables with polyethylene (PE)
dielectric**



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2022 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Secretariat
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 300 terminological entries in English and French, with equivalent terms in 19 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

Preview generated by EVS

INTERNATIONAL STANDARD

**Coaxial communication cables –
Part 11: Sectional specification for semi-rigid cables with polyethylene (PE)
dielectric**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 33.120.10

ISBN 978-2-8322-1086-9

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

| | |
|--|----|
| FOREWORD | 3 |
| 1 Scope | 5 |
| 2 Normative references | 5 |
| 3 Terms and definitions | 7 |
| 4 Materials and cable construction | 7 |
| 4.1 Cable construction | 7 |
| 4.2 Inner conductor | 7 |
| 4.3 Dielectric | 8 |
| 4.4 Outer conductor | 8 |
| 4.5 Sheath | 8 |
| 5 IEC type designation | 9 |
| 5.1 Type name | 9 |
| 5.2 Variant | 9 |
| 5.3 Cable marking | 9 |
| 6 Identification, marking and labelling | 10 |
| 6.1 Cable identification | 10 |
| 6.2 Cable marking | 10 |
| 6.3 Labelling | 10 |
| 7 Standard rating and characteristics | 10 |
| 7.1 Nominal characteristic impedance | 10 |
| 7.2 Rated temperature range | 10 |
| 7.3 Operating frequency | 10 |
| 7.4 Average and peak power | 11 |
| 7.5 Bending radius | 11 |
| 8 Requirements of finished cables | 11 |
| 8.1 General | 11 |
| 8.2 Electrical requirements | 11 |
| 8.3 Environmental requirements | 13 |
| 8.4 Mechanical requirements | 14 |
| 8.5 Fire performance requirements | 15 |
| 8.6 Content of toxic and harmful substance | 15 |
| 9 Quality assessment | 16 |
| 10 Delivery and storage | 16 |
| Table 1 – Rated temperature | 10 |
| Table 2 – Maximum operating frequency | 11 |
| Table 3 – Electrical requirements | 12 |
| Table 4 – Environmental requirements | 13 |
| Table 5 – Mechanical requirements | 14 |
| Table 6 – Fire performance requirements | 15 |
| Table 7 – Content of toxic and harmful substance | 15 |

INTERNATIONAL ELECTROTECHNICAL COMMISSION

COAXIAL COMMUNICATION CABLES –

**Part 11: Sectional specification for semi-rigid cables
with polyethylene (PE) dielectric**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 61196-6 has been prepared by subcommittee 46A: Coaxial cables, of IEC technical committee 46: Cables, wires, waveguides, RF connectors, RF and microwave passive components and accessories. It is an International Standard.

This second edition cancels and replaces the first edition published in 2016. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) Clause 1: The scope is more detailed.
- b) Subclause 4.2: Outer diameter ratings of the inner conductor recommended.
- c) Subclause 4.3: Dielectric: outer diameter ratings of the dielectric recommended.
- d) Clause 5: IEC type designation introduced.
- e) Clause 7: Standard ratings and characteristics: completely revised.

f) Clause 8: Requirements of finished cables: completely revised.

The text of this International Standard is based on the following documents:

| Draft | Report on voting |
|---------------|------------------|
| 46A/1554/FDIS | 46A/1559/RVD |

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/standardsdev/publications.

A list of all the parts in the IEC 61196 series, published under the general title *Coaxial communication cables*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

COAXIAL COMMUNICATION CABLES –

Part 11: Sectional specification for semi-rigid cables with polyethylene (PE) dielectric

1 Scope

This part of IEC 61196 specifies the general requirements of semi-rigid coaxial communication cables with polyethylene (PE) dielectric, including material and construction, IEC type designation, identification, marking and labelling, standard ratings and characteristics, requirements of finished cables, quality assessment, delivery and storage, etc.

This part of IEC 61196 applies to semi-rigid coaxial communication cables with polyethylene (PE) dielectric and tubular outer conductor. These cables are widely used in the interconnection between wireless communication equipment and antenna, as well as RF and microwave electronic equipment, broadcast television, microwave relay, navigation, etc.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60068-1:2013, *Environmental testing – Part 1: General and guidance*

IEC 60332-1-2, *Tests on electric and optical fibre cables under fire conditions – Part 1-2: Test for vertical flame propagation for a single insulated wire or cable – Procedure for 1 kW pre-mixed flame*

IEC 60754-1, *Test on gases evolved during combustion of materials from cables – Part 1: Determination of the halogen acid gas content*

IEC 60811-406, *Electric and optical fibre cables – Test methods for non-metallic materials – Part 406: Miscellaneous tests – Resistance to stress cracking of polyethylene and polypropylene compounds*

IEC 60811-502, *Electric and optical fibre cables – Test methods for non-metallic materials – Part 502: Mechanical tests – Shrinkage test for insulations*

IEC 61034-2, *Measurement of smoke density of cables burning under defined conditions – Part 2: Test procedure and requirements*

IEC 61169-4, *Radio-frequency connectors – Part 4: RF coaxial connectors with inner diameter of outer conductor 16 mm (0,63 in) with screw lock – Characteristic impedance 50 Ω (type 7-16)*

IEC 61196-1 (all parts), *Coaxial communication cables – Part 1: Electrical test methods*

IEC 61196-1:2005, *Coaxial communication cables – Part 1: Generic specification – General, definitions and requirements*

IEC 61196-1-1, *Coaxial communication cables – Part 1-1: Capability approval for coaxial cables*

IEC 61196-1-101, *Coaxial communication cables – Part 1-101: Electrical test methods – Test for conductor d.c. resistance of cable*

IEC 61196-1-102, *Coaxial communication cables – Part 1-102: Electrical test methods – Test for insulation resistance of cable dielectric*

IEC 61196-1-103, *Coaxial communication cables – Part 1-103: Electrical test methods – Test for capacitance of cable*

IEC 61196-1-105, *Coaxial communication cables – Part 1-105: Electrical test methods – Test for withstand voltage of cable dielectric*

IEC 61196-1-106, *Coaxial communication cables – Part 1-106: Electrical test methods – Test for withstand voltage of cable sheath*

IEC 61196-1-108, *Coaxial communication cables – Part 1-108: Electrical test methods – Test for characteristic impedance, phase and group delay, electrical length and propagation velocity*

IEC 61196-1-110, *Coaxial communication cables – Part 1-110: Electrical test methods – Test for continuity*

IEC 61196-1-112, *Coaxial communication cables – Part 1-112: Electrical test methods – Test for return loss (uniformity of impedance)*

IEC 61196-1-113, *Coaxial communication cables – Part 1-113: Electrical test methods – Test for attenuation constant*

IEC 61196-1-115, *Coaxial communication cables – Part 1-115: Electrical test methods – Test for regularity of impedance (pulse/step function return loss)*

IEC 61196-1-201:2009, *Coaxial communication cables – Part 1-201: Environmental test methods – Test for cold bend performance of cable*

IEC 61196-1-203, *Coaxial communication cables – Part 1-203: Environmental test methods – Test for water penetration of cable*

IEC 61196-1-206, *Coaxial communication cables – Part 1-206: Environmental test methods – Climatic sequence*

IEC 61196-1-215, *Coaxial communication cables – Part 1-215: Environmental test methods – High temperature cable ageing*

IEC 61196-1-301, *Coaxial communication cables – Part 1-301: Mechanical test methods – Test for ovality*

IEC 61196-1-302, *Coaxial communication cables – Part 1-302: Mechanical test methods – Test for eccentricity*

IEC 61196-1-313, *Coaxial communication cables – Part 1-313: Mechanical test methods – Adhesion of dielectric and sheath*

IEC 61196-1-314, *Coaxial communication cables – Part 1-314: Mechanical test methods – Test for bending*

IEC 61196-1-316, *Coaxial communication cables – Part 1-316: Mechanical test methods – Test for maximum pulling force of cable*

IEC 61196-1-317, *Coaxial communication cables – Part 1-317: Mechanical test methods – Test for crush resistance of cable*

IEC 62037-4, *Passive RF and microwave devices, intermodulation level measurement – Part 4: Measurement of passive intermodulation in coaxial cables*

IEC 62153-1-1, *Metallic communication cables test methods – Part 1-1: Electrical – Measurement of the pulse/step return loss in the frequency domain using the Inverse Discrete Fourier Transformation (IDFT)*

IEC 62153-4-3, *Metallic communication cable test methods – Part 4-3: Electromagnetic compatibility (EMC) – Surface transfer impedance – Triaxial method*

IEC 62153-4-4, *Metallic communication cable test methods – Part 4-4: Electromagnetic compatibility (EMC) – Test method for measuring of the screening attenuation as up to and above 3 GHz, triaxial method*

IEC 62230, *Electric cables – Spark-test method*

EN 50289-4-17, *Communication cables – Specifications for test methods – Part 4-17: Test methods for UV resistance evaluation of the sheath of electrical and optical fibre cable*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in IEC 61196-1 apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <https://www.electropedia.org/>
- ISO Online browsing platform: available at <https://www.iso.org/obp>

4 Materials and cable construction

4.1 Cable construction

Semi-rigid coaxial communication cables with polyethylene (PE) dielectric are composed of inner conductor, insulation, outer conductor and sheath.

4.2 Inner conductor

IEC 61196-1:2005, Subclause 4.4.1 applies.

The material of the inner conductor shall be as stated in the detail specification.

The conductor shall consist of a solid or stranded wire or corrugated or smooth tube or rifled tube.

In addition, IEC 61196-1:2005, Subclause 4.4.4 applies.

The inner conductor diameter shall be stated in the detail specification.

For the corrugated inner conductor, the peak diameter, root diameter and pitch shall be specified in the detail specification.