
**Industrial automation systems and
integration — COLLADA™ digital
asset schema specification for 3D
visualization of industrial data**

*Systèmes d'automatisation industrielle et intégration —
Spécifications du schéma des actifs numériques COLLADA™ pour la
visualisation 3D des données industrielles*



This document is a preview generated by EUS



COPYRIGHT PROTECTED DOCUMENT

© ISO 2022

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

Page

Foreword	xi
Introduction	xii
1 Scope	1
2 Normative references	1
3 Terms and definitions	2
3.1 Terms and definitions	2
3.2 Abbreviated terms	4
4 Notational conventions	5
4.1 Typographic conventions and notation	5
4.2 Notation and organization in the reference sections	5
4.2.1 Child element conventions	5
4.2.2 Child element order	6
5 COLLADA format	7
5.1 Design considerations	7
5.1.1 Introduction	7
5.1.2 Assumptions and dependencies	7
5.1.3 Goals and guidelines	7
5.2 Tool requirements and options	11
5.2.1 Introduction	11
5.2.2 Exporters	11
5.2.3 Importers	14
5.2.4 Archive packaging	15
5.3 Schema concepts	15
5.3.1 Introduction	15
5.3.2 XML overview	15
5.3.3 Address syntax	16
5.3.4 Instantiation and external referencing	19
5.3.5 The Common profile	21
5.3.6 Common profile elements	21
5.3.7 Example and discussion on techniques	22
5.3.8 Common glossary	22
5.4 Programming guideline	24
5.4.1 General	24
5.4.2 Parameters in COLLADA	24
5.4.3 Curve interpolation	25
5.4.4 Skin deformation (or skinning) in COLLADA	31
5.5 Core elements reference	33
5.5.1 General	33
5.5.2 Elements by category	34
5.5.3 accessor	38
5.5.4 ambient	44

5.5.5	animation	45
5.5.6	animation_clip	47
5.5.7	asset	49
5.5.8	bool_array	52
5.5.9	camera	53
5.5.10	channel	55
5.5.11	COLLADA	56
5.5.12	color	58
5.5.13	contributor	58
5.5.14	controller	59
5.5.15	control_vertices	61
5.5.16	directional	63
5.5.17	evaluate_scene	64
5.5.18	extra	65
5.5.19	float_array	67
5.5.20	formula	68
5.5.21	geographic_location	70
5.5.22	geometry	72
5.5.23	IDREF_array	74
5.5.24	imager	75
5.5.25	input (shared)	77
5.5.26	input (unshared)	79
5.5.27	instance_animation	81
5.5.28	instance_camera	82
5.5.29	instance_controller	83
5.5.30	instance_formula	85
5.5.31	instance_geometry	87
5.5.32	instance_light	88
5.5.33	instance_node	90
5.5.34	instance_visual_scene	92
5.5.35	int_array	93
5.5.36	joints	94
5.5.37	library_animation_clips	95
5.5.38	library_animations	96
5.5.39	library_cameras	97
5.5.40	library_controllers	98
5.5.41	library_formulas	100
5.5.42	library_geometries	101
5.5.43	library_lights	102
5.5.44	library_nodes	103
5.5.45	library_visual_scenes	104
5.5.46	light	105
5.5.47	lines	107
5.5.48	linestrips	108

5.5.49	lookat.....	110
5.5.50	matrix.....	112
5.5.51	mesh.....	113
5.5.52	morph.....	115
5.5.53	Name_array.....	117
5.5.54	newparam.....	119
5.5.55	node.....	121
5.5.56	optics.....	123
5.5.57	orthographic.....	125
5.5.58	param (data flow).....	126
5.5.59	param (reference).....	127
5.5.60	perspective.....	130
5.5.61	point.....	131
5.5.62	polygons.....	133
5.5.63	polylist.....	136
5.5.64	rotate.....	138
5.5.65	sampler.....	139
5.5.66	scale.....	146
5.5.67	scene.....	147
5.5.68	setparam.....	149
5.5.69	SIDREF_array.....	150
5.5.70	skeleton.....	151
5.5.71	skew.....	153
5.5.72	skin.....	154
5.5.73	source (Core).....	158
5.5.74	spline.....	160
5.5.75	spot.....	161
5.5.76	targets.....	163
5.5.77	technique (Core).....	164
5.5.78	technique_common.....	165
5.5.79	Token_array.....	166
5.5.80	translate.....	167
5.5.81	triangles.....	168
5.5.82	trifans.....	170
5.5.83	tristrips.....	172
5.5.84	vertex_weights.....	173
5.5.85	vertices.....	175
5.5.86	visual_scene.....	176
5.6	Physics Reference.....	178
5.6.1	General.....	178
5.6.2	Elements by category.....	178
5.6.3	attachment.....	181
5.6.4	box.....	182
5.6.5	capsule.....	183

5.6.6	convex_mesh	184
5.6.7	cylinder.....	186
5.6.8	force_field	187
5.6.9	instance_force_field	188
5.6.10	instance_physics_material.....	189
5.6.11	instance_physics_model	190
5.6.12	instance_physics_scene.....	192
5.6.13	instance_rigid_body.....	193
5.6.14	instance_rigid_constraint.....	196
5.6.15	library_force_fields	198
5.6.16	library_physics_materials.....	199
5.6.17	library_physics_models	200
5.6.18	library_physics_scenes.....	201
5.6.19	physics_material.....	202
5.6.20	physics_model	204
5.6.21	physics_scene.....	206
5.6.22	plane	209
5.6.23	rigid_body.....	211
5.6.24	rigid_constraint.....	215
5.6.25	shape	220
5.6.26	sphere	222
5.7	Getting started with COLLADA FX.....	223
5.7.1	General	223
5.7.2	Using profiles for platform-specific effects	223
5.7.3	About parameters in COLLADA FX	227
5.7.4	Shaders.....	228
5.7.5	Rendering.....	228
5.7.6	Texturing.....	230
5.8	FX reference	232
5.8.1	General	232
5.8.2	Elements by category	232
5.8.3	About COLLADA FX	235
5.8.4	alpha	235
5.8.5	annotate	236
5.8.6	argument	237
5.8.7	array	239
5.8.8	binary	241
5.8.9	bind (FX)	242
5.8.10	bind_attribute	243
5.8.11	bind_material.....	244
5.8.12	bind_uniform.....	246
5.8.13	bind_vertex_input	248
5.8.14	blinn.....	250
5.8.15	code.....	252

5.8.16	color_clear	253
5.8.17	color_target	254
5.8.18	compiler	256
5.8.19	constant (FX)	257
5.8.20	create_2d	259
5.8.21	create_3d	261
5.8.22	create_cube	263
5.8.23	depth_clear	265
5.8.24	depth_target	266
5.8.25	draw	268
5.8.26	effect	269
5.8.27	evaluate	271
5.8.28	format	273
5.8.29	fx_common_color_or_texture_type	275
5.8.30	fx_common_float_or_param_type	277
5.8.31	fx_sampler_common	278
5.8.32	image	282
5.8.33	include	284
5.8.34	init_from	285
5.8.35	instance_effect	287
5.8.36	instance_image	288
5.8.37	instance_material (geometry)	290
5.8.38	instance_material (rendering)	292
5.8.39	lamert	294
5.8.40	library_effects	296
5.8.41	library_images	297
5.8.42	library_materials	298
5.8.43	linker	299
5.8.44	material	300
5.8.45	modifier	302
5.8.46	pass	303
5.8.47	phong	305
5.8.48	profile_BRIDGE	307
5.8.49	profile_CG	309
5.8.50	profile_COMMON	311
5.8.51	profile_GLES	313
5.8.52	profile_GLES2	316
5.8.53	profile_GLSL	320
5.8.54	program	321
5.8.55	render	323
5.8.56	RGB	324
5.8.57	sampler1D	325
5.8.58	sampler2D	326
5.8.59	sampler3D	327

5.8.60	samplerCUBE	327
5.8.61	samplerDEPTH	328
5.8.62	samplerRECT	329
5.8.63	sampler_image	330
5.8.64	sampler_states	331
5.8.65	semantic	332
5.8.66	shader	333
5.8.67	sources	335
5.8.68	states	336
5.8.69	stencil_clear	342
5.8.70	stencil_target	343
5.8.71	technique (FX)	344
5.8.72	technique_hint	346
5.8.73	texcombiner	347
5.8.74	texenv	350
5.8.75	texture_pipeline	352
5.8.76	usertype	354
5.9	B-Rep Reference	355
5.9.1	General	355
5.9.2	Elements by category	356
5.9.3	About B-rep in COLLADA	357
5.9.4	brep	362
5.9.5	circle	364
5.9.6	cone	365
5.9.7	curve	367
5.9.8	curves	368
5.9.9	cylinder (B-Rep)	369
5.9.10	edges	370
5.9.11	ellipse	372
5.9.12	faces	373
5.9.13	hyperbola	375
5.9.14	line	376
5.9.15	nurbs	377
5.9.16	nurbs_surface	380
5.9.17	orient	382
5.9.18	origin	383
5.9.19	parabola	384
5.9.20	pcurves	385
5.9.21	shells	387
5.9.22	solids	389
5.9.23	surface	390
5.9.24	surfaces	392
5.9.25	surface_curves	393
5.9.26	swept_surface	394

5.9.27	torus.....	396
5.9.28	wires.....	397
5.9.29	Complete B-Rep example.....	399
5.10	Kinematics reference.....	409
5.10.1	General.....	409
5.10.2	Elements by Category.....	409
5.10.3	articulated_system.....	412
5.10.4	attachment_end.....	413
5.10.5	attachment_full.....	414
5.10.6	attachment_start.....	415
5.10.7	axis_info.....	417
5.10.8	bind (kinematics).....	420
5.10.9	bind_joint_axis.....	421
5.10.10	bind_kinematics_model.....	422
5.10.11	connect_param (kinematics).....	423
5.10.12	effector_info.....	424
5.10.13	frame_object, frame_origin, frame_tcp, frame_tip	426
5.10.14	instance_articulated_system.....	427
5.10.15	instance_joint.....	428
5.10.16	instance_kinematics_model	429
5.10.17	instance_kinematics_scene.....	431
5.10.18	joint.....	432
5.10.19	kinematics	434
5.10.20	kinematics_model	436
5.10.21	kinematics_scene.....	439
5.10.22	library_articulated_systems.....	440
5.10.23	library_joints	441
5.10.24	library_kinematics_models	442
5.10.25	library_kinematics_scenes.....	443
5.10.26	link.....	444
5.10.27	motion.....	446
5.10.28	prismatic.....	447
5.10.29	revolute	449
5.11	Types	450
5.11.1	General.....	450
5.11.2	Simple Value Types	450
5.11.3	Parameter-type elements.....	451
5.11.4	Other simple types.....	452
5.11.5	Value-or-param types.....	453
Annex A (informative) COLLADA example		454
Annex B (informative) Profile GLSL and GLES2 examples		457
B.1 Example: <profile-GLSL>		457
B.2 Example: <profile-GLES2>		462

Annex C (informative) Index of COLLADA elements.....	469
Bibliography.....	476

This document is a preview generated by EVS

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 184, *Automation systems and integration*, Subcommittee SC 4, *Industrial data*.

This first edition cancels and replaces ISO/PAS 17506:2012, which has been technically revised.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

This document describes the COLLADA™¹ schema. COLLADA is a COLLABorative Design Activity that defines an XML-based schema to enable 3D authoring applications to freely exchange digital assets without loss of information, enabling multiple software packages to be combined into extremely powerful tool chains.

The purpose of this document is to provide a specification for the COLLADA schema in sufficient detail to enable software developers to create tools to process COLLADA resources. In particular, it is relevant to those who import to or export from digital content creation (DCC) applications, 3D interactive applications and tool chains, prototyping tools, real-time visualization applications such as those used in the video game and movie industries, and CAD tools.

This document covers the initial design and specifications of the COLLADA schema, as well as a minimal set of requirements for COLLADA exporters. A short example of a COLLADA instance document is presented in Annex A.

¹ COLLADA is the trademark of a product supplied by the Khronos Group Inc. (<http://khronos.org>) This information is given for the convenience of users of this document and does not constitute an endorsement by ISO of the product named. Equivalent products may be used if they can be shown to lead to the same results.

Industrial automation systems and integration — COLLADA™ digital asset schema specification for 3D visualization of industrial data

1 Scope

This document describes the COLLADA™ schema. COLLADA is a Collaborative Design Activity that defines an XML-based schema to enable 3D authoring applications to freely exchange digital assets without loss of information, enabling multiple software packages to be combined into extremely powerful tool chains.

The purpose of this document is to provide a specification for the COLLADA schema in sufficient detail to enable software developers to create tools to process COLLADA resources. In particular, it is relevant to those who import to or export from digital content creation (DCC) applications, 3D interactive applications and tool chains, prototyping tools, real-time visualization applications such as those used in the video game and movie industries, and CAD tools.

This document covers the initial design and specifications of the COLLADA schema, as well as a minimal set of requirements for COLLADA exporters.

This document covers the following information:

- initial design and specifications of the COLLADA schema;
- requirements of COLLADA tools and a minimal set of requirements for COLLADA exporters;
- detailed explanations for COLLADA programming;
- core elements that describe geometry, animation, skinning, assets, and scenes;
- physics model, visual effects (FX), boundary representation (B-rep) of animation, kinematics.

The document does not specify the implementation of, or definition of a run-time architecture for viewing or processing of COLLADA data.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

XML, Extensible Markup Language (XML) 1.0 (Fifth Edition), W3C Recommendation, 26 November 2008 [viewed 2020-09-01]. Available at <https://www.w3.org/TR/2008/REC-xml-20081126/>

XPath, XML Path Language (XPath) Version 1.0, W3C Recommendation, 16 November 1999 [viewed 2020-09-01]. Available at <https://www.w3.org/TR/1999/REC-xpath-19991116/>

XPointer, XML Pointer Language (XPointer) 1.0, W3C Recommendation, January 2001 [viewed 2020-09-01]. Available at <https://www.w3.org/TR/2001/WD-xptr-20010108/>

IETF RFC 3986, Uniform Resource Identifier (URI), January 2005 [viewed 2020-09-01]. Available at <https://datatracker.ietf.org/doc/html/rfc3986>

3 Terms and definitions

3.1 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <https://www.electropedia.org/>

3.1.1

COLLADA

digital asset XML schema for 3D visualization

Note 1 to entry: COLLADA is an abbreviation of Collaborative Design Activity.

3.1.2

COLLADA document

DAE file

file containing COLLADA XML elements that describe certain digital assets

3.1.3

COLLADA schema

XML schema document that defines all valid COLLADA elements

3.1.4

profile

<COLLADA> structure in which to gather effects information for a specific platform or environment

3.1.5

instance

<COLLADA> occurrence of an object, the result of instantiating a copy or version of the object

3.1.6

instance document

COLLADA document

3.1.7

instantiation

creation of an instance of an object