PÕLLUMAJANDUS- JA METSATÖÖMASINAD. KAASASKANTAVATE MOOTORIGA KÄSIVÕSALÕIKURITE JA KÄSIMURUTRIMMERITE OHUTUSNÕUDED JA KATSETAMINE. OSA 1: SISEPÕLEMISMOOTORIGA VARUSTATUD MASINAD

Agricultural and forestry machinery - Safety requirements and testing for portable, hand-held, powered brush-cutters and grass-trimmers - Part 1: Machines fitted with an integral combustion engine (ISO 11806-1:2022)



EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

See Eesti standard EVS-EN ISO 11806-1:2022 sisaldab Euroopa standardi EN ISO 11806-1:2022 ingliskeelset teksti.

This Estonian standard EVS-EN ISO 11806-1:2022 consists of the English text of the European standard EN ISO 11806-1:2022.

Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas

This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation and Accreditation.

Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 30.03.2022.

Date of Availability of the European standard is 30.03.2022.

Standard on kättesaadav Eesti Standardimis-ja Akrediteerimiskeskusest.

The standard is available from the Estonian Centre for Standardisation and Accreditation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile <u>standardiosakond@evs.ee</u>.

ICS 65.060.80

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardimis- ja Akrediteerimiskeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardimis-ja Akrediteerimiskeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardimis-ja Akrediteerimiskeskusega: Koduleht www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation and Accreditation No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation and Accreditation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation and Accreditation:

Homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

EUROPEAN STANDARD

EN ISO 11806-1

NORME EUROPÉENNE

EUROPÄISCHE NORM

March 2022

ICS 65.060.80

Supersedes EN ISO 11806-1:2011

English Version

Agricultural and forestry machinery - Safety requirements and testing for portable, hand-held, powered brush-cutters and grass-trimmers - Part 1: Machines fitted with an integral combustion engine (ISO 11806-1:2022)

Matériel agricole et forestier - Exigences de sécurité et essais pour débroussailleuses et coupe-herbe portatifs à moteur - Partie 1: Machines équipées d'un moteur à combustion interne intégré (ISO 11806-1:2022) Land- und forstwirtschaftliche Maschinen Sicherheitstechnische Anforderungen und Prüfung für
tragbare handgehaltene motorbetriebene
Freischneider und Grastrimmer - Teil 1: Maschinen mit
Antrieb durch integrierten Verbrennungsmotor (ISO
11806-1:2022)

This European Standard was approved by CEN on 26 December 2021.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

European foreword

This document (EN ISO 11806-1:2022) has been prepared by Technical Committee ISO/TC 23 "Tractors and machinery for agriculture and forestry" in collaboration with Technical Committee CEN/TC 144 "Tractors and machinery for agriculture and forestry" the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by September 2022, and conflicting national standards shall be withdrawn at the latest by September 2022.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 11806-1:2011.

This document has been prepared under a Standardization Request given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive(s) / Regulation(s).

For the relationship with EU Directive(s) / Regulation(s), see informative Annex ZA, which is an integral part of this document.

Any feedback and questions on this document should be directed to the users' national standards body/national committee. A complete listing of these bodies can be found on the CEN website.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Endorsement notice

The text of ISO 11806-1:2022 has been approved by CEN as EN ISO 11806-1:2022 without any modification.

Introduction	Co	ntent	ts	Page
1 Scope 1 2 Normative references 1 3 Terms and definitions 2 4 Safety requirements and/or protective measures 4 4.1 General 4 4.2 Handles 5 4.2.1 Requirements 6 4.3.1 Requirements 6 4.3.1 Requirements 6 4.3.2 Verification 7 4.4 Harness 6 4.3.1 Requirements 6 4.3.2 Verification 7 4.4 Harness 8 4.4.1 Requirements 8 4.5.1 Requirements 8 4.5.2 Verification 9 4.6.1 Requirements 9 4.6.2 Verification 9 4.7.1 Requirements 9 4.7.2 Verification 9 4.7.3 Requirements 10 4.8.2 <	Fore	eword		v
1 Scope 1 2 Normative references 1 3 Terms and definitions 2 4 Safety requirements and/or protective measures 4 4.1 General 4 4.2 Handles 5 4.2.1 Requirements 6 4.3.1 Requirements 6 4.3.1 Requirements 6 4.3.2 Verification 7 4.4 Harness 6 4.3.1 Requirements 6 4.3.2 Verification 7 4.4 Harness 8 4.4.1 Requirements 8 4.5.1 Requirements 8 4.5.2 Verification 9 4.6.1 Requirements 9 4.6.2 Verification 9 4.7.1 Requirements 9 4.7.2 Verification 9 4.7.3 Requirements 10 4.8.2 <	Intr	oductio	on	vi
2 Normative references 1 3 Terms and definitions 2 2 4 Safety requirements and/or protective measures 4 4.1 General 4 4.2 Handles 5 4.2.1 Requirements 5 4.2.2 Verification 6 6 4.3 Barrier and distance to cutting attachment for brush-cutters 6 4.3.1 Requirements 6 4.3.2 Verification 7 7 7 7 7 7 7 7 7	4			
3 Terms and definitions 2 4 Safety requirements and/or protective measures 4 4.1 General 4 4.2 Handles 5 4.2.1 Requirements 5 4.2.2 Verification 6 4.3 Barrier and distance to cutting attachment for brush-cutters 6 4.3.1 Requirements 6 4.3.2 Verification 7 4.4 Harness 8 4.4.1 Requirements 8 4.4.2 Verification 8 4.5.1 Requirements 8 4.5.2 Verification 9 4.6 Cutting attachment strength 9 4.6.1 Requirements 9 4.6.2 Verification 9 4.7 Cutting attachment retention 9 4.7.2 Verification 9 4.8 Cutting attachment guards 10 4.8.1 Requirements 10 4.8.2 Verification 10 4.9 Transport cover 10 4.9.1 Requirements 10 4.9.2 Verification 10 4.9.1 Requirements 10 4.10.1 Requirements 10 4.10.2 Verificati				
4 Safety requirements and/or protective measures 4 4.1 General 4 4.2 Handles 5 4.2.1 Requirements 6 4.3.2 Verification 6 4.3.1 Requirements 6 4.3.2 Verification 7 4.4 Harness 8 4.4.1 Requirements 8 4.5.2 Verification 8 4.5.5 Balance 8 4.5.1 Requirements 9 4.5.2 Verification 9 4.6.1 Requirements 9 4.6.2 Verification 9 4.7 Cutting attachment retention 9 4.7.1 Requirements 9 4.6.2 Verification 9 4.7.2 Verification 9 4.8.2 Verification 10 4.8.1 Requirements 10 4.8.2 Verification 10 4.9.1 Requirements 10 4.9.2 Verification				
4.1 General 4 4.2 Handles 5 4.2.1 Requirements 5 4.2.2 Verification 6 4.3.1 Requirements 6 4.3.2 Verification 7 4.4 Harness 8 4.4.1 Requirements 8 4.4.2 Verification 8 4.5.1 Requirements 8 4.5.2 Verification 9 4.5.1 Requirements 9 4.5.2 Verification 9 4.6.1 Requirements 9 4.6.2 Verification 9 4.6.1 Requirements 9 4.6.2 Verification 9 4.7 Verification 9 4.7.2 Verification 9 4.8.1 Requirements 10 4.8.2 Verification 10 4.9.1 Requirements 10 4.9.2 Verification 10 4.10.1 Requirements 10	3			
4.2.1 Handles 5 4.2.1 Requirements 5 4.2.2 Verification 6 4.3 Barrier and distance to cutting attachment for brush-cutters 6 4.3.1 Requirements 6 4.3.2 Verification 7 4.4 Harness 8 4.4.1 Requirements 8 4.5.2 Verification 8 4.5.3 Requirements 8 4.5.1 Requirements 9 4.6 Cutting attachment strength 9 4.6.1 Requirements 9 4.6.2 Verification 9 4.7 Cutting attachment retention 9 4.7.1 Requirements 9 4.7.2 Verification 9 4.8 Cutting attachment guards 10 4.8.1 Requirements 10 4.8.2 Verification 9 4.8.1 Requirements 10 4.8.2 Verification 10 4.9.1 Requirements 10 4.9.2 Verification 10 4.9.1 Requirements 10 4.10.2 Verification 11 4.10.1 Requirements 11 4.10.2 Verification 11	4			
4.2.1 Requirements 5 4.2.2 Verification 6 4.3.1 Requirements 6 4.3.2 Verification 7 4.4 Harness 8 4.4.1 Requirements 8 4.4.2 Verification 8 4.5.1 Requirements 8 4.5.2 Verification 9 4.6.1 Requirement strength 9 4.6.2 Verification 9 4.6.2 Verification 9 4.7 Cutting attachment retention 9 4.7.1 Requirements 9 4.7.2 Verification 9 4.8.2 Verification 9 4.8.1 Requirements 10 4.8.2 Verification 10 4.9 Transport cover 10 4.9.1 Requirements 10 4.9.2 Verification 10 4.10 Length of flexible cutting lines 10 4.11 Requirements 10 4.12 <td< td=""><td></td><td></td><td></td><td></td></td<>				
4.2.2 Verification 6 4.3 Barrier and distance to cutting attachment for brush-cutters 6 4.3.1 Requirements 6 4.3.2 Verification 7 4.4 Harness 8 4.4.1 Requirements 8 4.4.2 Verification 8 4.5.1 Requirements 8 4.5.2 Verification 9 4.6.1 Requirements 9 4.6.2 Verification 9 4.7.3 Requirements 9 4.7.2 Verification 9 4.8.1 Requirements 9 4.8.2 Verification 9 4.8.1 Requirements 10 4.8.2 Verification 10 4.9.1 Requirements 10 4.9.2 Verification 10 4.9.1 Requirements 10 4.9.2 Verification 10 4.10 Length of flexible cutting lines 10 4.10.1 Requirements 10 4.10.2 Verification 11 4.11.2 Requirements 11 4.11.1 Requirements 11 4.12.1 Requirements 11 4.12.2 Verification 11 <td rowspan="2"></td> <td>4.2</td> <td></td> <td></td>		4.2		
4.3 Barrier and distance to cutting attachment for brush-cutters 6 4.3.1 Requirements 6 4.3.2 Verification 7 4.4 Harness 8 4.4.1 Requirements 8 4.5.2 Verification 9 4.5.1 Requirements 9 4.5.2 Verification 9 4.6.1 Requirements 9 4.6.2 Verification 9 4.6.1 Requirements 9 4.6.2 Verification 9 4.7 Cutting attachment retention 9 4.7.2 Verification 9 4.8 Cutting attachment guards 10 4.8.1 Requirements 10 4.8.2 Verification 10 4.9 Transport cover 10 4.9.1 Requirements 10 4.9.2 Verification 10 4.10.1 Requirements 10 4.10.2 Verification 11 4.11.1 Requirements 10				
4.3.1 Requirements 6 4.3.2 Verification 7 4.4 Harness 8 4.4.1 Requirements 8 4.5.5 Balance 8 4.5.1 Requirements 8 4.5.2 Verification 9 4.6.1 Requirements 9 4.6.2 Verification 9 4.6.2 Verification 9 4.7 Cutting attachment retention 9 4.7.2 Verification 9 4.7.2 Verification 9 4.8.1 Requirements 9 4.8.2 Verification 10 4.8.1 Requirements 10 4.8.2 Verification 10 4.9.1 Requirements 10 4.9.2 Verification 10 4.9.1 Requirements 10 4.9.2 Verification 10 4.10.1 Requirements 10 4.10.2 Verification 11 4.11.1 Requirements 11 4.11.2 Perification 11 4.12.1 Requirements 11 4.12.1 Requirements 11 4.13.1 Position 11 4.13.1 Position 11 <td></td> <td>4.3</td> <td></td> <td></td>		4.3		
4.4 Harness 8 4.4.1 Requirements 8 4.4.2 Verification 8 4.5 Balance 8 4.5.1 Requirements 8 4.5.2 Verification 9 4.6 Cutting attachment strength 9 4.6.1 Requirements 9 4.6.2 Verification 9 4.7.1 Requirements 9 4.7.2 Verification 9 4.7.2 Verification 9 4.8.1 Requirements 10 4.8.2 Verification 10 4.9.1 Requirements 10 4.9.2 Verification 10 4.9.1 Requirements 10 4.9.2 Verification 10 4.10.1 Requirements 10 4.10.2 Verification 11 4.11 Engine storping device 11 4.11.1 Requirements 11 4.12.1 Requirements 11 4.12.2 Verification <td></td> <td>110</td> <td></td> <td></td>		110		
4.4.1 Requirements 8 4.4.2 Verification 8 4.5 Balance 8 4.5.1 Requirements 8 4.5.2 Verification 9 4.6 Cutting attachment strength 9 4.6.1 Requirements 9 4.6.2 Verification 9 4.7 Cutting attachment retention 9 4.7.1 Requirements 9 4.7.2 Verification 9 4.8.1 Requirements 10 4.8.2 Verification 10 4.9 Transport cover 10 4.9.1 Requirements 10 4.9.2 Verification 10 4.10 Length of flexible cutting lines 10 4.10.1 Requirements 10 4.10.2 Verification 11 4.11 Engine starting device 11 4.11.1 Requirements 11 4.12.1 Requirements 11 4.12.2 Verification 11 4.13.1 Position 11 4.13.2 Operation 11 4.13.3 Throttle control 11 4.14.1 Requirements 14 4.14.2 Verification 11				
4.4.2 Verification 8 4.5 Balance 8 4.5.1 Requirements 8 4.5.2 Verification 9 4.6 Cutting attachment strength 9 4.6.1 Requirements 9 4.6.2 Verification 9 4.7 Cutting attachment retention 9 4.7.1 Requirements 9 4.7.2 Verification 9 4.8.1 Requirements 10 4.8.2 Verification 10 4.9.1 Requirements 10 4.9.2 Verification 10 4.9.1 Requirements 10 4.9.2 Verification 10 4.10 Length of flexible cutting lines 10 4.10.1 Requirements 10 4.10.2 Verification 11 4.11 Engine starting device 11 4.11.2 Verification 11 4.12 Requirements 11 4.11.2 Requirements 11 4.12.1 Requirements 11 4.12.2 Verification 11 4.13.1 Position 11 4.13.2 Operation 11 4.13.3 Throttle control 13		4.4		
4.5. Balance 8 4.5.1 Requirements 8 4.5.2 Verification 9 4.6 Cutting attachment strength 9 4.6.1 Requirements 9 4.6.2 Verification 9 4.7 Cutting attachment retention 9 4.7.1 Requirements 9 4.7.2 Verification 9 4.8 Cutting attachment guards 10 4.8.1 Requirements 10 4.8.2 Verification 10 4.9 Transport cover 10 4.9.1 Requirements 10 4.9.2 Verification 10 4.10 Length of flexible cutting lines 10 4.10.1 Requirements 10 4.10.2 Verification 11 4.11 Engine starting device 11 4.11.1 Requirements 11 4.12.1 Verification 11 4.12.2 Verification 11 4.13.1 Position 11 4.13.2 Operation 11 4.13.3 Throttle control latch 13 4.14 Clutch 14 4.15 General 14 4.15.1 General 14				
4.5.1 Requirements 8 4.5.2 Verification 9 4.6 Cutting attachment strength 9 4.6.1 Requirements 9 4.6.2 Verification 9 4.7 Cutting attachment retention 9 4.7.1 Requirements 9 4.7.2 Verification 9 4.8 Cutting attachment guards 10 4.8.1 Requirements 10 4.8.2 Verification 10 4.9 Transport cover 10 4.9.1 Requirements 10 4.9.2 Verification 10 4.10.1 Requirements 10 4.10.2 Verification 11 4.11.1 Requirements 10 4.11.2 Verification 11 4.11.1 Requirements 11 4.11.2 Verification 11 4.12.1 Requirements 11 4.12.2 Verification 11 4.13 Throttle control 11 4.13.1 Position 11 4.13.2 Operation 11 4.13.1 Requirements 14 4.14 Clutch 13 4.14 Clutch 14 4.1		4 5		
4.6 Cutting attachment strength 9 4.6.1 Requirements 9 4.6.2 Verification 9 4.7 Cutting attachment retention 9 4.7.1 Requirements 9 4.7.2 Verification 9 4.8 Cutting attachment guards 10 4.8.1 Requirements 10 4.8.2 Verification 10 4.9.1 Requirements 10 4.9.2 Verification 10 4.9.1 Requirements 10 4.10.1 Requirements 10 4.10.2 Verification 11 4.11.1 Requirements 10 4.11.1 Requirements 11 4.11.2 Verification 11 4.11.2 Verification 11 4.12.1 Requirements 11 4.12.1 Requirements 11 4.12.1 Requirements 11 4.13.2 Verification 11 4.13.3 Throttle control 11		4.5		
4.6. Cutting attachment strength. 9 4.6.1 Requirements 9 4.6.2 Verification. 9 4.7 Cutting attachment retention. 9 4.7.1 Requirements. 9 4.7.2 Verification. 9 4.8 Cutting attachment guards. 10 4.8.1 Requirements. 10 4.8.2 Verification. 10 4.9.1 Requirements. 10 4.9.2 Verification. 10 4.10 Length of flexible cutting lines. 10 4.10.1 Requirements. 10 4.10.2 Verification. 11 4.11 Engine starting device. 11 4.11.1 Requirements. 11 4.12.1 Requirements. 11 4.12.2 Verification. 11 4.13 Throttle control. 11 4.13.1 Position. 11 4.13.3 Throttle control. 11 4.13.3 Throttle control latch. 13 4.14				
4.6.1 Requirements 9 4.6.2 Verification 9 4.7 Cutting attachment retention 9 4.7.1 Requirements 9 4.7.2 Verification 9 4.8 Cutting attachment guards 10 4.8.1 Requirements 10 4.8.2 Verification 10 4.9 Transport cover 10 4.9.1 Requirements 10 4.9.2 Verification 10 4.10 Length of flexible cutting lines 10 4.10.1 Requirements 10 4.10.2 Verification 11 4.11.2 Requirements 11 4.11.2 Requirements 11 4.11.2 Requirements 11 4.12.1 Requirements 11 4.12.2 Verification 11 4.13.1 Position 11 4.13.2 Operation 11 4.13.3 Throttle control 11 4.14.1 Requirements 14 4.14.1 Requirements 14 4.15.1 General 14 4.15.2 Fuel tank structural integrity 15 4.15.3 Fuel feed line strength and accessibility 15		4.6		
4.6.2 Verification 9 4.7 Cutting attachment retention 9 4.7.1 Requirements 9 4.7.2 Verification 9 4.8 Cutting attachment guards 10 4.8.1 Requirements 10 4.8.2 Verification 10 4.9 Transport cover 10 4.9.1 Requirements 10 4.9.2 Verification 10 4.10 Length of flexible cutting lines 10 4.10.1 Requirements 10 4.10.2 Verification 11 4.11.1 Requirements 11 4.11.2 Verification 11 4.12 Engine stopping device 11 4.12.1 Requirements 11 4.12.2 Verification 11 4.13 Throttle control 11 4.13.3 Position 11 4.13.3 Throttle control latch 13 4.14 Clutch 14 4.14.1 Requirements 14 4.15.1 General 14 4.15.2 Fuel tank structural integrity 15 4.15.3 Fuel feed line strength and accessibility 15			4.6.1 Requirements	9
4.7.2 Verification 9 4.8 Cutting attachment guards 10 4.8.1 Requirements 10 4.8.2 Verification 10 4.9 Transport cover 10 4.9.1 Requirements 10 4.9.2 Verification 10 4.10 Length of flexible cutting lines 10 4.10.1 Requirements 10 4.10.2 Verification 11 4.11 Engine starting device 11 4.11.1 Requirements 11 4.11.2 Verification 11 4.12 Engine stopping device 11 4.12.1 Requirements 11 4.12.1 Requirements 11 4.13.1 Position 11 4.13.2 Operation 11 4.13.3 Throttle control latch 13 4.14 Clutch 14 4.14.1 Requirements 14 4.14.2 Verification 14 4.15.1 General 14 4.15.2 Fuel tank structural integrity 15 4.15.3 Fuel feed line strength and accessibility 15			4.6.2 Verification	9
4.7.2 Verification 9 4.8 Cutting attachment guards 10 4.8.1 Requirements 10 4.8.2 Verification 10 4.9 Transport cover 10 4.9.1 Requirements 10 4.9.2 Verification 10 4.10 Length of flexible cutting lines 10 4.10.1 Requirements 10 4.10.2 Verification 11 4.11 Engine starting device 11 4.11.1 Requirements 11 4.11.2 Verification 11 4.12 Engine stopping device 11 4.12.1 Requirements 11 4.12.1 Requirements 11 4.13.1 Position 11 4.13.2 Operation 11 4.13.3 Throttle control latch 13 4.14 Clutch 14 4.14.1 Requirements 14 4.14.2 Verification 14 4.15.1 General 14 4.15.2 Fuel tank structural integrity 15 4.15.3 Fuel feed line strength and accessibility 15		4.7	Cutting attachment retention	9
4.8 Cutting attachment guards 10 4.8.1 Requirements 10 4.8.2 Verification 10 4.9 Transport cover 10 4.9.1 Requirements 10 4.9.2 Verification 10 4.10.1 Requirements 10 4.10.2 Verification 11 4.11 Engine starting device 11 4.11.1 Requirements 11 4.12.1 Verification 11 4.12.1 Requirements 11 4.12.1 Requirements 11 4.12.2 Verification 11 4.13 Throttle control 11 4.13.1 Position 11 4.13.2 Operation 11 4.13.3 Throttle control latch 13 4.14 Clutch 14 4.15 Tanks 14 4.15.1 General 14 4.15.2 Fuel tank structural integrity 15 4.15.3 Fuel tank structural integrity 15			4.7.1 Requirements	9
4.8.2 Verification 10 4.9 Transport cover 10 4.9.1 Requirements 10 4.9.2 Verification 10 4.10 Length of flexible cutting lines 10 4.10.1 Requirements 10 4.10.2 Verification 11 4.11 Requirements 11 4.11.1 Requirements 11 4.12 Engine storpping device 11 4.12.1 Requirements 11 4.12.2 Verification 11 4.13 Throttle control 11 4.13.1 Position 11 4.13.2 Operation 11 4.13.3 Throttle control latch 13 4.14 Clutch 13 4.14 Clutch 14 4.14.1 Requirements 14 4.14.2 Verification 14 4.15.1 General 14 4.15.2 Fuel tank structural integrity 15 4.15.3 Fuel feed line strength and accessibility 15		4.0	4.7.2 Verification	9
4.8.2 Verification 10 4.9 Transport cover 10 4.9.1 Requirements 10 4.9.2 Verification 10 4.10 Length of flexible cutting lines 10 4.10.1 Requirements 10 4.10.2 Verification 11 4.11 Requirements 11 4.11.1 Requirements 11 4.12 Engine storpping device 11 4.12.1 Requirements 11 4.12.2 Verification 11 4.13 Throttle control 11 4.13.1 Position 11 4.13.2 Operation 11 4.13.3 Throttle control latch 13 4.14 Clutch 13 4.14 Clutch 14 4.14.1 Requirements 14 4.14.2 Verification 14 4.15.1 General 14 4.15.2 Fuel tank structural integrity 15 4.15.3 Fuel feed line strength and accessibility 15		4.8	4.8.1 Paguiroments	10 10
4.9 Transport cover 10 4.9.1 Requirements 10 4.9.2 Verification 10 4.10 Length of flexible cutting lines 10 4.10.1 Requirements 10 4.10.2 Verification 11 4.11 Engine starting device 11 4.11.1 Requirements 11 4.11.2 Verification 11 4.12.1 Requirements 11 4.12.1 Requirements 11 4.12.1 Verification 11 4.13.1 Position 11 4.13.1 Position 11 4.13.2 Operation 11 4.13.3 Throttle control latch 13 4.14 Clutch 13 4.14.1 Requirements 14 4.14.1 Requirements 14 4.14.1 Requirements 14 4.15.1 General 14 4.15.2 Fuel tank structural integrity 15 4.15.3 Fuel tank structural integrity 15 <td></td> <td></td> <td>4.8.2 Verification</td> <td>10</td>			4.8.2 Verification	10
4.9.1 Requirements 10 4.9.2 Verification 10 4.10 Length of flexible cutting lines 10 4.10.1 Requirements 10 4.10.2 Verification 11 4.11 Engine starting device 11 4.11.1 Requirements 11 4.11.2 Verification 11 4.12 Engine stopping device 11 4.12.1 Requirements 11 4.12.2 Verification 11 4.13 Throttle control 11 4.13.1 Position 11 4.13.2 Operation 11 4.13.3 Throttle control latch 13 4.14 Clutch 14 4.14.1 Requirements 14 4.14.2 Verification 14 4.15 Tanks 14 4.15.1 General 14 4.15.2 Fuel tank structural integrity 15 4.15.3 Fuel feed line strength and accessibility 15		4.9		
4.10 Length of flexible cutting lines 10 4.10.1 Requirements 10 4.10.2 Verification 11 4.11 Engine starting device 11 4.11.1 Requirements 11 4.12.1 Verification 11 4.12.1 Requirements 11 4.12.2 Verification 11 4.13 Throttle control 11 4.13.1 Position 11 4.13.2 Operation 11 4.13.3 Throttle control latch 13 4.14 Clutch 13 4.14 Requirements 14 4.14.1 Requirements 14 4.14.2 Verification 14 4.15 Tanks 14 4.15.1 General 14 4.15.2 Fuel tank structural integrity 15 4.15.3 Fuel teed line strength and accessibility 15			4.9.1 Requirements	10
4.10.1 Requirements 10 4.10.2 Verification 11 4.11 Engine starting device 11 4.11.1 Requirements 11 4.11.2 Verification 11 4.12 Engine stopping device 11 4.12.1 Requirements 11 4.12.2 Verification 11 4.13 Throttle control 11 4.13.1 Position 11 4.13.2 Operation 11 4.13.3 Throttle control latch 13 4.14 Clutch 13 4.14.1 Requirements 14 4.14.2 Verification 14 4.14.1 Requirements 14 4.14.2 Verification 14 4.15.1 General 14 4.15.2 Fuel tank structural integrity 15 4.15.3 Fuel feed line strength and accessibility 15				
4.10.2 Verification 11 4.11 Engine starting device 11 4.11.1 Requirements 11 4.11.2 Verification 11 4.12 Engine stopping device 11 4.12.1 Requirements 11 4.12.2 Verification 11 4.13 Throttle control 11 4.13.1 Position 11 4.13.2 Operation 11 4.13.3 Throttle control latch 13 4.14 Clutch 13 4.14 Requirements 14 4.14.1 Requirements 14 4.14.2 Verification 14 4.15 Tanks 14 4.15.1 General 14 4.15.2 Fuel tank structural integrity 15 4.15.3 Fuel feed line strength and accessibility 15		4.10	Length of flexible cutting lines	10
4.11 Engine starting device 11 4.11.1 Requirements 11 4.12.2 Verification 11 4.12.1 Requirements 11 4.12.2 Verification 11 4.13 Throttle control 11 4.13.1 Position 11 4.13.2 Operation 11 4.13.3 Throttle control latch 13 4.14 Clutch 14 4.14.1 Requirements 14 4.14.2 Verification 14 4.15 Tanks 14 4.15 Tanks 14 4.15.1 General 14 4.15.2 Fuel tank structural integrity 15 4.15.3 Fuel feed line strength and accessibility 15			4.10.1 Requirements	10
4.11.1 Requirements 11 4.11.2 Verification 11 4.12 Engine stopping device 11 4.12.1 Requirements 11 4.12.2 Verification 11 4.13 Throttle control 11 4.13.1 Position 11 4.13.2 Operation 11 4.13.3 Throttle control latch 13 4.14 Clutch 14 4.14.1 Requirements 14 4.14.2 Verification 14 4.15 Tanks 14 4.15.1 General 14 4.15.2 Fuel tank structural integrity 15 4.15.3 Fuel feed line strength and accessibility 15		111		
4.11.2 Verification 11 4.12 Engine stopping device 11 4.12.1 Requirements 11 4.12.2 Verification 11 4.13 Throttle control 11 4.13.1 Position 11 4.13.2 Operation 11 4.13.3 Throttle control latch 13 4.14 Clutch 14 4.14.1 Requirements 14 4.14.2 Verification 14 4.15 Tanks 14 4.15.1 General 14 4.15.2 Fuel tank structural integrity 15 4.15.3 Fuel feed line strength and accessibility 15		4.11		
4.12 Engine stopping device 11 4.12.1 Requirements 11 4.12.2 Verification 11 4.13 Throttle control 11 4.13.1 Position 11 4.13.2 Operation 11 4.13.3 Throttle control latch 13 4.14 Clutch 14 4.14.1 Requirements 14 4.14.2 Verification 14 4.15 Tanks 14 4.15.1 General 14 4.15.2 Fuel tank structural integrity 15 4.15.3 Fuel feed line strength and accessibility 15				
4.12.2 Verification 11 4.13 Throttle control 11 4.13.1 Position 11 4.13.2 Operation 11 4.13.3 Throttle control latch 13 4.14 Clutch 14 4.14.1 Requirements 14 4.14.2 Verification 14 4.15 Tanks 14 4.15.1 General 14 4.15.2 Fuel tank structural integrity 15 4.15.3 Fuel feed line strength and accessibility 15		4.12		
4.13 Throttle control 11 4.13.1 Position 11 4.13.2 Operation 11 4.13.3 Throttle control latch 13 4.14 Clutch 14 4.14.1 Requirements 14 4.14.2 Verification 14 4.15 Tanks 14 4.15.1 General 14 4.15.2 Fuel tank structural integrity 15 4.15.3 Fuel feed line strength and accessibility 15			4.12.1 Requirements	11
4.13.1 Position 11 4.13.2 Operation 11 4.13.3 Throttle control latch 13 4.14 Clutch 14 4.14.1 Requirements 14 4.14.2 Verification 14 4.15 Tanks 14 4.15.1 General 14 4.15.2 Fuel tank structural integrity 15 4.15.3 Fuel feed line strength and accessibility 15				
4.13.2 Operation 11 4.13.3 Throttle control latch 13 4.14 Clutch 14 4.14.1 Requirements 14 4.14.2 Verification 14 4.15 Tanks 14 4.15.1 General 14 4.15.2 Fuel tank structural integrity 15 4.15.3 Fuel feed line strength and accessibility 15		4.13		
4.13.3 Throttle control latch 13 4.14 Clutch 14 4.14.1 Requirements 14 4.14.2 Verification 14 4.15 Tanks 14 4.15.1 General 14 4.15.2 Fuel tank structural integrity 15 4.15.3 Fuel feed line strength and accessibility 15				
4.14 Clutch 14 4.14.1 Requirements 14 4.14.2 Verification 14 4.15 Tanks 14 4.15.1 General 14 4.15.2 Fuel tank structural integrity 15 4.15.3 Fuel feed line strength and accessibility 15				
4.14.1 Requirements 14 4.14.2 Verification 14 4.15 Tanks 14 4.15.1 General 14 4.15.2 Fuel tank structural integrity 15 4.15.3 Fuel feed line strength and accessibility 15		4.14		
4.15 Tanks 14 4.15.1 General 14 4.15.2 Fuel tank structural integrity 15 4.15.3 Fuel feed line strength and accessibility 15				
4.15.1 General144.15.2 Fuel tank structural integrity154.15.3 Fuel feed line strength and accessibility15			4.14.2 Verification	14
4.15.2 Fuel tank structural integrity		4.15		
4.15.3 Fuel feed line strength and accessibility				
v		4 16		
4.16.1 Requirements		1.10		

	4.16.2 Verification	15
4.1	7 Protection against contact with hot parts	15
	4.17.1 Requirements	15
	4.17.2 Verification	
4.1		
	4.18.1 Requirement	
	4.18.2 Verification	
4.1		
4.1		
	4.19.1 Reduction by design at source and by protective measures	
	4.19.2 Vibration measurement	
4.2		
	4.20.1 Reduction by design at source and by protective measures	17
	4.20.2 Noise measurement	17
4.2	1 Electromagnetic immunity	17
	4.21.1 Requirements	
	4.21.2 Verification	
	ormation for use	
5.1		
	5.1.1 General	18
	5.1.2 Technical data	
	5.1.3 Other information	
5.2		
5.3		4U 71
5.4		
	5.4.1 Preparation of test specimens and control specimens	
	5.4.2 Wipe resistance test	
	5.4.3 Adhesion test	23
nnov A	normative) Cutting attachment impact and spin test	21
nnex B (normative) Thrown objects test	26
	informative) List of significant hazards	
	normative) Structural integrity of fuel tanks	
		92
	normative) Procedures for the evaluation of the strength and accessibility of fuel	33
	- The state of the	
ibliogra	phy	34
	phy	S

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 23, *Tractors and machinery for agriculture and forestry*, Subcommittee SC 17, *Manually portable (hand-held) powered lawn and garden equipment and forest machinery*, in collaboration with the European Committee for Standardization (CEN) Technical Committee CEN/TC 144, *Tractors and machinery for agriculture and forestry*, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

This second edition cancels and replaces the first edition (ISO 11806-1:2011), which has been technically revised.

The main changes compared to the previous edition are as follows:

- Figure 3 has been revised to provide examples of handle distance;
- a force requirement in the throttle trigger lock-out performance test has been added;
- Figures 5a and 5b have been added to clarify throttle trigger lock-out performance test;
- fuel tank structural integrity test requirements have been added by including a new Annex D;
- fuel line strength and accessibility requirements have been added by including a new Annex E;
- Annex A, cutting attachment impact and spin test, has been revised for repeatability.

A list of all parts in the ISO 11806 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

This document is a type-C standard as stated in ISO 12100:2010.

This document is of relevance, in particular, for the following stakeholder groups representing the market players with regard to machinery safety:

- machine manufacturers (small, medium and large enterprises);
- health and safety bodies (regulators, accident prevention organisations, market surveillance, etc.).

Others can be affected by the level of machinery safety achieved with the means of the document by the above-mentioned stakeholder groups:

- machine users/employers (small, medium and large enterprises);
- machine users/employees (e.g. trade unions, organizations for people with special needs);
- service providers, e.g. for maintenance (small, medium and large enterprises);
- consumers (in case of machinery intended for use by consumers).

The above-mentioned stakeholder groups have been given the possibility to participate at the drafting process of this document.

The machinery concerned and the extent to which hazards, hazardous situations or hazardous events are covered are indicated in the scope of this document.

When requirements of this type-C standard are different from those which are stated in type-A or type-B standards, the requirements of this type-C standard take precedence over the requirements of the other standards for machines that have been designed and built according to the requirements of this type-C standard.

Agricultural and forestry machinery — Safety requirements and testing for portable, hand-held, powered brush-cutters and grass-trimmers —

Part 1:

Machines fitted with an integral combustion engine

1 Scope

This document gives safety requirements and measures for their verification for the design and construction of portable hand-held, powered brush-cutters and grass-trimmers (hereafter called machines) having an integral combustion engine as their power unit and mechanical power transmission between the power source and the cutting attachment. Methods for the elimination or reduction of hazards arising from the use of these machines and the type of information on safe working practices to be provided by the manufacturer are specified.

This document deals with all significant hazards, hazardous situations and hazardous events relevant to these machines, as well as when they are used as intended and under conditions of misuse which are reasonably foreseeable by the manufacturer.

This document is not applicable to machines equipped with metallic cutting attachments consisting of more than one piece, such as pivoting chains or flail blades.

NOTE See Annex C for a list of significant hazards.

This document is applicable to portable, hand-held, powered brush-cutters and grass-trimmers manufactured after its date of publication.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 683-4:2016, Heat-treatable steels, alloy steels and free-cutting steels — Part 4: Free-cutting steels

ISO 3767-1:2016, Tractors, machinery for agriculture and forestry, powered lawn and garden equipment — Symbols for operator controls and other displays — Part 1: Common symbols

ISO 3767-5:2016, Tractors, machinery for agriculture and forestry, powered lawn and garden equipment — Symbols for operator controls and other displays — Part 5: Symbols for manual portable forestry machines

ISO 7112:2018, Machinery for forestry — Portable brush-cutters and grass-trimmers — Vocabulary

ISO 7113:1999, Portable hand-held forestry machines — Cutting attachments for brush cutters — Single-piece metal blades

ISO 7918:1995, Forestry machinery — Portable brush-cutters and grass-trimmers — Cutting attachment guard dimensions

ISO 8380:1993, Forestry machinery — Portable brush-cutters and grass-trimmers — Cutting attachment guard strength

ISO 12100:2010, Safety of machinery — General principles for design — Risk assessment and risk reduction

ISO 13857:2019, Safety of machinery — Safety distances to prevent hazard zones being reached by upper and lower limbs

ISO 14982:1998, Agricultural and forestry machinery — Electromagnetic compatibility — Test methods and acceptance criteria

ISO 22867:2021, Forestry and gardening machinery — Vibration test code for portable hand-held machines with internal combustion engine — Vibration at the handles

ISO 22868:2021, Forestry and gardening machinery — Noise test code for portable hand-held machines with internal combustion engine — Engineering method (Grade 2 accuracy)

IEC 61032:1997, Protection of persons and equipment by enclosures — Probes for verification

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 7112:2018, ISO 12100:2010 and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at http://www.electropedia.org/
- ISO Online browsing platform: available at https://www.iso.org/obp

3.1

machine

inclut complete brush-cutter, brush saw or grass-trimmer, including power unit, drive shaft tube, cutting attachment and guard, but excluding the harness