
**Information technology — JPEG XS
low-latency lightweight image coding
system —**

**Part 3:
Transport and container formats**

This document is a preview generated by EUS



COPYRIGHT PROTECTED DOCUMENT

© ISO/IEC 2022

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

	Page
Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Symbols and abbreviated terms	3
4.1 Symbols.....	3
4.2 Abbreviated terms.....	3
4.3 Naming conventions for numerical values.....	3
5 Conformance	4
6 Colour specification	4
7 Organization of the document	4
Annex A (normative) Use of JPEG XS codestreams in still image file format - JXS	5
Annex B (normative) Use of JPEG XS codestreams in the ISOBMFF - Motion JPEG XS	33
Annex C (normative) Use of JPEG XS codestreams in the HEIF image file format	37
Annex D (normative) Use of JPEG XS codestreams outside of file formats	44
Bibliography	46

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives or www.iec.ch/members_experts/refdocs).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents) or the IEC list of patent declarations received (see patents.iec.ch).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html. In the IEC, see www.iec.ch/understanding-standards.

This document was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 29, *Coding of audio, picture, multimedia and hypermedia information*.

This second edition cancels and replaces the first edition (ISO/IEC 21122-3:2019), which has been technically revised.

The main changes are as follows:

- corrigenda;
- signalling for support of 4:2:0 images.

A list of all parts in the ISO/IEC 21122 series can be found on the ISO and IEC websites.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html and www.iec.ch/national-committees.

Introduction

This document is part of a series of standards for a low-latency lightweight image coding system, denoted JPEG XS.

In many use cases during production or transmission of a movie, limiting the latency and the recompression loss is a more important aspect than the compression efficiency. The JPEG XS coding system offers compression and recompression of image sequences with very moderate computational resources while remaining robust under multiple compression and decompression cycles and mixing of content sources, e.g. embedding of subtitles, overlays or logos. Typical target compression ratios ensuring visually lossless quality are in the range of 2:1 to 10:1, depending on the nature of the source material. The end-to-end latency can be confined to a fraction of a frame, typically between a small number of lines down to below a single line.

This document specifies transport and container formats for JPEG XS codestreams. It also defines metadata that enriches transport protocols for transmission of image sequences, in order to facilitate transport, editing and presentation.

Information technology — JPEG XS low-latency lightweight image coding system —

Part 3: Transport and container formats

1 Scope

This document defines transport and container formats for JPEG XS codestreams as specified in ISO/IEC 21122-1. It defines file formats for working with still image and motion image sequence files on computer platforms and gives guidance on how to embed the codestream in transport streams, allowing internet-based communication.

This document uses already existing specifications for file formats and extends them for the embedding of JPEG XS codestreams.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 15076-1, *Image technology colour management — Architecture, profile format and data structure — Part 1: Based on ICC.1: 2010*

ISO/IEC 646, *Information technology — ISO 7-bit coded character set for information interchange*

ISO/IEC 10646, *Information technology — Universal coded character set (UCS)*

ISO/IEC 11578, *Information technology — Open Systems Interconnection — Remote Procedure Call (RPC)*

ISO/IEC 14496-12, *Coding of audio-visual objects — Part 12: ISO base media file format*

ISO/IEC 21122-1, *JPEG XS low-latency lightweight image coding system — Part 1: Core coding system*

ISO/IEC 21122-2, *JPEG XS low-latency lightweight image coding system — Part 2: Profiles and buffer models*

ISO/IEC 23008-12:2017, *Information technology — High efficiency coding and media delivery in heterogeneous environments — Part 12: Image File Format*

ISO/CIE 11664-1, *Colorimetry — Part 1: CIE standard colorimetric observers*

Rec. ITU-T H.273 | ISO/IEC 23091-2, *Coding-independent code points — Part 2: Video*

ANSI/CTA 861-G:2016, *A DTV Profile for Uncompressed High Speed Digital Interfaces*

W3C Recommendation, Extensible Markup Language (XML) 1.0 (Fifth Edition), 26 Nov. 2008 (<https://www.w3.org/TR/REC-xml/>)

3 Terms and definitions

For the purposes of this document the terms and definitions given in ISO/IEC 14496-12, ISO/IEC 21122-1, ISO/IEC 21122-2, ISO/IEC 23008-12 and the following apply.