

English Version

Organo-mineral fertilizers - Extraction of phosphorus by formic acid

Engrais organo-minéraux - Extraction du phosphore
par l'acide formique

Organisch-mineralische Düngemittel - Extraktion von
Phosphor durch Ameisensäure

This Technical Specification (CEN/TS) was approved by CEN on 13 March 2022 for provisional application.

The period of validity of this CEN/TS is limited initially to three years. After two years the members of CEN will be requested to submit their comments, particularly on the question whether the CEN/TS can be converted into a European Standard.

CEN members are required to announce the existence of this CEN/TS in the same way as for an EN and to make the CEN/TS available promptly at national level in an appropriate form. It is permissible to keep conflicting national standards in force (in parallel to the CEN/TS) until the final decision about the possible conversion of the CEN/TS into an EN is reached.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents	Page
European foreword	3
1 Scope	4
2 Normative references	4
3 Terms and definitions	4
4 Principle	4
5 Sampling	4
6 Reagents	4
7 Apparatus	4
8 Procedure	5
8.1 Test portion	5
8.2 Extraction	5
Bibliography	6

European foreword

This document (CEN/TS 17767:2022) has been prepared by Technical Committee CEN/TC 260 “Fertilizers and liming materials”, the secretariat of which is held by DIN.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a Standardization Request given to CEN by the European Commission and the European Free Trade Association.

Any feedback and questions on this document should be directed to the users’ national standards body. A complete listing of these bodies can be found on the CEN website.

According to the CEN/CENELEC Internal Regulations, the national standards organisations of the following countries are bound to announce this Technical Specification: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

1 Scope

This document specifies the procedure for the extraction of phosphorus in 2 % formic acid (20 g/l), representing the amount of soft natural phosphates.

The method is applicable to organo-mineral fertilizers.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

CEN/TS 17774, *Organic and organo-mineral fertilizers — Determination of the content of specific elements by ICP-AES after extraction by water*

3 Terms and definitions

No terms and definitions are listed in this document.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <https://www.electropedia.org/>
- ISO Online browsing platform: available at <https://www.iso.org/obp>

4 Principle

To differentiate between hard natural phosphates and soft natural phosphates, phosphorus soluble in formic acid is extracted from the test portion with a 2 % formic acid solution under specified conditions.

5 Sampling

Sampling should be performed carefully, following the principles described in EN 1482 (all parts) with appropriate adaptations, required to account for specificities of organic and organo-mineral fertilizers.

6 Reagents

6.1 Water, distilled or demineralized.

6.2 Formic acid 2 %, (concentration of 20 g/l).

Make 82 ml of formic acid (concentration 98 % to 100 %; density at 20 °C $\rho_{20} = 1,22$ g/ml) up to 5 l with distilled water.

7 Apparatus

7.1 Common laboratory equipment and glassware.

7.2 500 ml graduated flask, with a wide neck (e.g. Stohmann).

7.3 Rotary shaker, 35 turns to 40 turns per min.