

English Version

**Molecular in vitro diagnostic examinations - Specifications  
for pre-examination processes for exosomes and other  
extracellular vesicles in venous whole blood - DNA, RNA  
and proteins**

Analyses de diagnostic moléculaire in vitro -  
Spécifications relatives aux processus préanalytiques  
pour exosomes et autres vésicules extracellulaires  
dans le sang total veineux - ADN, ARN et protéines

Molekularanalytische in-vitro-diagnostische Verfahren  
- Spezifikationen für präanalytische Prozesse für  
Exosomen und andere extrazelluläre Vesikel im  
venösen Vollblut - DNA, RNA und Proteine

This Technical Specification (CEN/TS) was approved by CEN on 13 March 2022 for provisional application.

The period of validity of this CEN/TS is limited initially to three years. After two years the members of CEN will be requested to submit their comments, particularly on the question whether the CEN/TS can be converted into a European Standard.

CEN members are required to announce the existence of this CEN/TS in the same way as for an EN and to make the CEN/TS available promptly at national level in an appropriate form. It is permissible to keep conflicting national standards in force (in parallel to the CEN/TS) until the final decision about the possible conversion of the CEN/TS into an EN is reached.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

**CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels**

## Contents

Page

European foreword.....	4
Introduction .....	4
1 Scope .....	6
2 Normative references .....	6
3 Terms and definitions .....	7
4 General Requirements .....	11
5 Outside the laboratory .....	13
5.1 Specimen collection.....	13
5.1.1 General.....	13
5.1.2 Information about the patient/specimen donor .....	13
5.1.3 Selection of the venous whole blood collection tube by the laboratory .....	13
5.1.4 Venous whole blood specimen collection from the patient/donor .....	14
5.2 Specimen storage and transport .....	15
5.2.1 General.....	15
5.2.2 Storage and transport using blood collection tubes with stabilizers.....	15
5.2.3 Storage and transport using blood collection tubes without stabilizers.....	15
6 Inside the laboratory .....	16
6.1 Specimen reception.....	16
6.2 Specimen storage after transport and reception .....	16
6.3 Plasma preparation.....	16
6.4 Storage requirements for plasma samples.....	17
6.5 Enrichment of EVs from specimen .....	17
6.5.1 General.....	17
6.5.2 Using a commercial EV enrichment system.....	18
6.5.3 Using the laboratory's own EV enrichment procedure .....	18
6.5.4 Quality of enriched EVs .....	18
6.5.5 Storage of enriched EVs .....	19
6.6 Isolation of analyte of interest from EVs .....	19
6.6.1 General.....	19
6.6.2 Using a commercial kit for EV DNA, RNA, protein isolation intended for diagnostic use.....	19
6.6.3 Using a laboratory developed isolation procedure .....	20
6.7 Quantity and quality assessment of isolated analyte of interest .....	21
6.7.1 General.....	21
6.7.2 Quantity assessment of EV DNA and RNA.....	21
6.7.3 Quality assessment of DNA and RNA .....	22
6.7.4 Quantity and quality assessment of EV proteins .....	22
6.8 Storage of isolated analyte of interest.....	23
6.8.1 General.....	23
6.8.2 Storage of DNA.....	23
6.8.3 Storage of RNA.....	24
6.8.4 Storage of EV protein .....	25
Annex A (informative) Example of a typical protocol for plasma preparation for EV enrichment from unstabilized blood .....	26

<b>Annex B (informative) Overview of different enrichment procedures.....</b>	<b>27</b>
<b>B.1 General .....</b>	<b>27</b>
<b>B.2 EV enrichment by centrifugation.....</b>	<b>27</b>
<b>B.3 EV enrichment by filtration .....</b>	<b>27</b>
<b>B.4 EV enrichment by chromatography .....</b>	<b>28</b>
<b>B.5 EV enrichment by precipitation .....</b>	<b>28</b>
<b>B.6 EV enrichment by immunoaffinity .....</b>	<b>28</b>
<b>B.7 EV enrichment by microfluidics .....</b>	<b>28</b>
<b>Bibliography .....</b>	<b>29</b>

## **European foreword**

This document (CEN/TS 17747:2022) has been prepared by Technical Committee CEN/TC 140 “In vitro diagnostic medical devices”, the secretariat of which is held by DIN.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

Any feedback and questions on this document should be directed to the users’ national standards body. A complete listing of these bodies can be found on the CEN website.

According to the CEN/CENELEC Internal Regulations, the national standards organisations of the following countries are bound to announce this Technical Specification: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

## Introduction

Molecular *in vitro* diagnostics has enabled a significant progress in medicine. Further progress is expected by new technologies analysing profiles of nucleic acids, proteins, and metabolites in human tissues and body fluids. However, the profiles of these molecules can change drastically during the pre-examination process, including the specimen collection, transport, storage and processing.

Consequently, this makes the outcome from diagnostics or research unreliable or even impossible because the subsequent examination might not determine the real situation in the patient but an artificial profile generated during the pre-examination process.

Besides cell free circulating nucleic acids, circulating tumour cells (CTCs) and other rare cells, exosomes and other extracellular vesicles represent another key component of liquid biopsies. Therefore, there is a strongly increasing interest in research and emerging diagnostics in exosomes and other extracellular vesicles.

The pre-examination process described in this document results in enriched extracellular vesicles (EV) (e.g. exosomes) or DNA, RNA and proteins isolated therefrom.

New additional extracellular vesicles can be released and existing extracellular vesicles can be lost after blood collection, thus changing the overall EV DNA/RNA/protein profiles. Also, different anticoagulants in different types of blood collection tubes can influence the release of EVs from different cells present in blood, including those from platelets. Further factors can influence the post collection changes of the entire blood EV composition, such as storage and transport temperature and duration, centrifugation parameters, etc.

Standardization of the entire workflow from the specimen collection to the EV surface protein and isolated DNA, RNA and protein examination from EVs is therefore needed. Studies have been undertaken to determine the important influencing factors. This document draws upon such work to codify and standardize the steps of EV surface protein examination and of DNA, RNA and protein examination from EVs in what is referred to as the pre-examination phase.

In this document, the following verbal forms are used:

- “shall” indicates a requirement;
- “should” indicates a recommendation;
- “may” indicates a permission;
- “can” indicates a possibility or a capability.

## 1 Scope

This document gives guidelines on the handling, storage, processing and documentation of venous whole blood specimens intended for DNA, RNA and protein examination from exosomes and other extracellular vesicles during the pre-examination phase before a molecular examination is performed. This document covers specimens collected in venous whole blood collection tubes.

The pre-examination process described in this document results in isolated DNA, RNA and proteins from enriched exosomes and other extracellular vesicles.

This document is applicable to molecular *in vitro* diagnostic examinations performed by medical laboratories. It is also intended to be used by health care institutions including facilities collecting and handling specimen, laboratory customers, *in vitro* diagnostics developers and manufacturers, biobanks, institutions and commercial organizations performing biomedical research, and regulatory authorities.

Different dedicated measures are taken during the pre-examination phase for venous whole blood circulating cell-free RNA (ccfRNA) examination and for venous whole blood circulating cell-free DNA (ccfDNA) examination, both without prior enrichment of exosomes and other extracellular vesicles. These are not described in this document but are covered in EN ISO 20186-3, *Molecular in vitro diagnostic examinations - Specifications for pre-examination processes for venous whole blood - Part 3: Isolated circulating cell free DNA from plasma* and CEN/TS 17742, *Molecular in vitro diagnostic examinations - Specifications for pre-examination processes for venous whole blood - Isolated circulating cell free RNA from plasma*.

NOTE International, national or regional regulations or requirements can also apply to specific topics covered in this document.

## 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN ISO 15189, *Medical laboratories - Requirements for quality and competence (ISO 15189)*

ISO 15190, *Medical laboratories — Requirements for safety*

ISO/TS 20658, *Medical laboratories — Requirements for collection, transport, receipt, and handling of samples*