INTERNATIONAL STANDARD

ISO 15118-20

First edition
2022-04

Road vehicles — Vehicle to grid communication interface —

Part 20: 2nd generation network layer and application layer requirements

Véhicules routiers — Interface de communication entre véhicule et réseau électrique —

Partie 20: Exigences des couches réseau et application de 2ème génération

This document is a preview generated by EVS

Reference number
ISO 15118-20:2022(E)

© ISO 2022

This document is a preview generated by EVS



COPYRIGHT PROTECTED DOCUMENT

© ISO 2022

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

© ISO 2022 – All rights reserved

Contents

Page

Foreword v
Introduction vi
1 Scope 1
2 Normative references 1
3 Terms and definitions 4
4 Abbreviated terms 12
5 Conventions 15
5.1 Definition of OSI based services 15
5.2 Requirement structure 15
5.3 Usage of references 16
5.4 Notation used for XML schema diagrams 16
6 Document overview 16
7 Basic requirements for V2G communication 17
7.1 General information 17
7.2 Service primitive concept of OSI layered architecture 18
7.2.1 Overview 18
7.2.2 Syntax of service primitives 18
7.3 Security concept 19
7.3.1 General 19
7.3.2 Certificate and key management 21
7.3.3 Number of root certificates and root validity 35
7.3.4 Support and application of TLS 37
7.3.5 Firewall 38
7.3.6 Protection of the cryptographic keys 38
7.3.7 Random number generation 40
7.4 V2G communication states and data link handling 42
7.5 Data link layer 46
7.5.1 Data link layer security for WLAN 46
7.6 Network link layer 51
7.6.1 General 51
7.6.2 Applicable RFCs, limitations and protocol parameter settings 51
7.6.3 IP addressing 53
7.7 Transport layer 54
7.7.1 Transmission control protocol (TCP) 54
7.7.2 User datagram protocol (UDP) 55
7.7.3 Transport layer security (TLS) 56
7.8 V2G transfer protocol 82
7.8.1 General information 82
7.8.2 Supported ports 83
7.8.3 Protocol data unit 84
7.9 Presentation layer 87
7.9.1 XML and efficient XML interchange (EXI) 87
7.9.2 Message security 90
7.10 Application layer 115
7.10.1 SECC discovery protocol 115
8 Application layer messages 128
8.1 General information and definitions 128
8.2 Protocol handshake definition 129

This document is a preview generated by EVS

© ISO 2022 – All rights reserved

8.2.1 Handshake sequence 129
8.2.2 Message definition supportedAppProtocolReq and supportedAppProtocolRes 131
8.2.3 Semantics description supportedAppProtocol messages 132
8.2.4 Message examples 133
8.3 V2G message definition 134
8.3.1 Overview 134
8.3.2 General 135
8.3.3 Header definition 135
8.3.4 Request and response definitions 138
8.3.5 Complex data types 240
8.4 Service selection 361
8.4.1 General 361
8.4.2 General description of configuration parameters 362
8.4.3 Selection of service and service parameters 363
8.5 V2G communication timing 373
8.5.1 Overview 373
8.5.2 Common 373
8.5.3 DC service 374
8.5.4 Message sequence and communication session 374
8.5.5 Session setup and ready to charge 381
8.5.6 V2G message synchronization for AC and DC with IEC 61851-1 signalling 387
8.5.7 V2G message synchronization with IEC 61980-2 signalling for WPT 394
8.6 Message sequencing and error handling 394
8.6.1 Overview 394
8.6.2 Basic definitions for error handling 395
8.6.3 ResponseCode handling 395
8.6.4 Request-response message sequence requirements 406
8.6.5 Multiplexed communication 434
8.6.6 Message sequence diagrams 437
Annex A (normative) Schema definition 442
Annex B (normative) Certificate profiles 444
Annex C (normative) Specification of identifiers 498
Annex D (informative) ACDP 504
Annex E (informative) Basic PPD for interoperability 506
Annex F (informative) Message sequencing for renegotiation 509
Annex G (informative) Association of VAS client to V2G session 511
Annex H (informative) Application of certificates 512
Annex I (informative) Precision of measurements and tolerances 547
Annex J (informative) Absolute pricing examples 549

This document is a preview generated by EVS

 © ISO 2022 – All rights reserved

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives or www.iec.ch/members_experts/refdocs).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents) or the IEC list of patent declarations received (see https://patents.iec.ch).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html. In the IEC, see www.iec.ch/understanding-standards.

This document was prepared jointly by Technical Committee ISO/TC 22, *Road vehicles*, Subcommittee SC 31, *Data communication*, Technical Committee IEC/TC 69, *Electrical power/energy transfer systems for electrically propelled road vehicles and industrial trucks*, in collaboration with the European Committee for Standardization (CEN) Technical Committee CEN/TC 301, *Electrically propelled road vehicles,* in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

A list of all parts in the ISO 15118 series can be found on the ISO and IEC websites.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html and www.iec.ch/national-committees.

This document is a preview generated by EVS

© ISO 2022 – All rights reserved

Introduction

The pending energy crisis and necessity to reduce greenhouse gas emissions started in the former century has led the vehicle manufacturers to a very significant effort to reduce the energy consumption of their vehicles up to the present. As countermeasures to this continuous problem, they developed vehicles partly or completely propelled by electric power and launched them into the market. Those vehicles will reduce the dependency on oil, improve the global energy efficiency and reduce the total CO_2 emissions for road transportation if the electricity is produced from renewable sources. To charge electricity to the batteries of such vehicles, a specific charging infrastructure is required.

Much of the standardization work on dimensional and electrical specifications of the charging infrastructure for electric vehicles and the vehicle interface were treated in the relevant ISO or IEC groups. However, the standardization work about direct information transfer between the electric vehicle and the charging infrastructure was not enough, and it was assigned to the ISO 15118 series to treat the subject sufficiently.

Such communication is necessary for the optimization of energy resources and energy production systems. With it electric vehicles can be connected to the supply network and communicate the most economic or most energy efficient way for charging/discharging. It is also required to develop efficient and convenient billing systems in order to cover the resulting payments. The necessary communication channel can serve in the future to contribute to the stabilization of the supply network as well as to support additional information services required to operate electric vehicles efficiently and economically.

After the standardization work of the first basic smart charging was completed, more standardization work for further evolved functions and high energy efficiency was continuously requested again.

It includes:

— improved charge methods that reduces efforts and agonies of the charging operation;

— extended functions for the electric vehicles to be utilized as distributed energy resources, which enable smoothing of the electricity load of the supply network for higher energy efficiency and also provide power back to the grid;

— information services for the user with higher added value and new convenience.

As for the communication system, the next evolution will be expected to realize these new applications.

This document is a preview generated by EVS

 © ISO 2022 – All rights reserved

Road vehicles — Vehicle to grid communication interface —

Part 20: Network and application protocol requirements

This document is a preview generated by EVS


1 Scope

This document specifies the communication between the electric vehicle (EV), including battery electric vehicle (BEV) and plug-in hybrid electric vehicle (PHEV), and the electric vehicle supply equipment (EVSE). The application layer messages defined in this document are designed to support the electricity power transfer between an EV and an EVSE.

This document defines the communication messages and sequence requirements for bidirectional power transfer.

This document furthermore defines requirements of wireless communication for both conductive charging and wireless charging as well as communication requirements for automatic connection device and information services about charging and control status.

The purpose of this document is to detail the communication between an electric vehicle communication controller (EVCC) and a supply equipment communication controller (SECC). Aspects are specified to detect a vehicle in a communication network and enable an Internet Protocol (IP) based communication between the EVCC and the SECC (see Figure 1).



Key

1 scope of this document
2 message definition considers use cases defined for communication between SECC to SA

Figure 1 — Communication relationship among the EVCC, SECC and SA

This document defines messages, data model, XML/EXI-based data representation format, usage of V2GTP, TLS, TCP and IPv6. These requirements belong to the 3rd until the 7th OSI layer model. In addition, the document describes main service sequences of conductive charging, wireless power transfer and bidirectional power transfer, and how data link layer services can be accessed from an OSI layer 3 perspective.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 3780, *Road vehicles – World Manufacturer Indentifier (WMI) code*

ISO 4217, *Codes for the representation of currencies*

© ISO 2022 – All rights reserved

ISO 15118-2:2014, *Road vehicles — Vehicle to grid communication interface — Part 2: Network and application protocol requirements*

ISO 15118-3:2015*, Road Vehicles — Vehicle to grid communication interface — Part 3: Physical and data link layer requirements*

ISO 15118-8*, Road Vehicles — Vehicle to grid communication interface — Part 8: Physical and data link layer requirements for wireless communication*

ISO 19363:2020, *Electrically propelled vehicles—Magnetic field wireless power transfer—Safety and interoperability requirements*

ISO/IEC 11889-1:2015, *Information technology — Trusted platform module library — Part 1: Architecture*

IEC 61851-1:2017, *Electric vehicle conductive charging system — Part 1: General requirements*

IEC 61851-23-1:2014, *Electric vehicle conductive charging system - Part 23-1: DC Charging with an automatic connection system*

IEC 61980-2, *Electric vehicle wireless power transfer (WPT) systems - Part 2: Specific requirements for communication between electric road vehicle (EV) and infrastructure*

IEC 63119-2[1], *Information exchange for Electric Vehicle charging roaming service — Part 2: Use cases*

EN 50696:2021, *Contact interface for automated connection devices (ACD)*

IETF RFC 768, *User Datagram Protocol* (August 1980)

IETF RFC 793, *Transmission Control Protocol - DARPA Internet Program - Protocol Specification (September 1981)*

IETF RFC 2865, *Remote Authentication Dial In User Service (RADIUS)* (June 2000)

IETF RFC 2866, *RADIUS Accounting* (June 2000)

IETF RFC 3122, *Extensions to IPv6 Neighbor Discovery for Inverse Discovery Specification* (June 2001)

IETF RFC 3579, *RADIUS (Remote Authentication Dial In User Service) Support For Extensible Authentication Protocol (EAP)* (September 2003)

IETF RFC 3748, *Extensible Authentication Protocol (EAP)* (June 2004)

IETF RFC 3986*, Uniform Resource Identifier (URI): Generic Syntax* (January 2005)

IETF RFC 4291, *IP Version 6 Addressing Architecture* (February 2006)

IETF RFC 4429, *Optimistic Duplicate Address Detection (DAD) for IPv6* (April 2006)

IETF RFC 4443, *Internet Control Message Protocol (ICMP v6) for the Internet Protocol version 6 (IPv6) specification* (March 2006)

[1] Under preparation. Stage at the time of publication: IEC/CCDV 63119-2:2022.

This document is a preview generated by EVS

 © ISO 2022 – All rights reserved

IETF RFC 4514, *Lightweight Directory Access Protocol (LDAP): String Representation of Distinguished Names* (June 2006)

IETF RFC 4861, *Neighbor Discovery for IP version 6 (IPv6)* (September 2007)

IETF RFC 4862, *IPv6 Stateless Address Autoconfiguration* (September 2007)

IETF RFC 5116, *An Interface and Algorithms for Authenticated Encryption* (January 2008)

IETF RFC 5216, *The EAP-TLS Authentication Protocol* (March 2008)

IETF RFC 5234, *Augmented BNF for Syntax Specifications: ABNF* (January 2008)

IETF RFC 5480, *Elliptic Curve Cryptography Subject Public Key Information* (March 2009)

IETF RFC 5722, *Handling of Overlapping IPv6 Fragments* (December 2009)

IETF RFC 6066, *Transport Layer Security (TLS) Extensions: Extension Definitions* (January 2011)

IETF RFC 6724, *Default Address Selection for Internet Protocol version 6 (IPv6)* (September 2012)

IETF RFC 6818, *Updates to the Internet X.509 Public Key Infrastructure Certificate and Certificate Revocation List (CRL) Profile* (January 2013)

IETF RFC 6874, *Representing IPv6 Zone Identifiers in Address Literals and Uniform Resource Identifiers* (February 2013)

IETF RFC 6960, X.*509 Internet Public Key Infrastructure Online Certificate Status Protocol - OCSP* (June 2013)

IETF RFC 7405, *Case-Sensitive String Support in ABNF* (December 2014)

IETF RFC 7748, *Elliptic Curves for Security* (January 2016)

IETF RFC 8032, *Edwards-Curve Digital Signature Algorithm (EdDSA)* (January 2017)

IETF RFC 8200, *Internet Protocol, Version 6 (IPv6) Specification* (July 2017)

IETF RFC 8201, *Path MTU Discovery for IP version 6* (July 2017)

IETF RFC 8398, *Internationalized Email Addresses in X.509 Certificates* (May 2018)

IETF RFC 8399, *Internationalization Updates to RFC 5280* (May 2018)

IETF RFC 8415, *Dynamic Host Configuration Protocol for IPv6 (DHCPv6)* (November 2018)

IETF RFC 8439, *ChaCha20 and Poly1305 for IETF Protocols* (June 2018)

IETF RFC 8446, *The Transport Layer Security (TLS) Protocol Version 1.3* (August 2018)

IETF RFC 8504, *IPv6 Node Requirements* (January 2019)

IETF RFC 8335, *PROBE: A Utility for Probing Interfaces* (February 2018)

ANSI X9.62, *Public Key Cryptography For The Financial Services Industry: The Elliptic Curve Digital Signature Algorithm (ECDSA)* (2005)

This document is a preview generated by EVS

© ISO 2022 – All rights reserved

W3C EXI 1.0, *Efficient XML Interchange (EXI) Format 1.0, W3C Recommendation* (March 2011)

IANA Service & Port Registry, *Service Name and Transport Protocol Port Number Registry [viewed 2011-01-16],* Available from: http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml

NIST FIPS PUB 180-4, *Secure Hash Standard (SHS)* (March 2012)

NIST FIPS PUB 202, *SHA-3 Standard: Permutation-Based Hash and Extendable-Output Functions* (August 2015)

ITU-T X.509, *Information technology — Open Systems Interconnection — The Directory: Public-key and attribute certificate frameworks* (October 2019)

IEEE 802.1X-2020, *IEEE Standard for Local and Metropolitan Area Networks--Port-Based Network Access Control (January, 2020)*

WPA3, *WPA3 Specification Version 3.0* (December 2020)

NIST Special Publication 800-38D, *Recommendation for Block Cipher Modes of Operation: Galois/Counter Mode (GCM) and GMAC* (November 2007)

NIST Special Publication 800-56A, Revision 3, *Recommendation for Pair-Wise Key Establishment Schemes Using Discrete Logarithm Cryptography* (April 2018)

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

— ISO Online browsing platform: available at https://www.iso.org/obp

— IEC Electropedia: available at https://www.electropedia.org/

3.1
access point
AP
wireless communication device that allows the user to connect to other wireless or wired communication devices

3.2
authorization mode
authenticate and authorize the user account

Note 1 to entry: Authorization mode refers to *EIM* (3.17) and *PnC* (3.41).

3.3
automatic connection device pantograph
ACDP
components supporting the automatic connection and disconnection process for conductive energy transfer between an EV and EVSE via pantograph

3.4
basic charging

This document is a preview generated by EVS

 © ISO 2022 – All rights reserved