

---

---

**Road vehicles — Tachograph  
systems —**

**Part 6:  
Diagnostic communication interfaces**

*Véhicules routiers — Systèmes tachygraphes —*

*Partie 6: Interfaces de communication de diagnostic*



This document is a preview generated by ELS



**COPYRIGHT PROTECTED DOCUMENT**

© ISO 2022

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
CP 401 • Ch. de Blandonnet 8  
CH-1214 Vernier, Geneva  
Phone: +41 22 749 01 11  
Email: [copyright@iso.org](mailto:copyright@iso.org)  
Website: [www.iso.org](http://www.iso.org)

Published in Switzerland

# Contents

Page

<b>Foreword</b>	<b>v</b>
<b>Introduction</b>	<b>vi</b>
<b>1 Scope</b>	<b>1</b>
<b>2 Normative references</b>	<b>1</b>
<b>3 Terms and definitions</b>	<b>1</b>
<b>4 Abbreviated terms</b>	<b>2</b>
<b>5 Overview and conventions</b>	<b>2</b>
5.1 General	2
5.2 Service description conventions	3
5.3 Addresses	3
5.3.1 Functional addresses	3
5.3.2 Physical addresses	3
5.4 Parameters	3
<b>6 Diagnostic services implementation</b>	<b>3</b>
6.1 General and overview	3
6.2 Diagnostic and communication management functional unit	5
6.2.1 DiagnosticSessionControl service	5
6.2.2 ECUReset service	5
6.2.3 SecurityAccess service	5
6.2.4 CommunicationControl service	5
6.2.5 ResponseOnEvent service	6
6.2.6 LinkControl service	6
6.3 Data transmission functional unit	7
6.3.1 ReadDataByIdentifier service	7
6.3.2 ReadDataByPeriodicIdentifier service	7
6.3.3 DynamicallyDefineDataIdentifier service	7
6.3.4 WriteDataByIdentifier service	8
6.4 Stored data transmission functional unit	8
6.4.1 ClearDiagnosticInformation service	8
6.4.2 ReadDTCInformation service	8
6.5 Input/Output control functional unit	9
6.5.1 InputOutputControlByIdentifier service	9
6.6 Remote activation of routine functional unit	9
6.6.1 RoutineControl service	9
<b>7 Application layer requirements</b>	<b>10</b>
7.1 General	10
7.2 Application layer protocol	10
7.2.1 General	10
7.2.2 Application layer timing	10
<b>8 Presentation layer requirements</b>	<b>10</b>
<b>9 Session layer requirements</b>	<b>11</b>
<b>10 CAN-based communication interface</b>	<b>11</b>
10.1 General	11
10.2 Application layer	11
10.3 Transport layer	11
10.4 Network layer	11
10.5 Data link layer	11
10.6 Physical layer	11
<b>11 K-Line based communication interface</b>	<b>11</b>
11.1 General	11

11.2	Data link layer .....	11
11.3	Physical layer .....	12
<b>Bibliography</b> .....		<b>13</b>

This document is a preview generated by EVS

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see [www.iso.org/directives](http://www.iso.org/directives)).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see [www.iso.org/patents](http://www.iso.org/patents)).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see [www.iso.org/iso/foreword.html](http://www.iso.org/iso/foreword.html).

This document was prepared by Technical Committee ISO/TC 22, *Road vehicles*, Subcommittee SC 31, *Data communication*.

This third edition cancels and replaces the second edition (ISO 16844-6:2015), which has been technically revised.

The main changes are as follows:

- part 5 of this series (ISO 16844-5) has been removed due to its technical irrelevance,
- correction of the typos and mistakes in the text,
- adoption of the content according to the new version of the ISO guidelines,
- adoption of the content according to the new technical requirements,
- alignment of the content regarding to the referred standards.

A list of all parts in the ISO 16844 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at [www.iso.org/members.html](http://www.iso.org/members.html).


Introduction

This document supports and facilitates the communication between electronic control units (ECUs) and a digital tachograph.

The digital tachograph concept is based upon a recording equipment storing data, related to the activities of the various drivers driving the vehicle, on which it is installed.

During the normal operational status of the recording equipment, data stored in its memory are accessible to different entities (drivers, authorities, workshops, transport companies) in different ways (displayed on a screen, printed by a printing device, downloaded to an external device). Access to stored data is controlled by a smart card inserted in the tachograph.

A typical tachograph system is shown in [Figure 1](#).



- Key**
- |   |  |   |   |
|---|--|---|---|
| 1 | data and service IF connector standardized in ISO 16844-1                        | 4 | CAN-based data IF including parameter groups standardized in ISO 16844-4                    |
| 2 | electrical data and service IF requirements standardized in ISO 16844-2          | 5 | optional CAN-based service IF standardized in ISO 16884-6                                   |
| 3 | communication interface between motion sensor and RE standardized in ISO 16844-3 | 6 | data identifier (DID) specification for the optional service IF standardized in ISO 16844-7 |

Figure 1 — Typical ISO 16844 conformant tachograph system

# Road vehicles — Tachograph systems —

## Part 6: Diagnostic communication interfaces

### 1 Scope

This document specifies the CAN-based and the K-Line communication between the recording equipment and service tools for software download and calibrating purposes. The provided requirements and recommendations cover physical, data link, network, session, and application layers according to the OSI reference model as well as the unified diagnostics services.

### 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 14229-1, *Road vehicles — Unified diagnostic services (UDS) — Part 1: Application layer*

ISO 14229-2, *Road vehicles — Unified diagnostic services (UDS) — Part 2: Session layer services*

ISO 14229-3, *Road vehicles — Unified diagnostic services (UDS) — Part 3: Unified diagnostic services on CAN implementation (UDSonCAN)*

ISO 14229-6, *Road vehicles — Unified diagnostic services (UDS) — Part 6: Unified diagnostic services on K-Line implementation (UDSonK-Line)*

ISO 14230-1, *Road vehicles — Diagnostic communication over K-Line (DoK-Line) — Part 1: Physical layer*

ISO 14230-2, *Road vehicles — Diagnostic communication over K-Line (DoK-Line) — Part 2: Data link layer*

ISO 15765-2, *Road vehicles — Diagnostic communication over Controller Area Network (DoCAN) — Part 2: Transport protocol and network layer services*

ISO 16844-1, *Road vehicles — Tachograph systems — Part 1: Recording equipment data and service connector*

ISO 16844-4, *Road vehicles — Tachograph systems — Part 4: Display unit communication interface*

ISO 16844-7, *Road vehicles — Tachograph systems — Part 7: Data identifier for the CAN-based service interface*

### 3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 16844-1 apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <https://www.electropedia.org/>