



Sisaldab värvilisi lehekülgi
Colour inside

ELEKTRILISED AUTOMAATJUHTIMISSEADMED. OSA 1: ÜLDNÕUDED

**Automatic electrical controls -
Part 1: General requirements
(IEC 60730-1:2013 , modified + COR1:2014 +
IEC 60730-1:2013/A1:2015 +
IEC 60730-1:2013/A2:2020)**

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

See Eesti standard EVS-EN 60730-1:2016+A1+A2:2022 sisaldab Euroopa standardi EN 60730-1:2016 ja selle muudatuste A1:2019 ja A2:2022 ingliskeelset teksti.	This Estonian standard EVS-EN 60730-1:2016+A1+A2:2022 consists of the English text of the European standard EN 60730-1:2016 and its amendments A1:2019 and A2:2022.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas. Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 29.07.2016, muudatused A1 12.04.2019 ja A2 25.03.2022.	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation and Accreditation. Date of Availability of the European standard is 29.07.2016, for A1 12.04.2019 and A2 25.03.2022.
Muudatusega A1 lisatud või muudetud teksti algus ja lõpp on tekstis tähistatud sümbolitega $\boxed{A_1}$ $\langle A_1 \rangle$. Muudatusega A2 lisatud või muudetud teksti algus ja lõpp on tekstis tähistatud sümbolitega $\boxed{A_2}$ $\langle A_2 \rangle$. Selles standardis on rahvusvahelise standardi ühismuudatused tähistatud püstkriipsuga teksti vasakul veerisel. Standard on kättesaadav Eesti Standardimis- ja Akrediteerimiskeskusest.	The start and finish of text introduced or altered by amendment A1 is indicated in the text by tags $\boxed{A_1}$ $\langle A_1 \rangle$. The start and finish of text introduced or altered by amendment A2 is indicated in the text by tags $\boxed{A_2}$ $\langle A_2 \rangle$. In this document, the common modifications to the International Standard are indicated by a vertical line in the left margin of the text. The standard is available from the Estonian Centre for Standardisation and Accreditation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 97.120

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardimis- ja Akrediteerimiskeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardimis- ja Akrediteerimiskeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autoriõiguse kaitse kohta, võtke palun ühendust Eesti Standardimis- ja Akrediteerimiskeskusega: Koduleht www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation and Accreditation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation and Accreditation.

If you have any questions about standards copyright protection, please contact the Estonian Centre for Standardisation and Accreditation:

Homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

EUROPEAN STANDARD

EN 60730-1 + A1 + A2

NORME EUROPÉENNE

EUROPÄISCHE NORM

July 2016, April 2019, March 2022

ICS 97.120

Supersedes EN 60730-1:2011

English Version

**Automatic electrical controls -
Part 1: General requirements
(IEC 60730-1:2013 , modified + COR1:2014 + IEC 60730-
1:2013/A1:2015 + IEC 60730-1:2013/A2:2020)**

Dispositifs de commande électrique automatiques -
Partie 1: Exigences générales
(IEC 60730-1:2013 , modifiée + COR1:2014 + IEC 60730-
1:2013/A1:2015 + IEC 60730-1:2013/A2:2020)

Automatische elektrische Regel- und Steuergeräte -
Teil 1: Allgemeine Anforderungen
(IEC 60730-1:2013 , modifiziert + COR1:2014 + IEC 60730-
1:2013/A1:2015 + IEC 60730-1:2013/A2:2020)

This European Standard was approved by CENELEC on 2016-03-01. Amendment A1 was approved by CENELEC on 2016-01-22. Amendment A2 was approved by CENELEC on 2022-02-23. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard and its amendments the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard and Amendments A1 and A2 exist in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

European foreword

This document (EN 60730-1:2016) consists of the text of IEC 60730-1:2013 + corrigendum 1:2014 prepared by IEC/TC 72 "Automatic electrical controls", together with the common modifications prepared by CLC/TC 72 "Automatic controls for household use".

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2017-01-29
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) - *

** Justification for no dow:*

This European Standard supersedes EN 60730-1:2011. However, EN 60730-1:2011 remains valid until all the Part 2's which are used in conjunction with it have been withdrawn. No date of withdrawal (dow) has been given pending the updating of all the Part 2's to align with this EN 60730-1:2016. The applicable date of withdrawal is given in each Part 2. It is intended the dow for this Part 1 will be fixed once all the Part 2's have been updated.

This document supersedes EN 60730-1:2011.

EN 60730-1:2016 includes the following significant technical changes with respect to EN 60730-1:2011:

- changes of the title of the Standard into "*Automatic electrical controls – Part 1: General requirements*";
- revisions to Clause H.26 based on changes in technology, applications, and to improve consistency and layout;
- modification to Table H.12 to align with CISPR 22;
- revisions to Annex J to correlate the fault modes of thermistors, and to exempt thermistors used in conjunction with type 1 controls in SELV low power circuits from the tests specified in Annex J;
- new requirements covering battery-powered controls, and the use of batteries in controls;
- revision addressing the relay faults in Table H.24;
- new/updated requirements in Clause 24, for switch mode power supplies;
- revisions covering the allowance of screwless-type clamping units complying with IEC 60999-1;
- new requirements addressing remotely actuated control functions;
- addition of a new/updated leakage current diagram to align the Annex E diagram with the diagram in IEC 60990;
- updated requirements for temperature sensing controls.

This Part 1 is to be used in conjunction with the appropriate Part 2 for a particular type of control, or for controls for particular applications. This Part 1 may also be applied, so far as reasonable, to controls not mentioned in a Part 2, and to controls designed on new principles, in which case additional requirements may be considered to be necessary.

Where, for a particular clause or subclause, the text of Part 2 indicates:

Addition: the Part 1 text applies with the additional requirement indicated in a Part 2;

Modification: the Part 1 text applies with a minor change as indicated in a Part 2;

Replacement: the Part 2 text contains a change which replaces the Part 1 text in its entirety.

Where no change is necessary, the Part 2 indicates that the relevant clause or subclause applies.

NOTE In this standard the following print types are used:

- Requirements proper: in roman type.
- *Test specifications: in italic type.*
- Explanatory matter: in smaller roman type.
- Defined terms: **bold type.**

Some table titles contain reference in brackets to table numbers in IEC 60730-1:1999 (edition 3) for ease of correlation between Parts 2 and the Part 1.

Clauses, subclauses, notes, tables, figures and annexes which are additional to those in IEC 60730-1:2013 are prefixed “Z”.

Special national conditions are listed in Annex ZB (normative) which forms part of this standard.

National deviations are listed in Annex ZC (informative).

Endorsement notice

The text of the International Standard IEC 60730-1:2013 was approved by CENELEC as a European Standard with agreed common modifications.

A1 Amendment A1 European foreword

The text of document 72/1017/FDIS, future IEC 60730-1:2013/A1, prepared by IEC/TC 72 "Automatic electrical controls" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 60730-1:2016/A1:2019.

The following dates are fixed:

- latest date by which the document has to be implemented (dop) 2019-10-12
at national level by publication of an identical national standard or by endorsement
- latest date by which the national standards conflicting with (dow) 2022-04-12
the document have to be withdrawn

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 60730-1:2013/A1:2015 was approved by CENELEC as a European Standard without any modification. **A1**

A2 Amendment A2 European foreword

The text of document 72/1226/FDIS, future IEC 60730-1/A2, prepared by IEC/TC 72 "Automatic electrical controls" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 60730-1:2016/A2:2022.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2022-11-23
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) -

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a Standardization Request given to CENELEC by the European Commission and the European Free Trade Association.

Any feedback and questions on this document should be directed to the users' national committee. A complete listing of these bodies can be found on the CENELEC website.

Endorsement notice

The text of the International Standard IEC 60730-1:2013/A2:2020 was approved by CENELEC as a European Standard without any modification. **A2**

CONSOLIDATED VERSION

VERSION CONSOLIDÉE



**Automatic electrical controls –
Part 1: General requirements**

**Dispositifs de commande électrique automatiques –
Partie 1: Exigences générales**



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2020 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

67 000 electrotechnical terminology entries in English and French extracted from the Terms and definitions clause of IEC publications issued between 2002 and 2015. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Recherche de publications IEC - webstore.iec.ch/advsearchform

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.

Electropedia - www.electropedia.org

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 000 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 16 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Glossaire IEC - std.iec.ch/glossary

67 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et définitions des publications IEC parues entre 2002 et 2015. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

CONSOLIDATED VERSION

VERSION CONSOLIDÉE



**Automatic electrical controls –
Part 1: General requirements**

**Dispositifs de commande électrique automatiques –
Partie 1: Exigences générales**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 97.120

ISBN 978-2-8322-8155-0

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

This document is a preview generated by EVS

CONTENTS

FOREWORD.....	7
AMENDMENT A1 FOREWORD A1.....	10
AMENDMENT A2 FOREWORD A2.....	11
1 Scope and normative references	12
2 Terms and definitions	17
3 General requirements	40
4 General notes on tests	40
5 Rating.....	44
6 Classification.....	44
7 Information	51
8 Protection against electric shock	59
9 Provision for protective earthing	63
10 Terminals and terminations.....	65
11 Constructional requirements.....	73
12 Moisture and dust resistance	91
13 Electric strength and insulation resistance	92
14 Heating.....	94
15 Manufacturing deviation and drift.....	100
16 Environmental stress	102
17 Endurance.....	102
18 Mechanical strength	110
19 Threaded parts and connections.....	114
20 Creepage distances, clearances and distances through solid insulation.....	117
21 Resistance to heat, fire and tracking.....	127
22 Resistance to corrosion	129
23 Electromagnetic compatibility (EMC) requirements – Emission.....	129
24 Components	130
25 Normal operation	132
26 Electromagnetic compatibility (EMC) requirements – Immunity	133
27 Abnormal operation	133
28 Guidance on the use of electronic disconnection	136
Annex A (normative) Indelibility of markings.....	152
Annex B (normative) Measurement of creepage distances and clearances in air.....	154
Annex C Void.....	159
Annex D Void.....	160
Annex E (normative) Circuit for measuring leakage current	161
Annex F (informative) Fire hazard testing.....	162
Annex G (normative) Heat and fire resistance tests.....	163
Annex H (normative) Requirements for electronic controls	165
Annex J (normative) Requirements for thermistor elements and controls using thermistors	228

Annex K (informative) Nominal voltages of supply systems for different modes of overvoltage control	247
Annex L (normative) Overvoltage categories	249
Annex M (informative) Typical usage	250
Annex N (normative) Pollution degrees	251
Annex P (normative) Printed circuit board coating performance test	252
Annex Q (normative) Printed circuit board coating performance test	254
Annex R (informative) Explanatory notes for surge immunity test	257
Annex S (informative) Guidance for applying Clause 20	262
Annex T (normative) Requirements for SELV and PELV	264
Annex U (normative) Requirements for relays when used as controls in IEC 60335 appliances	267
Annex V (normative) Requirements for controls powered by secondary batteries (rechargeable)	270
Annex ZA (normative) Normative references to international publications with their corresponding European publications	272
Annex ZB (normative) Special national conditions	278
Annex ZC (informative) A-deviations	280
Annex ZD (normative) EMC immunity for controls	281
Bibliography	289
Figure 1 – Test pin	136
Figure 2 – Standard test finger	137
Figure 3 – Test nail	138
Figure 4 – Impact test for free-standing controls	139
Figure 5 – Tumbling barrel	139
Figure 6 – Ball-pressure apparatus	140
Figure 7 – Void	140
Figure 8 – Apparatus for testing durability of markings on rating labels	140
Figure 9 – Apparatus for flexing test	141
Figure 10 – Screw terminals and stud terminals (1 of 2)	142
Figure 11 – Pillar terminals	144
Figure 12 – Mantle terminals	145
Figure 13 – Saddle and lug terminals	146
Figure 14 – Tabs	147
Figure 15 – Tabs for non-reversible connectors	148
Figure 16 – Receptacles	149
Figure 17 – Measurement of creepage distance and clearance	150
Figures 18 to 24 Void	151
Figure B.1 – Narrow groove	155
Figure B.2 – Wide groove	155
Figure B.3 – V-shaped groove	155
Figure B.4 – Rib	156
Figure B.5 – Uncemented joint with narrow groove	156

Figure B.6 – Uncemented joint with wide groove	156
Figure B.7 – Uncemented joint with narrow and wide grooves	157
Figure B.8 – Diverging side walls	157
Figure B.9 – Narrow recess.....	158
Figure B.10 – Wide recess	158
Figure B.11 – Conductive floating part	158
Figure E.1 – Circuit for measuring leakage currents	161
Figure H.1 – V-Model for the software life cycle	189
Figure H.2 – Voltage variation test	207
Figure H.5 – Example of an electronic circuit with low power points	216
Figure J.1 – Test circuit for inrush-current limiting thermistor endurance test	245
Figure P.1 – Test sample	253
A2 Figure Q.1 – Example of type 1 protection A2	255
A2 Figure Q.2 – Example of type 2 protection A2	256
Figure R.1 – Example of surge protection by shielding in buildings with common earth reference systems.....	260
Figure R.2 – Example of secondary surge protection in buildings with separate common earth reference systems	260
Figure R.3 – Example of primary and secondary surge protection of indoor/outdoor equipment.....	261
Figure S.1 – Guidance flowchart for application of requirements of Clause 20	262
Figure ZD.1 – EMC test framework for controls	281
Table 1 (7.2 of edition 3) – Required information and methods of providing information (1 of 4).....	54
Table 3 (10.1.4 of edition 3) – Minimum cross-sectional area of conductors	66
Table 4 (10.1.8 of edition 3) – Terminal conductors.....	68
Table 5 (10.1.9 of edition 3) – Conductor pull test values	69
Table 6 (10.2.1 of edition 3) – Nominal cross-sectional areas of conductors	70
Table 7 (10.2.4.2 of edition 3) – Material and plating for tabs	72
Table 8 (10.2.4.3 of edition 3) – Axial force values for tab insertion and withdrawal	72
Table 9 (11.7.2 of edition 3) – Pull and torque values	83
Table 10 (11.8.2 of edition 3) – Minimum cord conductor sizes	84
Table 11 (13.1 of edition 3) – Minimum insulation resistance	93
A1 Table 12 (13.2 of edition 3) – Insulation or disconnection test voltages ^a (1 of 2) A1	93
Table 13 (14.1 of edition 3) – Maximum heating temperatures (1 of 3).....	97
Table Z1	100
Table 14 (17.2.1 of edition 3) – Electrical conditions for the overvoltage test	104
Table 19 (18.7 of edition 3) – Pull-cord force test values.....	113
Table 20 (19.1 of edition 3) – Threaded parts torque test values	116
Table 21 (20.1 of edition 3) – Rated impulse voltage for equipment energized directly from the supply mains (from IEC 60664-1:2007, Table F.1).....	119
Table 22 (20.2 of edition 3) – Clearances for insulation co-ordination (from IEC 60664-1:2007, Table F.2).....	120
Table 23 (20.3 of edition 3) – Minimum creepage distances for basic insulation	124

Table 24 (20.4 of edition 3) – Minimum creepage distances for functional insulation	125
Table 26 (27.2.3 of edition 3) – Maximum winding temperature (for test of mechanical blocked output conditions)	134
Table B.1 – Value of X	154
Table H.1 (H.11.12.7 of edition 3) – Acceptable measures to address fault/errors ^a (1 of 6)	184
Table H.2 – Semi-formal methods	190
Table H.3 – Software architecture specification	191
Table H.4 – Module design specification	191
Table H.5 – Design and coding standards	192
Table H.6 – Software module testing	193
Table H.7 – Software integration testing	193
Table H.8 – Software safety validation	194
Table H.9 (H.11.12.6 of edition 3) – Combinations of analytical measures during hardware development	195
Table H.10 – Data exchange	195
Table H.11 – Examples of defences against unauthorised access and transmission failure modes	197
Table H.12 (H.23 of edition 3) – Emission	203
Table H.13 (H.26.2.1 of edition 3) – Applicable test levels	205
Table H.14 – Voltage dips, short interruptions and voltage variations	206
Table H.15 (H.26.5.4.2 of edition 3) – Test values for voltage variations	207
Table H.16 (H.26.8.2 of edition 3) – Test voltages for test level 2 (depending on the installation class conditions)	209
Table H.17 – Test level for electrical fast transient burst test	210
Table H.19 (H.26.12.2.1 of edition 3) – Test levels for conducted disturbances on mains and I/O lines	212
Table H.20 (H.26.12.3.1 of edition 3) – Test level for immunity to radiated electromagnetic fields	212
Table H.21 – Increased test level for radiated immunity (ISM, GSM, DECT bands)	213
Table H.22 (H.26.13.2 of edition 3) – Test level for supply frequency variations	213
Table H.23 (H.26.14.2 of edition 3) – Test level for continuous fields	214
Table H.24 (H.27.1 of edition 3) – Electrical/electronic component fault modes table (1 of 3)	218
Table J.1 – Maximum current	230
Table J.2 (J.7, 7.2 of edition 3) – Normal operating conditions	231
Table J.3 – Samples for the test (clause reference)	232
Table J.4 – Electrical and thermal ratings of a thermistor	233
Table J.5 – Additional items to Table 1	235
Table J.6 – Sequence of calibration and conditioning tests for PTC thermistors	237
Table J.7 – Classes for PTC sensing thermistors	238
Table J.8 – Sequence of calibration and conditioning tests for NTC thermistors	239
Table J.9 – Classes for NTC sensing thermistors	239
Table J.10 – Number of cycles for endurance test	243
Table J.11 – Ageing test temperature	243

Table J.12 – Number of cycles for endurance test.....	244
Table K.1 – Inherent control or equivalent protective control	247
Table K.2 – Cases where protective control is necessary and control is provided by surge arresters having a ratio of clamping voltage to rated voltage not smaller than that specified by IEC 60099-1	248
Table M.1 – Typical usage	250
Table P.1 – Environmental cycling conditions	252
Table Q.1 – IEC 60664-3 test levels or conditions	254
Table S.1 – Example A – Using Annex S guidance for applying Clause 20	263
Table S.2 – Example B – Using Annex S guidance for applying Clause 20	263
Table ZD.1 – Classification and test overview	282
Table ZD.2 – Compliance criteria	283
Table ZD.3 – Test levels for voltage surges	284
Table ZD.4 – Test levels for burst	285
Table ZD.5 – Test application for electrical fast transient burst test.....	285
Table ZD.6 – Test levels for conducted disturbances on mains, I/O lines and DC power lines	286
Table ZD.7 – Test levels for electrostatic discharge	286
Table ZD.8 – Test levels for radiated electromagnetic field on enclosure	287
Table ZD.9 – Test levels for power-frequency magnetic field on enclosure.....	287
Table ZD.10 – Voltage dips (50 Hz / 60 Hz)	287
Table ZD.11 – Voltage interruption (50 Hz / 60 Hz)	288

INTERNATIONAL ELECTROTECHNICAL COMMISSION

AUTOMATIC ELECTRICAL CONTROLS –

Part 1: General requirements

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60730-1 has been prepared by IEC technical committee 72: Automatic electrical controls.

This fifth edition cancels and replaces the fourth edition published in 2010. It constitutes a technical revision. The major changes with respect to the previous edition are as follows.

- modification of the title and scope;
- revisions to Clause H.26 based on changes in technology, applications, and to improve consistency and layout;
- modification to Table H.12 to align with CISPR 22;
- revisions to Annex J to correlate the fault modes of thermistors and to exempt thermistors used in conjunction with type 1 controls in SELV low power circuits from the tests specified in Annex J;
- new requirements covering battery-powered controls, and the use of batteries in controls;
- revision addressing the exclusion of relay faults;
- new/updated requirements in Clause 24, for switch mode power supplies;

- revisions covering the allowance of screwless-type clamping units complying with IEC 60999-1;
- new requirements addressing remotely actuated control functions;
- addition of a new/updated leakage current diagram to align the Annex E diagram with the diagram in IEC 60990;
- updated requirements for temperature sensing controls.

The text of this standard is based on the following documents:

FDIS	Report on voting
72/899/FDIS	72/928/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

A list of all parts of the IEC 60730 series, under the general title: *Automatic electrical controls*, can be found on the IEC website.

In the development of a fully international standard to cover automatic controls for household and similar use, it has been necessary to take into consideration the differing requirements resulting from practical experience in various parts of the world and to recognize the variation in national electrical systems and wiring rules.

The “in some countries” notes regarding differing national practices are contained in the following subclauses:

2.1.5	11.11.1.2	17.10.4
2.7.2	11.11.1.3	17.12.5
2.7.3	11.11.1.4	18.1.6
2.14.2	12.1.6	18.1.6.1
4.2.1	12.3	18.1.6.2
6.6.1	Table 12 (13.2.1), footnote a	18.1.6.3
Table 1 (7.2), footnote d	13.3.4	18.4
7.4.3	14.4	19.2.4.1
7.4.3.2	Table 13 (14.7.4), footnote f	19.2.5.1
8.1.1.1	15.1	21.1
8.4	16.2.1	21.4
9.3.2	17.1.3.1	27.2.3.1
9.3.4	17.2.2	Annex C
9.5.2	17.2.3	Annex D
Table 3 (10.1.4), footnote b	17.2.3.1	H.26.10
10.1.4.1	Table 14 (17.2.5)	Table H.18 (H.26.10.4)
10.1.14	Table 15 (17.2.5)	H.27.1.1.3
10.1.16	Table 16 (17.2.5)	Table K.1, footnote b
10.1.16.1	17.5.1	Table K.2, footnote b
Table 6 (10.2.1), footnote b	17.7.7	T.3.2
11.5	17.8.4.1	
Table 10 (11.8.2), footnote b	17.10	

It is envisaged that in the next edition of this standard it will be found possible to remove those differences that are covered by new IEC standards now being prepared by other technical committees.

This part 1 is to be used in conjunction with the appropriate part 2 for a particular type of control, or for controls for particular applications. This part 1 may also be applied, so far as reasonable, to controls not mentioned in a part 2, and to controls designed on new principles, in which cases additional requirements may be considered to be necessary.

Where, for a particular clause or subclause, the text of part 2 indicates:

Addition: the part 1 text applies with the additional requirement indicated in a part 2;

Modification: the part 1 text applies with a minor change as indicated in a part 2;

Replacement: the part 2 text contains a change which replaces the part 1 text in its entirety.

Where no change is necessary, the part 2 indicates that the relevant clause or subclause applies.

NOTE In this standard the following print types are used:

- Requirements proper: in roman type;
- *Test specifications: in italic type;*
- Explanatory matter: in smaller roman type;
- Defined terms: **bold type.**

Some table titles contain reference in brackets to table numbers in IEC 60730-1, edition 3 for ease of correlation between parts 2 and the Part 1.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

The contents of the corrigendum of September 2014 have been included in this copy.

<p>IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.</p>

A1 AMENDMENT A1 FOREWORD

This amendment has been prepared by subcommittee IEC technical committee 72: Automatic electrical controls.

The text of this amendment is based on the following documents:

FDIS	Report on voting
72/1017/FDIS	72/1026/RVD

Full information on the voting for the approval of this amendment can be found in the report on voting indicated in the above table.

The committee has decided that the contents of this amendment and the base publication will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

AMENDMENT A2 FOREWORD

This amendment has been prepared by IEC technical committee 72: Automatic electrical controls.

The text of this amendment is based on the following documents:

FDIS	Report on voting
72/1226/FDIS	72/1237/RVD

Full information on the voting for the approval of this amendment can be found in the report on voting indicated in the above table.

The committee has decided that the contents of this amendment and the base publication will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

AUTOMATIC ELECTRICAL CONTROLS –

Part 1: General requirements

1 Scope and normative references

1.1 Scope

In general, this part of IEC 60730 applies to automatic **electrical controls** for use in, on, or in association with equipment for household and similar use. The equipment may use electricity, gas, oil, solid fuel, solar thermal energy, etc., or a combination thereof.

NOTE 1 Throughout this standard the word "equipment" means "appliance and equipment."

EXAMPLE 1 **Controls** for appliances within the scope of IEC 60335.

This International Standard is applicable to **controls** for building automation within the scope of ISO 16484.

This standard also applies to automatic **electrical controls** for equipment that may be used by the public, such as equipment intended to be used in shops, offices, hospitals, farms and commercial and industrial applications.

EXAMPLE 2 **Controls** for commercial catering, heating and air-conditioning equipment.

This standard is also applicable to individual **controls** utilized as part of a **control** system or **controls** which are mechanically integral with multifunctional **controls** having non-electrical outputs.

EXAMPLE 3 Independently mounted water valves, **controls** in smart grid systems and **controls** for building automation systems within the scope of ISO 16484-2.

This standard is also applicable to relays when used as **controls** for IEC 60335 appliances. Additional requirements for the safety and **operating values** of relays when used as **controls** for IEC 60335 appliances are contained in Annex U.

NOTE 2 These requirements are referred to in the scope of IEC 61810-1.

NOTE 3 This standard is intended to be used for the testing of any stand-alone relay which is intended to be used as a **control** of an appliance according to IEC 60335-1. It is not intended to be used for any other stand-alone relay, or to replace the IEC 61810 series of standards.

This standard does not apply to automatic **electrical controls** intended exclusively for industrial process applications unless explicitly mentioned in the relevant part 2 or the equipment standard.

A1) This standard applies to **controls** powered by primary or secondary batteries, requirements for which are contained within the standard, including Annex V. **A1)**

1.1.1 This International Standard applies to the inherent safety, to the **operating values**, **operating times**, and **operating sequences** where such are associated with equipment safety, and to the testing of automatic **electrical control** devices used in, or in association with, equipment.

This standard applies to **controls** using **thermistors**, see also Annex J.

This standard is also applicable to the **functional safety of low complexity safety related systems and controls**.

1.1.2 This standard applies to automatic **electrical controls**, mechanically or electrically operated, responsive to or controlling such characteristics as temperature, pressure, passage of time, humidity, light, electrostatic effects, flow, or liquid level, current, voltage, acceleration, or combinations thereof.

1.1.3 This standard applies to starting relays, which are a specific type of automatic **electrical control**, intended to switch the starting winding of a motor. Such **controls** may be built into, or be separate from, the motor.

NOTE Starting relays are tested as voltage sensing or current sensing controls.

1.1.4 This standard applies to **manual controls** when such are electrically and/or mechanically integral with **automatic controls**.

NOTE Requirements for manual switches not forming part of an **automatic control** are contained in IEC 61058-1.

1.1.5 This standard applies to a.c. or d.c. powered **controls** with a rated voltage not exceeding 690 V a.c. or 600 V d.c.

1.1.6 This standard does not take into account the **response value** of an **automatic action** of a **control**, if such a **response value** is dependent upon the method of mounting the **control** in the equipment. Where a **response value** is of significant purpose for the protection of the **user**, or surroundings, the value defined in the appropriate household equipment standard or as determined by the manufacturer shall apply.

1.1.7 This standard applies also to **controls** incorporating **electronic devices**, requirements for which are contained in Annex H.

1.1.8 This standard applies also to **controls** using NTC or PTC **thermistors**, requirements for which are contained in Annex J.

A1 1.1.9 This standard applies to the electrical and **functional safety** of **controls** capable of receiving and responding to communications signals, including signals for power billing rate and demand response.

The signals may be transmitted to or received from external units being part of the **control** (wired), or to and from external units which are not part of the **control** (wireless) under test.

1.1.10 This standard does not address the integrity of the output signal to the network devices, such as interoperability with other devices unless it has been evaluated as part of the **control system**. **A1**

1.2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 50525-2-11, *Electric cables – Low voltage energy cables of rated voltages up to and including 450/750 V (U₀/U) – Part 2-11: Cables for general applications – Flexible cables with thermoplastic PVC insulation*

EN 50525-2-21, *Electric cables – Low voltage energy cables of rated voltages up to and including 450/750 V (U_0/U) – Part 2-21: Cables for general applications – Flexible cables with crosslinked elastomeric insulation*

EN 55016-1-1, *Specification for radio disturbance and immunity measuring apparatus and methods – Part 1-1: Radio disturbance and immunity measuring apparatus – Measuring apparatus (CISPR 16-1-1)*

EN 60669-1:1999 + A1:2002 + A2:2008, *Switches for household and similar fixed-electrical installations – Part 1: General requirements (IEC 60669-1:1998, mod. + A1:1999, mod. + A2:2006, mod.)*

EN 60730 Series, *Automatic electrical controls for household and similar use (IEC 60730 series)*

IEC 60038, *IEC standard voltages*

IEC 60065:2001, *Audio, video and similar electronic apparatus – Safety requirements*¹
Amendment 1:2005
Amendment 2:2010

IEC 60068-2-75, *Environmental testing – Part 2-75: Tests – Test Eh: Hammer tests*

IEC 60085, *Electrical insulation – Thermal evaluation and designation*

IEC 60099-1, *Surge arresters – Part 1: Non-linear resistor type gapped arresters for a.c. systems*²

IEC 60112:2003, *Method for the determination of the proof and the comparative tracking indices of solid insulating materials*³
Amendment 1:2009

IEC 60127-1, *Miniature fuses – Part 1: Definitions for miniature fuses and general requirements for miniature fuse-links*

IEC 60227-1, *Polyvinyl chloride insulated cables of rated voltages up to and including 450/750 V – Part 1: General requirements*

IEC 60245-1, *Rubber insulated cables – Rated voltages up to and including 450/750 V – Part 1: General requirements*

IEC 60269-1, *Low-voltage fuses – Part 1: General requirements*

IEC 60335-1:2010, *Household and similar electrical appliances – Safety – Part 1: General requirements*

IEC 60364 (all parts), *Low-voltage electrical installations*

IEC 60384-14, *Fixed capacitors for use in electronic equipment – Part 14: Sectional specification: Fixed capacitors for electromagnetic interference suppression and connection to the supply mains*

¹ There exists a consolidated edition 7.2:2011 including IEC 60065:2001 and its Amendments 1:2005 and 2:2010.

² Withdrawn.

³ There exists a consolidated edition 4.1:2009 including IEC 60112:2003 and its Amendment 1:2009.

IEC 60384-16, *Fixed capacitors for use in electronic equipment – Part 16: Sectional specification: Fixed metallized polypropylene film dielectric d.c. capacitors*

IEC 60384-17, *Fixed capacitors for use in electronic equipment – Part 17: Sectional specification: Fixed metallized polypropylene film dielectric a.c. and pulse capacitors*

IEC 60417 (all parts), *Graphical symbols for use on equipment*

IEC 60423, *Conduit systems for cable management – Outside diameters of conduits for electrical installations and threads for conduits and fittings*

IEC 60529:1989, *Degrees of protection provided by enclosures (IP code)*⁴
Amendment 1:1999

IEC 60539 (all parts), *Directly heated negative temperature coefficient thermistors*

IEC 60664-1:2007, *Insulation coordination for equipment within low-voltage systems – Part 1: Principles, requirements and tests*

Ⓐ₂ IEC 60664-3:2016, *Insulation coordination for equipment within low-voltage systems – Part 3: Use of coating, potting or moulding for protection against pollution* Ⓐ₂

IEC 60664-4, *Insulation coordination for equipment within low-voltage systems – Part 4: Consideration of high-frequency voltage stress*

IEC 60695-2-10, *Fire Hazard testing – Part 2-10: Glowing/hot-wire based test methods – Glow-wire apparatus and common test procedure*

IEC 60695-2-11:2000, *Fire hazard testing – Part 2-11: Glowing/hot-wire based test methods – Glow-wire flammability test method for end-products*

IEC 60695-10-2, *Fire hazard testing – Part 10-2: Abnormal heat – Ball pressure test*

IEC 60738-1, *Thermistors – Directly heated positive temperature coefficient – Part 1: Generic specification*

IEC 60738-1-1, *Thermistors – Directly heated positive step-function temperature coefficient – Part 1-1: Blank detail specification – Current limiting application – Assessment level EZ*

IEC 60947-1:2007, *Low-voltage switchgear and controlgear – Part 1: General rules*

IEC 60998-2-2, *Connecting devices for low-voltage circuits for household and similar purposes – Part 2-2: Particular requirements for connecting devices as separate entities with screwless-type clamping units*

IEC 60998-2-3, *Connecting devices for low-voltage circuits for household and similar purposes – Part 2-3: Particular requirements for connecting devices as separate entities with insulation-piercing clamping units*

IEC 60999-1, *Connecting devices – Electrical copper conductors – Safety requirements for screw-type and screwless-type clamping units – Part 1: General requirements and particular requirements for clamping units for conductors from 0,2 mm² up to 35 mm² (included)*

⁴ There exists a consolidated edition 2.1:2001 including IEC 60529:1989 and its Amendment 1:1999.

IEC 61000 (all parts), *Electromagnetic compatibility (EMC)*

IEC 61000-3-2, *Electromagnetic compatibility (EMC) – Part 3-2: Limits – Limits for harmonic current emissions (equipment input current ≤ 16 A per phase)*

IEC 61000-3-3:2008, *Electromagnetic compatibility (EMC) – Part 3-3: Limits – Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems, for equipment with rated current ≤ 16 A per phase and not subject to conditional connection*

IEC 61000-4-2:2008, *Electromagnetic compatibility (EMC) – Part 4-2: Testing and measurement techniques – Electrostatic discharge immunity test*

IEC 61000-4-3, *Electromagnetic compatibility (EMC) – Part 4-3: Testing and measurement techniques – Radiated, radio-frequency, electromagnetic field immunity test*

IEC 61000-4-4, *Electromagnetic compatibility (EMC) – Part 4-4: Testing and measurement techniques – Electrical fast transient/burst immunity test*

IEC 61000-4-5, *Electromagnetic compatibility (EMC) – Part 4-5: Testing and measurement techniques – Surge immunity test*

IEC 61000-4-6, *Electromagnetic compatibility (EMC) – Part 4-6: Testing and measurement techniques – Immunity to conducted disturbances, induced by radio-frequency fields*

IEC 61000-4-8, *Electromagnetic compatibility (EMC) – Part 4-8: Testing and measurement techniques – Power frequency magnetic field immunity test*

IEC 61000-4-11, *Electromagnetic compatibility (EMC) – Part 4-11: Testing and measurement techniques – Voltage dips, short interruptions and voltage variations immunity tests*

IEC 61000-4-13:2002, *Electromagnetic compatibility (EMC) – Part 4-13: Testing and measurement techniques – Harmonics and interharmonics including mains signalling at a.c. power port, low frequency immunity tests*
Amendment 1:2009

IEC 61000-4-28, *Electromagnetic compatibility (EMC) – Part 4-28: Testing and measurements techniques – Variation of power frequency, immunity test*

IEC 61051-1, *Varistors for use in electronic equipment – Part 1: Generic specification*

IEC 61051-2, *Varistors for use in electronic equipment – Part 2: Sectional specification for surge suppression varistors*

IEC 61051-2-2, *Varistors for use in electronic equipment – Part 2: Blank detail specification for zinc oxide surge suppression varistors. Assessment level E*

IEC 61058-1, *Switches for appliances – Part 1: General requirements*

IEC 61210, *Connecting devices – Flat quick-connect terminations for electrical copper conductors – Safety requirements*

IEC 61249 (all parts), *Materials for printed boards and other interconnecting structures*

IEC 61558-2-6, *Safety of transformers, reactors, power supply units and similar products for supply voltages up to 1 100 V – Part 2-6: Particular requirements and tests for safety isolating transformers and power supply units incorporating safety isolating transformers*

IEC 61558-2-16, *Safety of transformers, reactors, power supply units and similar products for voltages up to 1 100 V – Part 2-16: Particular requirements and tests for switch mode power supply units and transformers for switch mode power supply units*

IEC 61643-11, *Low-voltage surge protective devices – Part 11: Surge protective devices connected to low-voltage power systems – Requirements and test methods*

Ⓐ₁ IEC 62151, *Safety of equipment electrically connected to a telecommunication network* Ⓐ₁

IEC 62326 (all parts), *Printed boards*

Ⓐ₁ IEC 62368-1, *Audio/video, information and communication technology equipment – Part 1: Safety requirements* Ⓐ₁

Ⓐ₂ IEC 63044-3, *Home and Building Electronic Systems (HBES) and Building Automation and Control Systems (BACS) – Part 3: Electrical safety requirements* Ⓐ₂

CISPR 11, *Industrial, scientific and medical equipment – Radio-frequency disturbance characteristics – Limits and methods of measurement*

CISPR 14-1:2005, *Electromagnetic compatibility – Requirements for household appliances, electric tools and similar apparatus – Part 1: Emission*⁵
Amendment 1:2008

CISPR 22:2008, *Information technology equipment – Radio disturbance characteristics – Limits and methods of measurement*

ISO 16484-2, *Building automation and control systems (BACS) – Part 2: Hardware*

2 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

Where the terms "voltage" and "current" are used, they imply the r.m.s. values, unless otherwise specified.

2.1 Definitions relating to ratings, voltages, currents, frequencies, and wattages

2.1.1

rated voltage, current, frequency or wattage

voltage, current, frequency or wattage assigned to a **control** by the manufacturer

Note 1 to entry: For three phase supply, the rated voltage is the line voltage.

2.1.2

rated voltage, current, frequency or wattage range

voltage, current, frequency or wattage ranges assigned to the **control** by the manufacturer and expressed by lower and upper values

⁵ There exists a consolidated edition 5.1:2009 including CISPR 14-1:2005 and its Amendment 1:2008.