

TECHNICAL REPORT
RAPPORT TECHNIQUE
TECHNISCHER BERICHT

CEN/TR 17603-32-22

June 2022

ICS 49.030.99; 49.140

English version

Space engineering - Insert design handbook

Ingénierie spatiale - Manuel de conception d'inserts

Raumfahrttechnik - Handbuch zu Einsätzen

This Technical Report was approved by CEN on 17 May 2022. It has been drawn up by the Technical Committee CEN/CLC/JTC 5.

CEN and CENELEC members are the national standards bodies and national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



CEN-CENELEC Management Centre:
Rue de la Science 23, B-1040 Brussels

Table of contents

European Foreword.....	27
1 Scope.....	28
2 References	29
3 Terms, definitions and abbreviated terms.....	30
4 Insert system	67
4.1 Insert systems and components	67
4.1.1 Inserts.....	67
4.1.2 Insert system components	69
4.1.3 Loading modes	70
5 Insert.....	71
5.1 General.....	71
5.2 Types.....	71
5.2.1 General.....	71
5.2.2 Group A	71
5.2.3 Group B	73
5.2.4 Group C	73
5.2.5 Potting methods	74
5.2.6 Injection	74
5.3 Sizes.....	75
5.3.1 General.....	75
5.3.2 Standards	75
5.3.3 Strength	76
5.3.4 Standardised diameters	77
5.3.5 Standardised heights	78
5.4 Materials.....	79
5.4.1 General.....	79
5.4.2 Aluminium alloys	80
5.4.3 Titanium alloys	80
5.4.4 Steels.....	81

5.4.5	Material selection	81
5.5	Surface protection.....	81
5.5.1	General.....	81
5.5.2	Aluminium alloy.....	82
5.6	References	83
5.6.1	General	83
5.6.2	ECSS standards	83
6	Sandwich panels	84
6.1	Sandwich properties	84
6.1.1	Insert load-bearing capability	84
6.1.2	Sandwich dimensions	85
6.2	Face sheet properties	85
6.2.1	Tensile and compressive loading	85
6.2.2	Shear loading.....	87
6.2.3	Other loads	89
6.3	Core properties.....	90
6.3.1	Types of cores	90
6.3.2	Hexagonal core.....	90
6.4	Core shear modulus	94
6.4.1	Data sources.....	94
6.5	Core shear strength.....	94
6.5.1	Data sources.....	95
6.6	Core tensile strength.....	95
6.6.1	Data sources.....	95
6.6.2	Aluminium core	95
6.6.3	Non-metallic cores	95
6.7	Core compressive strength	96
6.8	Core to face sheet bond	96
6.9	References	96
7	Embedding of inserts	97
7.1	Potting compounds	97
7.1.1	Commercial products	97
7.1.2	Modification of properties	99
7.2	Potting and equivalent dimensions	99
7.2.1	Insert load capability	99
7.2.2	Increasing insert tensile capability	101
7.3	Effective potting radius, or equivalent dimension	101

7.3.1	Minimum value	102
7.3.2	Average value	102
7.3.3	Relationship of minimum and average values	103
7.4	Real potting radius, or equivalent dimension.....	104
7.4.1	Minimum value	104
7.4.2	Average value	104
7.4.3	Relationship between minimum and average values.....	104
7.5	Potting height.....	105
7.5.1	Full potting	105
7.5.2	Partial potting	106
7.5.3	Minimum value	106
7.5.4	Average value	106
7.5.5	Relationship of minimum and average values	106
7.6	Potting mass.....	108
7.6.1	Effect of core and insert characteristics.....	108
7.6.2	Total mass of insert system.....	110
7.7	References	110
7.7.1	General	110
7.7.2	ECSS standards	110
8	Mechanics of sandwich structures	111
8.1	Structural sandwich concept	111
8.1.1	Properties of constituent materials	112
8.1.2	Fundamentals of classical ‘antiplane’ sandwich theory.....	113
8.2	Structural failure modes	116
8.2.1	Global failure modes	117
8.2.2	Local failure modes	118
8.3	Load introduction aspects and discontinuities	118
8.3.1	General	118
8.3.2	Local bending response	119
8.3.3	Antiplane-type theory	120
8.3.4	Finite element analysis.....	120
8.3.5	Elastic foundation model	120
8.3.6	Transverse flexibility.....	120
8.3.7	Higher-order sandwich beam theory	120
8.4	Sandwich plates with potted inserts	121
8.4.1	Classification of potted insert types	121
8.4.2	Load transfer	122

8.4.3	External load cases.....	122
8.4.4	Example.....	124
8.4.5	Purpose of the potting compound.....	129
8.4.6	Design guidelines.....	129
8.5	Remarks	130
8.5.1	General	130
8.5.2	Antiplane theories	130
8.5.3	Higher-order theories	131
8.5.4	ESAComp®	131
8.6	References	132
8.6.1	General	132
8.6.2	ECSS standards	134
9	Design aspects	135
9.1	Design parameters	135
9.1.1	Metal face sheets.....	137
9.1.2	Composite face sheets.....	137
9.2	Main load directions.....	138
9.2.1	Out-of-plane load	138
9.2.2	In-plane load	139
9.3	References	139
9.3.1	General	139
9.3.2	ECSS standards	139
10	Design considerations	140
10.1	Insert arrangement	140
10.1.1	Load capability	141
10.2	Load conditions	142
10.2.1	General	142
10.2.2	Design guide	144
10.3	Mounting modes	148
10.3.1	General	148
10.3.2	Flush-mounted insert	148
10.3.3	Recessed insert	148
10.3.4	Protruding insert.....	149
10.3.5	Bonded flange	150
10.4	Junction of components	150
10.4.1	General	150
10.4.2	Minimum value.....	151

10.5 Adequate insert design	152
10.5.1 Insert arrangement.....	152
10.5.2 Typical spacecraft design.....	152
10.5.3 Examples	153
10.6 Selection of inserts	153
10.6.1 General.....	153
10.6.2 Sufficient static strength	154
10.6.3 Safety factor.....	155
10.7 Minimum and average insert capability	155
10.7.1 Minimum	155
10.7.2 Average	156
10.8 Pre-design	156
10.8.1 Load path for in-plane forces.....	157
10.8.2 Load path for transverse forces.....	159
10.8.3 Transverse and in-plane load interaction.....	160
10.8.4 Proximity and edge effects	160
10.9 Failure modes.....	160
10.9.1 General.....	160
10.9.2 Failures under out-of-plane loads.....	161
10.9.3 Failures under in-plane loads	166
10.10 References	168
10.10.1 General	168
11 Design flow chart.....	169
11.1 Introduction.....	169
11.2 Flow chart: Predefined sandwich and loads	169
11.3 Flow chart: Variable main parameters.....	171
11.4 References	172
11.4.1 General	172
12 Tensile strength	173
12.1 Normal tensile load	173
12.1.1 General.....	173
12.1.2 Failure modes	173
12.1.3 Shear rupture: core surrounding the potting	174
12.1.4 Tensile rupture: core underneath the potting	175
12.1.5 Tensile rupture: potting underneath the insert	176
12.2 Basic parameters.....	176
12.2.1 Out-of-plane loads: Insert strength	179

12.3 Minimum and average design values	181
12.3.1 Overview	181
12.3.2 Minimum insert design values	181
12.3.3 Average insert values	182
12.4 Safety factors	183
12.4.1 Load capability	183
12.4.2 Failure modes	184
12.5 Permissible tensile loads	184
12.5.1 General	184
12.5.2 Insert capability graphs	184
12.5.3 Design values	184
12.6 Influence of insert height	185
12.6.1 Insert capability graphs	185
12.6.2 Different insert heights	185
12.7 Composite face sheet	187
12.7.1 Effect of anisotropy	187
12.7.2 Loading by moments	187
12.8 References	187
12.8.1 General	187
13 Compressive strength	188
13.1 Normal compressive load	188
13.1.1 General	188
13.1.2 Partially-potted inserts	188
13.1.3 Potting strength	188
13.1.4 Increased face sheet thickness	188
13.1.5 Insert capabilities	189
13.2 Permissible compressive loads	189
13.2.1 Graphs of permissible static insert loads	189
13.3 Composite face sheet	189
14 Shear strength	191
14.1 Shear (in-plane) load	191
14.1.1 Effect of in-plane load	191
14.1.2 Effect of face sheet material	192
14.1.3 Effect of partial clamping	192
14.2 Permissible shear load	192
14.3 Composite face sheet	193
14.3.1 Strength	193

14.3.2 Face sheets	196
14.3.3 CFRP face sheets.....	196
14.3.4 Effect of panel layout.....	201
14.3.5 Sensitivity of insert strength in face sheets.....	202
14.3.6 Effect of thin CFRP face sheet	203
14.4 References	204
14.4.1 General	204
15 Bending strength.....	205
15.1 Bending load.....	205
15.2 Permissible bending load.....	206
15.3 Composite face sheet	207
15.4 References	208
15.4.1 General	208
16 Torsional strength	209
16.1 Torsional load	209
16.2 Permissible torsion load.....	209
16.2.1 General	209
16.2.2 Metallic core	209
16.2.3 Non-metallic core	210
16.3 Composite face sheets	210
16.4 References	211
16.4.1 General	211
17 Combined loads.....	212
17.1 Inclined load	212
17.2 General load combinations	213
18 Edge influence	214
18.1 Edge distance: Out-of-plane loading	214
18.2 Edge distance: Shear loaded	215
18.2.1 General	215
18.2.2 Metallic face sheets.....	216
18.2.3 Non-metallic face sheets	216
18.3 Composite face sheets	217
18.3.1 Out-of-plane loading.....	217
18.3.2 In-plane loaded inserts.....	217
18.4 References	217
18.4.1 General	217

19 Insert groups.....	218
19.1 Two inserts: Loaded in same direction.....	218
19.1.1 General.....	218
19.1.2 Close inserts	218
19.1.3 Distant inserts	219
19.1.4 Effect of load	219
19.2 Two inserts: Loaded in opposite directions	220
19.2.1 General.....	220
19.2.2 Close inserts	221
19.2.3 Distant inserts	221
19.3 Series of inserts: Loaded in same direction.....	221
19.3.1 Overview	221
19.3.2 First and last inserts	221
19.3.3 Intermediate inserts.....	222
19.3.4 Example.....	222
19.4 Series of inserts: Loaded in opposite directions	223
19.4.1 Overview	223
19.4.2 First and last insert	224
19.4.3 Intermediate inserts.....	224
19.5 Insert groups: Loaded in same direction	224
19.5.1 General.....	224
19.5.2 Equal and equidistant inserts	224
19.6 Composite face sheets	226
19.6.1 Out-of-plane loading.....	226
19.6.2 In-plane loaded inserts.....	226
19.7 References	226
19.7.1 General.....	226
20 Stiffness	228
20.1 Introduction.....	228
20.1.1 Overview	228
20.1.2 Rotational stiffness.....	228
20.1.3 In-plane stiffness.....	228
20.1.4 Out-of-plane stiffness	228
20.2 Analysis and test	229
20.2.1 General.....	229
20.2.2 Analysis	229
20.2.3 Testing	229

20.2.4	Comparison of analysis and test values	229
20.2.5	Composite face sheets.....	230
20.3	References	230
20.3.1	General	230
21	Fatigue.....	231
21.1	Insert fatigue life	231
21.1.1	General	231
21.1.2	Potting.....	231
21.1.3	Honeycomb core.....	231
21.2	Core local stress: Normal loads to plane.....	232
21.2.1	General	232
21.2.2	Core circular stress	232
21.2.3	Example	233
21.3	Load-stress sequence: Constant amplitude	236
21.3.1	General	236
21.3.2	Mean stress ratio	236
21.3.3	Maximum peak load	237
21.4	Load-stress sequence: Spectra of constant amplitude	237
21.4.1	General	237
21.4.2	Example	237
21.5	Fatigue life: Constant load amplitude	237
21.5.1	Fatigue damage	237
21.5.2	Fatigue life	238
21.5.3	Re-evaluation of core strength variation	239
21.5.4	Insert fatigue life: Metallic cores	240
21.5.5	Insert fatigue life: Non-metallic cores	251
21.6	Fatigue damage accumulation	252
21.7	Non-metallic core.....	252
21.8	Composite face sheets	254
21.9	References	254
21.9.1	General	254
21.9.2	ECSS standards	255
22	Environmental effects	256
22.1	Insert under thermal conditions	256
22.1.1	General	256
22.1.2	Mechanical loading in a thermal environment.....	256
22.1.3	Mechanical loading after exposure to a thermal environment.....	256

22.1.4	Mechanical loading after thermal cycling	256
22.2	Thermal: Reduction of permissible load	258
22.2.1	Effect on permissible loads	258
22.2.2	Coefficient of thermal degradation.....	258
22.3	Other conditions	259
22.4	Composite face sheets	260
22.4.1	In-plane load under thermal conditions.....	260
22.5	References	260
22.5.1	General	260
22.5.2	ECSS standards	260
23	Manufacturing procedures	262
23.1	Sequence	262
23.1.1	General	262
23.1.2	Sandwich panels.....	262
23.2	Fit inserts.....	263
23.2.1	General	263
23.2.2	Positioning	263
23.2.3	Perforated core	264
23.2.4	Non-perforated core	264
23.3	Inject potting compound.....	265
23.3.1	General	265
23.3.2	Process.....	266
23.3.3	Flow characteristics.....	266
23.4	Cure cycle	267
23.4.1	General	267
23.4.2	Resin system: Shur-Lok SLE 3010.....	267
23.4.3	Potting foam: Lekutherm X227+T3.....	267
23.4.4	Other resin systems	267
23.5	Corrective actions	268
23.5.1	General	268
23.5.2	Final machining.....	268
23.6	Reference sample.....	268
23.6.1	General	268
23.6.2	Materials	269
23.6.3	Manufacture	269
23.6.4	Number of samples.....	269
23.6.5	Pull-out strength test	269

23.7 Proof load	270
23.8 Inspection	270
23.9 Repair.....	271
23.9.1 General	271
23.9.2 Undamaged core or face-sheet.....	271
23.9.3 Damaged core and face sheet	272
23.9.4 Replace or reposition inserts	272
23.10Defects	273
23.10.1 Poor storage of potting compound	273
23.10.2 Poor potting compound distribution	274
23.10.3 Poor positioning of insert.....	275
23.10.4 Oversized bore hole size.....	276
23.11References	276
23.11.1 General	276
23.11.2 ECSS standards	277
24 Sandwich panel machining.....	278
24.1 Drilling bore holes	278
24.1.1 Bore hole geometry.....	278
24.2 Processing.....	279
24.2.1 Combined tool.....	279
24.2.2 Single tools	280
24.2.3 Drill face sheet then cut honeycomb core.....	280
24.2.4 Drill face sheet and honeycomb core	281
24.2.5 Coordinate drilling machines	281
24.3 Composite face sheets	282
24.4 Process control.....	282
24.4.1 Potential problems	282
24.5 References	283
24.5.1 General	283
24.5.2 ECSS standards	283
25 Potting	284
25.1 General.....	284
25.1.1 Environmental conditions	284
25.1.2 Face sheet protection.....	284
25.1.3 Degreasing of inserts	284
25.2 Manufacturing process	284
25.3 Potting compounds	285

25.3.1	Flow characteristics.....	285
25.3.2	Resin system: Shur-Lok SLE 3010.....	286
25.3.3	Potting foam: Lekutherm X227+T3.....	286
25.3.4	Other potting materials.....	286
25.4	References	287
25.4.1	General	287
25.4.2	ECSS standards	288
26	Incoming inspection.....	289
26.1	Tests.....	289
26.1.1	Material specifications	289
26.1.2	Additional tests.....	289
26.2	Honeycomb core	289
26.2.1	Core properties	289
26.2.2	Insert strength.....	290
26.3	Potting resin.....	290
26.3.1	Strength	290
26.3.2	Hardness	291
26.4	Composite face sheets	291
26.4.1	Material characteristics	291
26.4.2	Composite laminate properties.....	291
26.4.3	Consumables	292
26.5	References	292
26.5.1	General	292
26.5.2	ECSS standards	292
27	Manufacture control	293
27.1	Testing.....	293
27.1.1	General	293
27.1.2	Mechanical.....	293
27.1.3	Non-destructive.....	293
27.1.4	Development tests	293
27.2	Reference samples.....	294
27.3	Mechanical testing	294
27.3.1	Tensile pull-out test.....	295
27.3.2	Shear test	296
27.3.3	Torsion test	298
27.4	Non-destructive testing	299
27.4.1	Radiography.....	299

27.5 Composite face sheets	299
27.6 References	300
27.6.1 General	300
27.6.2 ECSS standards	300
28 Quality control	301
28.1 General.....	301
28.1.1 Materials and processes	301
28.1.2 Documentation and traceability	302
28.1.3 Personnel.....	302
28.1.4 Health and safety	302
28.2 Control of bore hole	302
28.2.1 Inspection criteria.....	302
28.3 Control of potting	303
28.4 Core incoming inspection.....	306
28.4.1 Minimum core strength values	306
28.4.2 Inspection sequence	306
28.4.3 Perforated cores	307
28.5 Core normalised density	307
28.5.1 Procedure	307
28.6 References	308
28.6.1 General.....	308
28.6.2 ECSS standards	309
29 Testing.....	310
29.1 General.....	310
29.2 Insert static strength tests	310
29.2.1 Out-of-plane tests	310
29.2.2 In-plane tests	311
29.2.3 Bending tests	314
29.2.4 Torsion tests	314
29.3 Geometric effects: Insert static strength tests	314
29.3.1 Edge distance	315
29.3.2 Insert proximity.....	315
29.4 Dynamic tests	317
29.4.1 Sinusoidal loads	317
29.4.2 Static residual strength test.....	317
29.5 References	318
29.5.1 General	318

Annex A Inserts	319
A.1 Introduction.....	319
A.2 Commercial products	319
A.3 Non-standard.....	321
A.3.1 In-house.....	321
A.3.2 Novel design	321
A.3.3 Carbon fibre tube inserts.....	322
A.3.4 Other novel designs	327
A.4 References	327
A.4.1 General.....	327
Annex B Permissible loads.....	328
B.1 Introduction.....	328
B.1.1 Core types	328
B.1.2 Core height	328
B.2 Index to permissible-load graphs	329
B.3 References	330
B.3.1 General.....	330
Annex C Analytical determination	331
C.1 Introduction.....	331
C.1.1 How to use the formula	331
C.1.2 Potting resin	331
C.1.3 Validity of equations	332
C.2 Fully potted insert	332
C.3 Partial potting.....	335
C.3.1 Metallic core	335
C.3.2 Non-metallic core	337
C.4 Potting failure.....	338
C.4.1 Heavy metal core	338
C.4.2 Heavy non-metallic core.....	339
C.4.3 Notes for spreadsheet users - Derivation of PR	340
C.5 Compressive loading	341
C.5.1 Metallic core	341
C.5.2 Non-metallic core	342
C.6 Reliability	342
C.6.1 Correlation coefficients.....	342
C.6.2 Reliability coefficients.....	343
C.7 References	343

C.7.1	General	343
Annex D	Estimation of static load-carrying capability	344
D.1	Introduction	344
D.1.1	Background	344
D.1.2	How to use the formulae	344
D.2	Out of plane loading	345
D.3	Fully potted inserts	348
D.4	Partially potted inserts	349
D.4.2	Aluminium honeycomb core	350
D.4.3	Non-metallic honeycomb cores	352
D.5	Potting failure	352
D.5.1	Partially potted inserts	353
D.6	Compressive load: Additional criteria	355
D.6.1	Introduction	355
D.6.2	Aluminium core	355
D.6.3	Non-metallic core	356
D.7	Reliability considerations	356
D.7.1	Correlation coefficient	356
D.7.2	Reliability coefficient	357
D.8	Design graphs	358
D.8.1	Static load-carrying capability	358
D.9	Other external loads	359
D.9.1	Non-axisymmetric and twisting loads	360
D.10	References	360
D.10.1	General	360
Annex E	IATP	362
E.1	Introduction	362
E.2	Materials	362
E.3	Testing	364
E.3.2	Shear test configurations	364
E.3.3	Pull-out test configurations	365
E.4	Test data	366
E.4.1	Shear test data	366
E.4.2	Pull-out test data	369
E.4.3	Design allowables	371
E.4.4	General comments on IATP-2 pull-out test data	373
E.5	References	373

E.5.1	General	373
Annex F Case studies		374
F.1	Introduction	374
F.1.1	European projects	374
F.1.2	Information sources	375
F.2	ARIANE 1 Equipment Bay	376
F.2.1	Materials and configuration	376
F.2.2	Testing	376
F.3	ARIANE 4 Equipment Bay	377
F.3.1	Materials and configuration	377
F.3.2	Testing	377
F.4	ASAP 4	383
F.4.1	Materials and configuration	383
F.4.2	Testing	383
F.5	ASAP 5	388
F.5.1	Materials and configuration	388
F.5.2	Testing	388
F.6	ROSETTA Lander	392
F.6.1	Carbon fibre tube inserts	392
F.6.2	Development history	392
F.6.3	Qualification	393
F.6.4	Preliminary results	394
F.7	SPOT 5	398
F.7.1	Materials and configuration	398
F.7.2	Testing	398
F.8	UMS	401
F.8.1	Materials and configuration	401
F.8.2	Testing	401
F.9	SILEX	403
F.9.1	Materials and configuration	403
F.9.2	Testing	403
F.10	HRG	410
F.10.1	Materials and configuration	410
F.10.2	Testing	410
F.11	NILESAT	413
F.11.1	Materials and configuration	413
F.11.2	Testing	413

F.12 EXAMPLE: Insert verification	417
F.12.1 Mounting	417
F.12.2 Materials and configuration	417
F.12.3 Loads	418
F.12.4 Insert selection	418
F.12.5 In-plane loads	418
F.12.6 Grouping effects	419
F.12.7 Edge influence	419
F.12.8 Life of inserts	420
F.13 References	421
F.13.1 General	421
Annex G Formulae	422
G.1 Introduction	422
G.2 Nomenclature	422
G.3 List of mathematical formulae	425
G.3.1 Clause 6 Sandwich panels	425
G.3.2 Clause 7 Embedding of inserts	426
G.3.3 Clause 8 Mechanics of sandwich structures	427
G.3.4 Clause 10 Design considerations	428
G.3.5 Clause 12 Tensile strength	428
G.3.6 Clause 13 Compressive strength	429
G.3.7 Clause 14 Shear strength	430
G.3.8 Clause 15 Bending strength	431
G.3.9 Clause 16 Torsional strength	431
G.3.10 Clause 17 Combined loads	431
G.3.11 Clause 18 Edge influence	432
G.3.12 Clause 19 Insert groups	432
G.3.13 Clause 21 Fatigue	434
G.3.14 Clause 22 Environmental effects	436
G.3.15 Clause 23 Manufacturing procedures	436
G.3.16 Clause 28 Quality control	436
Annex H Insert test fixtures	437
H.1 Introduction	437
H.2 Test fixture: Tension-Compression load	437
H.3 Test fixture: In-plane shear load	445
H.3.1 Master drawing	446
H.4 Test fixture: Bending	455

H.4.1	Master drawing	456
H.5	Test fixture: Torsion	469
H.5.1	Master drawing	470
H.6	References	488
H.6.1	General	488

Figures

Figure 4-1:	Insert system: Components	68
Figure 4-2:	Insert system: Summary of loading modes	70
Figure 5-1:	Typical insert	73
Figure 5-2:	Standardised insert diameter	77
Figure 5-3:	Standardised insert height	78
Figure 5-4	Preferred set of insert heights	79
Figure 6-1:	Sandwich and core: designation	85
Figure 6-2:	Face sheet properties: Isotropic, anisotropic and quasi-isotropic characteristics	86
Figure 6-3:	Possible failures modes: Anisotropic face sheets under shear-loading	88
Figure 6-4:	Core strength: Deviation (%) of actual strength from guaranteed values	91
Figure 7-1:	Potting geometry	100
Figure 7-2:	Effective potting radius as a function of insert diameter	103
Figure 7-3:	Real potting radius as a function of insert diameter	105
Figure 7-4:	Potting height as a function of the honeycomb core height	107
Figure 7-5:	Mean weight of potting masses versus core height and insert diameter	108
Figure 7-6:	Correction coefficient for weight of insert heights	109
Figure 8-1:	Schematic of structural sandwich panel subjected to both in-plane and out-of-plane external loading	111
Figure 8-2:	Sign conventions for sandwich beam element	113
Figure 8-3:	Deformed sandwich beam element: deflection contributions from both bending and shearing	114
Figure 8-4	Shearing deformation of sandwich beam element	115
Figure 8-5:	Failure modes: Honeycomb core sandwich panels	117
Figure 8-6:	Schematic of 'local' bending effects in sandwich beam subjected to 3-point bending	119
Figure 8-7:	Schematic of potted insert types for sandwich panels used for spacecraft applications	122
Figure 8-8:	Model definition of sandwich plate with 'through-the-thickness' insert	123
Figure 8-9:	Example: Lateral displacements of a symmetric sandwich plate with insert subjected to compressive out-of-plane load	125
Figure 8-10:	Example: Core stress components of symmetric sandwich plate with insert subjected to out-of-plane compressive force	126

Figure 8-11: Example: Radial bending moment resultants in face sheets of symmetric sandwich plate with insert subjected to out-of-plane compressive force	128
Figure 9-1: Basic aspects of insert design, analysis and testing	137
Figure 9-2: Insert load cases	138
Figure 9-3: Insert out-of-plane load.....	138
Figure 9-4: Insert in-plane load.....	139
Figure 10-1: Typical insert arrangements	141
Figure 10-2: Insert load conditions	143
Figure 10-3: Sandwich panel with metallic face sheets: General design rules	145
Figure 10-4: Insert design under in-plane load	146
Figure 10-5: Insert design loaded by moments	146
Figure 10-6: CFRP face sheets: Effect of small chamfer on insert flange on load transfer to face sheet.....	147
Figure 10-7: Insert mounting modes	149
Figure 10-8: Connections	151
Figure 10-9: Selection of inserts: Partially potted.....	154
Figure 10-10: Selection of inserts: Through-the-thickness	154
Figure 10-11: Pre-design: Through-the-thickness insert under bending.....	158
Figure 10-12: Pre-design: Face sheet shear-out failure mode	159
Figure 10-13: Pre-design: Through-the-thickness insert under transverse force	160
Figure 10-14: Failure modes: Moment load	161
Figure 10-15: Failure modes: Load transfer in out-of-plane case	162
Figure 10-16: Failure modes: Insert as a function of core height	163
Figure 10-17: Failure modes: Non-correlation between number of the filled cells and number of the failing cell walls.....	164
Figure 10-18: Failure modes: Unsymmetrical potting and crossed cell	165
Figure 10-19: Failure modes: In-plane and torsion loads	166
Figure 10-20: Failure modes: CFRP face sheets	167
Figure 11-1: Flow chart: Predefined sandwich and loads.....	170
Figure 11-2: Flow chart: Variable main parameters	171
Figure 12-1: Failure modes in relation to the core height.....	174
Figure 12-2: Out-of-plane capability: Contributions of the main components on improved core shear	180
Figure 12-3: Out-of-plane capability: Contributions of the main components on improved core tension.....	181
Figure 12-4: Influence of insert height on insert capability	186
Figure 13-1: Compressive strength: Protruding insert.....	190
Figure 14-1: Shear-loaded inserts: Clamping conditions.....	191

Figure 14-2: Correlation between calculated and tested in-plane capabilities with fibre orientation	194
Figure 14-3: Correlation between calculated and tested in-plane capabilities with fibre strength.....	195
Figure 14-4: Nomenclature: Ultimate in-plane load against failure in tension.....	197
Figure 14-5: Shear strength: Stress concentration factor.....	198
Figure 14-6: Shear strength: Failure angle	199
Figure 14-7: Shear strength: Critical stresses for intracellular buckling (dimpling) under uniaxial compression.....	200
Figure 14-8: Shear strength: Influence of edge distance.....	202
Figure 14-9: In-plane capability: Contributions of the main components on improved core shear	203
Figure 15-1: Inserts loaded in bending: Clamping conditions.....	206
Figure 15-2: Bending load: Schematic of load-transfer	207
Figure 15-3:Bending load: Insert footprint on moment loading.....	208
Figure 16-1: Torsional load: Nomenclature.....	210
Figure 17-1: Insert submitted to an inclined load	212
Figure 18-1: Edge distance: Effect on insert static strength capability	215
Figure 19-1: Insert groups: Reduced insert capability - two adjacent inserts loaded in the same direction	220
Figure 19-2: Insert groups: Series of inserts loaded in same direction.....	222
Figure 19-3 Insert groups: series of inserts loaded in opposite directions	223
Figure 19-4: Insert groups: Interference coefficient for a group of equal and equidistant inserts	225
Figure 21-1: Static strength values with core height	233
Figure 21-2: Schematic: Design load spectrum	236
Figure 21-3: Insert fatigue life: Insert diameter 9 mm.....	243
Figure 21-4: Insert fatigue life: Insert diameter 11 mm.....	245
Figure 21-5: Insert fatigue life: Insert diameter 14 mm.....	247
Figure 21-6: Insert fatigue life: Insert diameter 17.5 mm.....	249
Figure 21-7: Insert fatigue life: Insert diameter 22.5 mm.....	251
Figure 21-8: Fatigue life: Non-metallic GFRP core	253
Figure 21-9: Fatigue life: Non-metallic Nomex® core	254
Figure 22-1: Thermal effects: Reduction of insert capability	257
Figure 22-2: Thermal effects: Reduction of potting resin strength.....	258
Figure 22-3: Thermal effects: Coefficient of thermal degradation.....	259
Figure 23-1: Basic manufacturing sequence.....	263
Figure 23-2: Inserts with connected potting mass.....	264
Figure 23-3: Venting of non-perforated core	265

Figure 23-4: Reference sample: Pull-out strength test specimen	270
Figure 23-5: Insert repair: Geometry.....	272
Figure 24-1: Sandwich panel machining: Combined drill and punch tool	279
Figure 24-2 Sandwich panel machining: Series of single tools and their uses	280
Figure 27-1: Manufacture control: Out-of-plane test fixture for tension (pull-out) tests	295
Figure 27-2: Manufacture control: Out-of-plane test fixture for compression or fatigue tests	296
Figure 27-3: Manufacture control: In-plane test fixture for shear Bending test	297
Figure 27-4: Manufacture control: Bending test fixture	298
Figure 27-5: Manufacture control: Torsion test fixture.....	298
Figure 28-1: QA: Poor potting causing strength degradation	304
Figure 28-2: QA: Honeycomb core - incoming inspection	307
Figure 28-3: QA: Core density correction factor for degree of expansion.....	308
Figure 29-1: Testing: Insert static out-of-plane strength fixture	311
Figure 29-2: Testing: Insert static in-plane strength fixture	312
Figure 29-3: Testing: ASTM insert static in-plane strength fixture	313
Figure 29-4: Testing: Bending fixture	314
Figure 29-5: Testing: Edge distance fixture	315
Figure 29-6: Testing: Insert proximity tensile fixture.....	316
Figure 29-7: Testing: Insert proximity tensile-compression fixture	316
Figure 29-8: Testing: Determination of points for residual strength test	318
Figure A-1 : Carbon fibre tube inserts: Comparison of design principles.....	323
Figure A-2 : Carbon fibre tube inserts: Fitting of spreadable CFRP tube	324
Figure A-3 : Carbon fibre tube insert: Type 1 cap	325
Figure A-4 : Carbon fibre tube insert: Type 2 cap	325
Figure A-5 : Carbon fibre tube insert: Type 2 insert cap and carbon fibre sleeve	326
Figure C-1 : Fully potted insert	333
Figure C-2 : Partially potted insert	336
Figure D-1 Out-of-plane loading: Circular sandwich plate with through-the-thickness insert	346
Figure D-2 : Partially potted insert: out-of-plane loading	349
Figure E-1 : Manufacture control: Insert tensile pull-out test fixture	364
Figure F-1 : Case study: ARIANE 1 equipment bay / ASAP 4 - tensile (pull-out) test method	376
Figure F-2 : Case study: ARIANE 4 Case 1.....	378
Figure F-3 : Case study: ARIANE 4 Case 2.....	379
Figure F-4 : Case study: ARIANE 4 - tensile (pull-out) test method	380

Figure F-5 : Case study: ARIANE 4 - shear test method.....	380
Figure F-6 : Case study: ASAP 4 (AR4) 1.....	384
Figure F-7 : Case study: ASAP 4 (AR4) 2.....	384
Figure F-8 : Case study: ASAP 4 (AR4) - tensile (pull-out) method A	385
Figure F-9 : Case study: ASAP 4 (AR4) - tensile (pull-out) method B	386
Figure F-10 : Case study: ASAP 5.....	389
Figure F-11 : ROSETTA Lander: Two structural components.....	392
Figure F-12 : ROSETTA Lander: Tension-compression, shear, bending and torsion tests	393
Figure F-13 : Carbon fibre tube insert (type 2): With cap for unilateral fixing.....	396
Figure F-14 : Carbon fibre tube inserts: Definition of the critical insert failure load, F_c	397
Figure F-15 : Case study: SPOT 5 - Case	399
Figure F-16 : Case study: SPOT 5 - Structure I/F platform	400
Figure F-17 : Case study: UMS - SST 1	402
Figure F-18 : Case study: UMS - SST 2	402
Figure F-19 : Case study: SILEX - insert	404
Figure F-20 : Case study: SILEX GEO MPCS – insert	405
Figure F-21 : Case study: HRG - Insert	411
Figure F-22 : Case study: HRG - Test method	413
Figure F-23 : Case study: NILESAT battery 1.....	415
Figure F-24 : Case study: NILESAT battery 2.....	416
Figure F-25 : Example: Insert verification – dimensions.....	417
Figure H-1 : Test fixture: Tension-compression load – master drawing	438
Figure H-2 : Test fixture: Tension-compression load – part 1.....	439
Figure H-3 : Test fixture: Tension-compression load – part 2.....	440
Figure H-4 : Test fixture: Tension-compression load – part 3.....	441
Figure H-5 : Test fixture: Tension-compression load – part 4.....	442
Figure H-6 : Test fixture: Tension-compression load – part 5.....	443
Figure H-7 : Test fixture: Tension-compression load – part 6.....	444
Figure H-8 : Test fixture: Tension-compression load – part 7.....	445
Figure H-9 : Test fixture: In-plane shear load – master drawing.....	446
Figure H-10 : Test fixture: In-plane shear load – part 1.....	447
Figure H-11 : Test fixture: In-plane shear load – part 2.....	448
Figure H-12 : Test fixture: In-plane shear load – part 3.....	449
Figure H-13 : Test fixture: In-plane shear load – part 4.....	450
Figure H-14 : Test fixture: In-plane shear load – part 5.....	451
Figure H-15 : Test fixture: In-plane shear load – part 6.....	452
Figure H-16 : Test fixture: In-plane shear load – part 7	453

Figure H-17 : Test fixture: In-plane shear load – part 8.....	454
Figure H-18 : Test fixture: Bending – master drawing	456
Figure H-19 : Test fixture: Bending – part 1	457
Figure H-20 : Test fixture: Bending – part 2	458
Figure H-21 : Test fixture: Bending – part 3	459
Figure H-22 : Test fixture: Bending – part 4	460
Figure H-23 : Test fixture: Bending – part 5	461
Figure H-24 : Test fixture: Bending – part 6	462
Figure H-25 : Test fixture: Bending – part 7	463
Figure H-26 : Test fixture: Bending – part 8	464
Figure H-27 : Test fixture: Bending – part 9	465
Figure H-28 : Test fixture: Bending – part 10	466
Figure H-29 : Test fixture: Bending – parts 11, 12 and 13.....	467
Figure H-30 : Test fixture: Bending – part 14	468
Figure H-31 : Test fixture: Torsion – master drawing	470
Figure H-32 : Test fixture: Torsion – part 1	471
Figure H-33 : Test fixture: Torsion – part 2	472
Figure H-34 : Test fixture: Torsion – part 3	473
Figure H-35 : Test fixture: Torsion – part 4	474
Figure H-36 : Test fixture: Torsion – part 5	475
Figure H-37 : Test fixture: Torsion – part 6	476
Figure H-38 : Test fixture: Torsion – part 7	477
Figure H-39 : Test fixture: Torsion – part 8	478
Figure H-40 : Test fixture: Torsion – part 9	479
Figure H-41 : Test fixture: Torsion – part 10	480
Figure H-42 : Test fixture: Torsion – part 11	481
Figure H-43 : Test fixture: Torsion – part 12	482
Figure H-44 : Test fixture: Torsion – part 13	483
Figure H-45 : Test fixture: Torsion – part 14	484
Figure H-46 : Test fixture: Torsion – part 15	485
Figure H-47 : Test fixture: Torsion – part 16	486
Figure H-48 : Test fixture: Torsion – part 17	487

Tables

Table 4-1: Insert system: General definition	69
Table 5-1: Types of inserts	72
Table 5-2: Potting methods	74

Table 5-3: List of insert standards	76
Table 5-4: Inserts: Aluminium alloy 'equivalents'.....	80
Table 5-5: Typical insert materials and surface protection	82
Table 6-1: Effect of sandwich components on insert load-bearing capability	84
Table 6-2: Failure mode and shear-load capability of tested CFRP face sheets	89
Table 6-3: Mechanical properties of common aluminium alloy hexagonal-type cores	92
Table 6-4: Mechanical properties of common non-metallic hexagonal-type cores	93
Table 7-1: Example: Insert potting compounds for space applications.....	98
Table 7-2: Example: Effect of increased potting radius on insert tensile capability.....	101
Table 9-1: Summary of the basic insert design parameters	136
Table 10-1: Failure modes of insert joint.....	161
Table 12-1: Properties for determining potted insert capability: Tensile load	177
Table 12-2: Perforated cores: Effective and real potting radius versus insert diameter.....	178
Table 12-3: Non-perforated cores: Effective and real potting radius versus insert diameter	178
Table 12-4: Out-of-plane capability: Effect of components on core shear	180
Table 12-5: Out-of-plane capability: Effect of components on core tension	180
Table 14-1: In-plane capability: Effect of components on core shear	202
Table 20-1: Insert stiffness: SILEX test configuration	229
Table 20-2: Insert stiffness: Comparison of analysis and test	230
Table 21-1: Fatigue: Stress concentration factors for local stress	235
Table 21-2: Fatigue: Coefficients to determine peak load	240
Table 21-3: Links to fatigue life data	241
Table 21-4: Insert diameter 9 mm: Fatigue correction factors	242
Table 21-5: Insert diameter 11 mm: Fatigue correction factors	244
Table 21-6: Insert diameter 14 mm: Fatigue correction factors	246
Table 21-7: Insert diameter 17.5 mm: Fatigue correction factors	248
Table 21-8: Insert diameter 22.5 mm: Fatigue correction factors	250
Table 23-1: Insert capability: Effect of poor storage of potting compound	273
Table 23-2: Insert capability: Effect of poor distribution of potting compound.....	275
Table 23-3: Insert capability: Effect of poor positioning of insert	275
Table 23-4: Insert capability: Effect of oversized bore hole	276
Table 26-1: Incoming inspection: Potting resin strength tests	291
Table 28-1: QA: Potting failure and detectability	304
Table 29-1: Testing: Dynamic test load levels and number of cycles	317
Table A-1 : Commercially available inserts used in space	320
Table A-2 : Non standard inserts used in space applications.....	322
Table B-1 : Core height: Permissible tensile loads - transition points.....	329

Table B-2 : Core height: Example - permissible tensile loads	329
Table B-3 : Design graphs: Index to permissible static loads	330
Table C-1 : Correlation coefficients	342
Table C-2 : Reliability coefficients.....	343
Table D-1 : Correlation coefficients	357
Table D-2 : Reliability coefficients.....	357
Table E-1 : IATP: Materials	363
Table E-2 : IATP: Shear test panel configurations	365
Table E-3 : IATP: Pull-out test panel configurations.....	366
Table E-4 : IATP: Shear test data.....	367
Table E-5 : IATP: Pull-out test data	369
Table E-6 : IATP: Shear test results versus design allowables	371
Table E-7 : IATP : Pull-out test results versus design allowables.....	372
Table F-1 : Case study: ARIANE 1 equipment bay/ASAP 4 – Allowable tensile load	376
Table F-2 : Case study: ARIANE 4 – materials and configuration.....	377
Table F-3 : Case study: ARIANE 4 equipment bay - Allowable tensile load	381
Table F-4 : Case study: ARIANE 4 equipment bay - Allowable shear load	382
Table F-5 : Case study: ASAP 4 – materials and configuration.....	383
Table F-6 : Case study: ASAP 4 - interference and edge effects	387
Table F-7 : Case study: ASAP 5 – materials and configuration.....	388
Table F-8 : Case study: ASAP 5 - Allowable tensile load.....	390
Table F-9 : Case study: ASAP 5 - interference and edge effects	391
Table F-10 : Carbon fibre tube inserts: Out-of-plane tension	395
Table F-11 : Carbon fibre tube inserts: Out-of-plane compression.....	395
Table F-12 : Carbon fibre tube inserts: In-plane shear load	396
Table F-13 : Carbon fibre inserts: Weibull analysis criteria	397
Table F-14 : Case study: SPOT 5 – materials and configuration	398
Table F-15 : No details given, [29-29]. Case study: UMS – Materials and configuration	401
Table F-16 : Case study: SILEX – Materials and configuration	403
Table F-17 :Case study: SILEX - Allowable tensile load	406
Table F-18 : Case study: SILEX - Allowable shear load.....	407
Table F-19 : Case study: SILEX - Allowable bending moment.....	408
Table F-20 : Case study: SILEX - Allowable torsion moment.....	409
Table F-21 : Case study: HRG – Materials and configuration	410
Table F-22 : Case study: HRG - Tensile load	412
Table F-23 : Case study: NILESAT – materials and configuration	414

European Foreword

This document (CEN/TR 17603-32-22:2022) has been prepared by Technical Committee CEN/CLC/JTC 5 "Space", the secretariat of which is held by DIN.

It is highlighted that this technical report does not contain any requirement but only collection of data or descriptions and guidelines about how to organize and perform the work in support of EN 16603-32.

This Technical report (CEN/TR 17603-32-22:2022) originates from ECSS-E-HB-32-22A.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association.

This document has been developed to cover specifically space systems and has therefore precedence over any TR covering the same scope but with a wider domain of applicability (e.g.: aerospace).

1

Scope

The document recommends engineering inserts and practices for European programs and projects. It may be cited in contracts and program documents as a reference for guidance to meet specific program/project needs.

The target users of this handbook are engineers involved in the design, analysis and verification of launchers and spacecraft in relation to insert usage. The current know-how is documented in this handbook in order to make expertise to all European developers of space systems.

It is a guidelines document, therefore it includes advisory information rather than requirements.

2

References

Due to the structure of the document, each clause at its end contains the list of reference called upon.