

Cosmetics - Sun protection test methods - In vivo
determination of sunscreen UVA protection (ISO
24442:2022)

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

See Eesti standard EVS-EN ISO 24442:2022 sisaldab Euroopa standardi EN ISO 24442:2022 ingliskeelset teksti.	This Estonian standard EVS-EN ISO 24442:2022 consists of the English text of the European standard EN ISO 24442:2022.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation and Accreditation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 22.06.2022.	Date of Availability of the European standard is 22.06.2022.
Standard on kättesaadav Eesti Standardimis-ja Akrediteerimiskeskusest.	The standard is available from the Estonian Centre for Standardisation and Accreditation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 71.100.70

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardimis- ja Akrediteerimiskeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardimis-ja Akrediteerimiskeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardimis-ja Akrediteerimiskeskusega: Koduleht www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation and Accreditation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation and Accreditation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation and Accreditation:

Homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

English Version

**Cosmetics - Sun protection test methods - In vivo
determination of sunscreen UVA protection (ISO
24442:2022)**

Cosmétiques - Méthodes d'essai de protection solaire -
Détermination in vivo de la protection UVA d'un
produit de protection solaire (ISO 24442:2022)

Kosmetik - Prüfverfahren für Sonnenschutzmittel - In-
vivo-Bestimmung des UVA-Sonnenschutzes (ISO
24442:2022)

This European Standard was approved by CEN on 3 June 2022.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

European foreword

This document (EN ISO 24442:2022) has been prepared by Technical Committee ISO/TC 217 "Cosmetics" in collaboration with Technical Committee CEN/TC 392 "Cosmetics" the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by December 2022, and conflicting national standards shall be withdrawn at the latest by December 2022.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 24442:2011.

Any feedback and questions on this document should be directed to the users' national standards body/national committee. A complete listing of these bodies can be found on the CEN website.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Endorsement notice

The text of ISO 24442:2022 has been approved by CEN as EN ISO 24442:2022 without any modification.

Contents

Page

Foreword.....	v
Introduction.....	vi
1 Scope.....	1
2 Normative references.....	1
3 Terms and definitions.....	1
4 General principle.....	3
5 Test subjects.....	3
5.1 Selection of the test subjects.....	3
5.1.1 General.....	3
5.1.2 Skin colour of the test subjects.....	4
5.1.3 Age restriction.....	4
5.1.4 Frequency of participation in tests.....	4
5.1.5 Ethics and consent.....	4
5.2 Number of test subjects.....	4
6 Apparatus and materials— Source of ultraviolet radiation.....	4
6.1 General.....	4
6.2 Quality of ultraviolet radiation.....	5
6.3 Total irradiance (UV, visible and near infrared rays).....	5
6.4 Uniformity of beam.....	5
6.4.1 General.....	5
6.4.2 Film densitometry.....	5
6.4.3 UV sensor.....	6
6.4.4 Large beam source.....	6
6.4.5 Small beam source.....	6
7 Maintenance and monitoring the UV solar simulator output.....	7
7.1 Spectroradiometry.....	7
7.2 Radiometry.....	8
8 Reference sunscreen formulations.....	8
8.1 General.....	8
8.2 Reference standard to be used.....	9
9 Procedure.....	9
9.1 Main steps.....	9
9.2 Test conditions.....	10
9.3 Position of the test subjects.....	10
9.4 Product application.....	10
9.4.1 Overview.....	10
9.4.2 General.....	10
9.4.3 Amount of product applied.....	10
9.4.4 Mode of delivery.....	11
9.4.5 Evaluation of application uniformity.....	13
9.4.6 Drying time between application and UV exposure.....	13
9.4.7 Exposure sub-sites.....	13
9.5 UV exposure.....	13
9.5.1 Provisional MPPDD _{iu}	13
9.5.2 Estimated MPPDD _{iu}	13
9.5.3 Incremental progression of UV dose.....	13
9.6 Product removal.....	14
9.7 Procedure for MPPDD assessment.....	14
9.7.1 General.....	14
9.7.2 Time of assessment of MPPDD.....	14
9.7.3 Grading scale for the MPPDD _s	15

9.7.4	Erythema responses	15
9.7.5	Data rejection criteria	15
9.7.6	Test failure criteria	16
9.7.7	Expression of MPPDDs	16
10	Calculation of the UVA protection factor and statistics	16
10.1	Calculation of the individual UVAPF ($UVAPF_i$)	16
10.2	Calculation of product UVAPF	17
10.3	Statistical criterion	17
10.4	Validation of the test	17
11	Test report	17
11.1	Overview	17
11.2	General information	17
11.3	Data in tabular for each test subject	18
11.4	Statistics for the test products	18
Annex A	(normative) Selection criteria for the test subjects	19
Annex B	(normative) Definition of the source of UVA radiation	21
Annex C	(normative) UVAPF reference sunscreens formulations	24
Annex D	(normative) Calculations and statistics	37
Annex E	(normative) Colorimetric determination of skin colour typing	43
Annex F	(informative) Visual guidance for PPD grading— Visual appearance of PPD	45
Annex G	(informative) Sample report form	52
Bibliography	56

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 217, *Cosmetics*, in collaboration with the European Committee for Standardization (CEN) Technical Committee CEN/TC 392, *Cosmetics*, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

This second edition cancels and replaces the first edition (ISO 24442:2011), which has been technically revised.

The main changes are as follows:

- this document has been aligned with the revised ISO 24444.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

This document specifies the procedure to determine the Ultraviolet A Protection Factor (UVAPF) of a sunscreen product using the persistent pigment darkening method according to the principles recommended by the Japan Cosmetic Industry Association (JCIA) in 1995^[1]. The outcome of this test method can be used to determine the UVA classification of topical sunscreen products according to local regulatory requirements.

Topical sunscreen products are primarily rated and labelled according to their ability to protect against sunburn, using a test method to determine the in vivo sun protection factor (see ISO 24444). This rating evaluates filtration of sunburn generating radiation across the electromagnetic UV spectrum (290 nm to 400 nm). However, knowledge of the sun protection factor (SPF) rating does not provide explicit information on the magnitude of the protection provided specifically in the UVA range of the spectrum (320 nm to 400 nm), as it is possible to have high SPF products with very modest UVA protection [for example SPF 50 with a UVA protection factor (UVAPF) of only 3 to 4]. There is demand among medical professionals, as well as knowledgeable consumers, to have fuller information on the UVA protection provided by their sunscreen product, in addition to the SPF, in order to make a more informed choice of product, providing a more balanced and broader-spectrum protection. Moreover, there is also a demand to prevent UVA-induced darkening of the skin from a cultural point of view even without sunburn. Thus, persistent pigment darkening (PPD) was selected as an endpoint relevant to UVA. Although PPD reflects merely photo-polymerization of melanin monomers^[2], it is evaluated as a representative of the biological reactions. The UVAPF value of a product provides information on the magnitude of the protection provided explicitly in the UVA portion of the spectrum, independent of the SPF values^{[3][4][5]}.

The test method outlined in this document is derived primarily from the UVAPF test methods as developed by the JCIA. Modifications have been made to attempt to be in line with updated International Standards for determination of sun protection factor without changing the integrity of the fundamental underlying principles of the test method.

Cosmetics — Sun protection test methods — In vivo determination of sunscreen UVA protection

1 Scope

This document specifies a method for the in vivo determination of UVA protection factor (UVAPF) of sunscreen products. It is applicable to products that contain any component able to absorb, reflect or scatter ultraviolet (UV) rays and which are intended to be placed in contact with human skin.

This document provides a basis for the evaluation of sunscreen products for the protection of human skin against UVA radiation induced by solar ultraviolet rays.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 24444, *Cosmetics — Sun protection test methods — In vivo determination of the sun protection factor (SPF)*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <https://www.electropedia.org/>

3.1

ultraviolet radiation

UVR

electromagnetic radiation in the range of 290 nm to 400 nm

3.1.1

ultraviolet B

UVB

electromagnetic radiation in the range of 290 nm to 320 nm

3.1.2

ultraviolet A

UVA

electromagnetic radiation in the range of 320 nm to 400 nm

Note 1 to entry: UVA II = 320 nm to 340 nm; UVA I = 340 nm to 400 nm.

3.2

erythema

reddening of the skin caused by UV radiation