INTERNATIONAL STANDARD

Fourth edition 2022-06

G G **Geometrical product specifications** (GPS) — Standard reference temperature for the specification of geometrical and dimensional properties

éo. férenc s et dime. Spécification géométrique des produits (GPS) — Température normale de référence pour la spécification des propriétés géométriques et dimensionnelles

Reference number ISO 1:2022(E)



© ISO 2022

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Email: copyright@iso.org Website: www.iso.org

Published in Switzerland

Page

Contents

Fore	eword	iv
Intr	oduction	v
1	Scope	
2	Normative references	
3	Terms and definitions	1
4	Standard reference temperature value for the specification of geometrical and dimensional properties	2
Ann	nex A (informative) Use of the reference temperature specification	3
Ann	nex B (informative) The International Temperature Scale of 1990 (ITS-90)	4
Ann	nex C (informative) Relation to the GPS matrix model	5
Bibl	liography.	6
© IS(0 2022 – All rights reserved	iii

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 213, *Dimensional and geometrical product specifications and verification*, in collaboration with the European Committee for Standardization (CEN) Technical Committee CEN/TC 290, *Dimensional and geometrical product specification and verification*, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

This fourth edition cancels and replaces the third edition (ISO 1:2016), which has been technically revised.

The main changes are as follows:

- clarification that the standard reference temperature value of 20 °C is of the International Scale according to the ITS-90, the *International Temperature Scale of 1990*,^[5] which does not imply any change in the value;
- addition of <u>Annex B</u> to introduce the International Temperature according to the ITS-90 and to illustrate the implications of this document compared with the previous edition;
- removal of the references to other fundamental ISO GPS standards in the Introduction and in the ISO GPS matrix annex, <u>Annex C</u>.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at <u>www.iso.org/members.html</u>.

Introduction

This document is a geometrical product specification (GPS) standard and is to be regarded as a fundamental GPS standard (see ISO 14638).

More detailed information on the relation of this document to other standards and the GPS matrix model can be found in <u>Annex C</u>.

The definitions of the units, including those of length and temperature, are adopted by the General Conference of Weights and Measures (CGPM) under the authority of the Convention of the Metre. These definitions are maintained in the SI brochure^[4].

The unit of length, the metre, is independent of temperature. The current definition of the metre is based on the distance light travels in a vacuum during a unit of time. However, a physical object is subject to thermal expansion and, consequently, its geometrical and dimensional properties are dependent on its temperature. Specifying a reference temperature allows the geometrical and dimensional properties of ist BORNIGN ORNEGNORIEN ORNEGN a physical object to be unambiguously stated.

this document is a preview demendence of the document is a preview demendence of the document of the document

Geometrical product specifications (GPS) — Standard reference temperature for the specification of geometrical and dimensional properties

1 Scope

This document defines the concepts of a reference temperature and the standard reference temperature and specifies the standard reference temperature value for the specification of geometrical and dimensional properties of an object. Some examples of geometrical and dimensional properties include size, location, orientation (including angle), form and surface texture of a workpiece.

This document is also applicable to the definition of the measurand used in verification or calibration.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/IEC Guide 99:2007, International vocabulary of metrology — Basic and general concepts and associated terms (VIM)

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO/IEC Guide 99 and the following apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <u>https://www.iso.org/obp</u>
- IEC Electropedia: available at <u>https://www.electropedia.org/</u>

3.1

reference temperature

temperature of an object, having a uniform temperature, specified as part of the definition of a geometrical or dimensional property

Note 1 to entry: The specification of a geometrical or dimensional property is typically given in technical product documentation, for example on an engineering drawing or in a CAD file, or in the specification of the measurand (the quantity intended to be measured).

Note 2 to entry: A uniform temperature is reached at thermodynamic equilibrium.

3.2

standard reference temperature

internationally agreed-upon reference temperature

Note 1 to entry: In previous editions of this document, the term "standard reference temperature" was defined as its assigned numerical value, i.e. 20 °C. In this document and in the previous edition, the definition of the *reference temperature* (3.1) and the assignment of a standardized value to this temperature are separately addressed in <u>Clause 4</u>.