INTERNATIONAL STANDARD

ISO 21869

Second edition 2022-06

Rubber compounding ingredients — Magnesium oxide — Methods of test

Jrédic éthodes Ingrédients de mélange du caoutchouc — Oxyde de magnésium —



Reference number ISO 21869:2022(E)



© ISO 2022

tation, no part of 'including plot' 'om either'. All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Email: copyright@iso.org Website: www.iso.org

Published in Switzerland

Coı	ntent	is S	Page	
Fore	word		v	
Intr	oductio	on	vi	
1	Scop	ne	1	
2	Norn	native references	1	
3		ns and definitions		
4		pling		
5	_	sture, magnesium hydroxide and magnesium carbonate content		
3	5.1	Thermogravimetry	2	
		5.1.1 Procedure	2	
	F 0	5.1.2 Expression of the results		
	5.2	Loss in mass on oven heating		
		5.2.2 Magnesium hydroxide content		
		5.2.3 Magnesium carbonate content		
6	Loss	on ignition	5	
	6.1	Principle		
	6.2	Apparatus		
	6.3 6.4	Test procedure Calculation		
7		nesium oxide content		
7	7.1	Principle	6	
	7.2	Determination of total magnesium oxide and calcium oxide contents		
		7.2.1 Reagents	7	
		7.2.2 Apparatus		
	7.3	7.2.3 Test procedure Determination of calcium oxide content		
	7.3	7.3.1 Determination of the content by AAS or ICP-AES		
		7.3.2 Conversion of the content by AAS or by ICP-AES into the titration volume of EDTA		
	7.4	Calculation of magnesium oxide content	9	
8	Dete	ermination of the specific surface area		
9	Dete	ermination of the sieve residue	10	
	9.1	Reagents		
	9.2	Apparatus	10	
	9.3	Procedure		
	9.4	Expression of the results		
10		ermination of chloride		
	10.1 10.2	Principle		
	10.3	Apparatus		
	10.4	Procedure		
	10.5	Expression of the results	12	
11	Determination of the sulfate content			
	11.1	Principle		
	11.2 11.3	Reagents		
	11.4	Procedure		
	11.5	Expression of the results	13	
12	Ash of hydrochloric acid-insoluble matter1			

ISO 21869:2022(E)

13	12.1 Principle	
13	12.3 Apparatus 12.4 Procedure 12.5 Expression of the results	
		13
	13.1 Principle	10
14	13.2 Reagents	
	13.3 Apparatus	
	13.4 Procedure	
	13.5 Expression of the results	
	· · · · · · · · · · · · · · · · · · ·	14
	14.1 Principle	
	14.2 Apparatus 14.3 Procedure	
	14.4 Expression of the results	
		4 5
	Test report nnex A (normative) Determination of calcium oxide content	15 Anne
r	nnex B (informative) Typical values of properties of magnesium oxides used as rubber	Anne
23	compounding ingredientsibliography	
24	bliography	Biblio
	ionograpny	
72		

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 45, *Rubber and rubber products*, Subcommittee SC 3, *Raw materials (including latex) for use in the rubber industry*.

This second edition cancels and replaces the first edition (ISO 21869:2006), which has been technically revised.

The main changes are as follows:

- a new <u>Clause 6</u>, Loss on ignition, and a new <u>Clause 7</u>, Magnesium oxide content, have been added;
- information on the determination of copper and manganese content have been moved to Annex B;
- a 75 μ m sieve opening has been added as an alternative in 9.2;
- a new <u>Clause 12</u>, Ash of hydrochloric acid-insoluble matter, <u>Clause 13</u>, Water-soluble matter content and <u>Clause 14</u>, Bulk density have been added;
- a new Annex A, Determination of calcium oxide content, has been added;
- high, medium and low activity for α , β , and γ , respectively, have been specified in Annex B.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

Magnesium oxide is used in the rubber industry as a stabilizer, as an agent for modifying the vulcanization process and to enhance the heat resistance of rubber articles. The performance of Title, the me. magnesium oxide in these roles is dependent on its particle size, surface properties and purity. This document specifies the methods used to determine these properties.

Rubber compounding ingredients — Magnesium oxide — Methods of test

WARNING — Persons using this document should be familiar with normal laboratory practice. This document does not purport to address all the safety problems, if any, associated with its use. It is the responsibility of the user to establish appropriate safety and health practices.

1 Scope

This document specifies the test methods to be used for magnesium oxide intended for use in the rubber industry as a stabilizer and vulcanizing agent.

The choice of the properties to be determined and the values required are subject to agreement between the interested parties.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 565, Test sieves — Metal wire cloth, perforated metal plate and electroformed sheet — Nominal sizes of openings

ISO 3696, Water for analytical laboratory use — Specification and test methods

ISO 3819, Laboratory glassware — Beakers

ISO 4652, Rubber compounding ingredients — Carbon black — Determination of specific surface area by nitrogen adsorption methods — Single-point procedures

ISO 15528, Paints, varnishes and raw materials for paints and varnishes — Sampling

ISO 18852, Rubber compounding ingredients — Determination of multipoint nitrogen surface area (NSA) and statistical thickness surface area (STSA)

3 Terms and definitions

No terms and definitions are listed in this document.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at https://www.iso.org/obp
- IEC Electropedia: available at https://www.electropedia.org/

4 Sampling

Sampling shall be carried out in accordance with ISO 15528.

5 Moisture, magnesium hydroxide and magnesium carbonate content

Two methods are included: thermogravimetry and oven heating.