

Radio-frequency connectors - Part 71: Sectional specification for RF coaxial connectors with inner diameter of outer conductor 5 mm - Characteristic impedance 50 Ohms - type NEX10®

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

See Eesti standard EVS-EN IEC 61169-71:2022 sisaldab Euroopa standardi EN IEC 61169-71:2022 ingliskeelset teksti.	This Estonian standard EVS-EN IEC 61169-71:2022 consists of the English text of the European standard EN IEC 61169-71:2022.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas.	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation and Accreditation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 22.07.2022.	Date of Availability of the European standard is 22.07.2022.
Standard on kättesaadav Eesti Standardimis-ja Akrediteerimiskeskusest.	The standard is available from the Estonian Centre for Standardisation and Accreditation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 33.120.30

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardimis- ja Akrediteerimiskeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardimis-ja Akrediteerimiskeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardimis-ja Akrediteerimiskeskusega: Koduleht www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation and Accreditation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation and Accreditation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation and Accreditation:

Homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

English Version

Radio-frequency connectors - Part 71: Sectional specification for
RF coaxial connectors with inner diameter of outer conductor 5
mm - Characteristic impedance 50 Ohms - type NEX10®
(IEC 61169-71:2022)

Connecteurs pour fréquences radioélectriques - Partie 71:
Spécification intermédiaire pour connecteurs RF coaxiaux
avec conducteur extérieur présentant un diamètre intérieur
de 5 mm - Impédance caractéristique de 50 ohms (type
NEX10®)
(IEC 61169-71:2022)

Hochfrequenz-Steckverbinder - Teil 71:
Rahmenspezifikation für koaxiale HF-Steckverbinder mit 5,0
mm Innendurchmesser des Außenleiters -
Wellenwiderstand 50 Ω (Typ NEX10®)
(IEC 61169-71:2022)

This European Standard was approved by CENELEC on 2022-07-04. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

European foreword

The text of document 46F/618/FDIS, future edition 1 of IEC 61169-71, prepared by SC 46F "RF and microwave passive components" of IEC/TC 46 "Cables, wires, waveguides, RF connectors, RF and microwave passive components and accessories" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 61169-71:2022.

The following dates are fixed:

- latest date by which the document has to be implemented at national (dop) 2023-04-04 level by publication of an identical national standard or by endorsement
- latest date by which the national standards conflicting with the (dow) 2025-07-04 document have to be withdrawn

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

Any feedback and questions on this document should be directed to the users' national committee. A complete listing of these bodies can be found on the CENELEC website.

Endorsement notice

The text of the International Standard IEC 61169-71:2022 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 62305-1 NOTE Harmonized as EN 62305-1

IEC 62037-1:2012 NOTE Harmonized as EN 62037-1:2012 (not modified)

INTERNATIONAL STANDARD

NORME INTERNATIONALE

Radio-frequency connectors –

Part 71: Sectional specification for RF coaxial connectors with inner diameter of outer conductor 5 mm – Characteristic impedance 50 Ohms – type NEX10®

Connecteurs pour fréquences radioélectriques –

Partie 71: Spécification intermédiaire pour connecteurs RF coaxiaux avec conducteur extérieur présentant un diamètre intérieur de 5 mm – Impédance caractéristique de 50 ohms (type NEX10®)



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2022 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Secretariat
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 300 terminological entries in English and French, with equivalent terms in 19 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Recherche de publications IEC -

webstore.iec.ch/advsearchform

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études, ...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Découvrez notre puissant moteur de recherche et consultez gratuitement tous les aperçus des publications. Avec un abonnement, vous aurez toujours accès à un contenu à jour adapté à vos besoins.

Electropedia - www.electropedia.org

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 300 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 19 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

INTERNATIONAL STANDARD

NORME INTERNATIONALE

**Radio-frequency connectors –
Part 71: Sectional specification for RF coaxial connectors with inner diameter of
outer conductor 5 mm – Characteristic impedance 50 Ohms – type NEX10®**

**Connecteurs pour fréquences radioélectriques –
Partie 71: Spécification intermédiaire pour connecteurs RF coaxiaux avec
conducteur extérieur présentant un diamètre intérieur de 5 mm – Impédance
caractéristique de 50 ohms (type NEX10®)**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 33.120.30

ISBN 978-2-8322-1430-5

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD.....	4
INTRODUCTION.....	6
1 Scope.....	7
2 Normative references	7
3 Terms and definitions	7
4 Mating face and gauge information	8
4.1 General purpose connector: Grade 2	8
4.1.1 Screw type connector with pin centre contact	8
4.1.2 Quick lock type connector with pin centre contact	9
4.1.3 Connector with socket centre contact	11
4.2 Gauges	13
4.2.1 Gauge pin for socket centre contact.....	13
4.2.2 Gauge rings for plug outer contact.....	14
4.3 Standard test connectors: Grade 1.....	15
4.3.1 Standard test connector with pin centre contact.....	15
4.3.2 Standard test connector with socket centre contact	17
5 Quality assessment procedures.....	20
5.1 General.....	20
5.2 Ratings and characteristics	20
5.3 Test schedule and inspection requirements.....	22
5.3.1 Acceptance tests	22
5.3.2 Periodic tests.....	23
5.4 Procedures for the quality conformance	25
5.4.1 Quality conformance inspection	25
5.4.2 Qualification approval and its maintenance.....	25
6 Instructions for preparation of detail specifications	26
6.1 General.....	26
6.2 Identification of the component	26
6.3 Performances	26
6.4 Marking, ordering information and related matters	26
6.5 Selection of tests, test conditions and severities	26
6.6 Blank detail specification pro-forma for RF coaxial connector with inner diameter of outer conductor 5 mm with screw coupling-characteristic impedance 50 ohms (type NEX10®).....	27
Bibliography.....	32
Figure 1 – Screw type connector with pin centre contact.....	8
Figure 2 – Quick lock type connector with pin centre contact W	10
Figure 3 – Connector with socket centre contact	12
Figure 4 – Gauge pin for socket centre contact	14
Figure 5 – Gauge rings for plug outer contact	15
Figure 6 – Standard test connector with pin centre contact interface.....	16
Figure 7 – Standard test connector with socket centre contact interface	18
Table 1 – Dimensions of screw type connector with pin centre contact.....	9

Table 2 – Dimensions of quick lock type connector with pin centre contact	10
Table 3 – Dimensions of connector with socket centre contact	13
Table 4 – Dimensions of gauge pin for socket centre contact	14
Table 5 – Dimensions of gauge rings for plug outer contact	15
Table 6 – Interface dimensions of standard test connector with pin centre contact	17
Table 7 – Interface dimensions of standard test connector with socket centre contact	19
Table 8 – Ratings and characteristics	20
Table 9 – Acceptance tests	23
Table 10 – Periodic tests	24

INTERNATIONAL ELECTROTECHNICAL COMMISSION

RADIO-FREQUENCY CONNECTORS –

Part 71: Sectional specification for RF coaxial connectors with inner diameter of outer conductor 5 mm – Characteristic impedance 50 Ohms – type NEX10®

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 61169-71 has been prepared by subcommittee 46F: RF and microwave passive components, of IEC technical committee 46: Cables, wires, waveguides, RF connectors, RF and microwave passive components and accessories. It is an International Standard.

The text of this International Standard is based on the following documents:

Draft	Report on voting
46F/618/FDIS	46F/622/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/standardsdev/publications.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

INTRODUCTION

The International Electrotechnical Commission (IEC) draws attention to the fact that it is claimed that compliance with this document may involve the use of a patent. IEC takes no position concerning the evidence, validity, and scope of this patent right.

The holder of this patent right has assured IEC that s/he is willing to negotiate licences under reasonable and non-discriminatory terms and conditions with applicants throughout the world. In this respect, the statement of the holder of this patent right is registered with IEC. Information may be obtained from the patent database available at patents.iec.ch.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights other than those in the patent database. IEC shall not be held responsible for identifying any or all such patent rights.

RADIO-FREQUENCY CONNECTORS –

Part 71: Sectional specification for RF coaxial connectors with inner diameter of outer conductor 5 mm – Characteristic impedance 50 Ohms – type NEX10®

1 Scope

This part of IEC 61169, which is a sectional specification (SS), provides information and rules for the preparation of detail specifications (DS) for RF coaxial connector, typically for use in 50 Ω radio communication systems, type NEX10®¹.

This document describes mating face dimensions for general purpose connectors (grade 2), dimensional details of standard test connectors (grade 1), gauging information and tests selected from IEC 61169-1, applicable to all detail specifications relating to type NEX10® RF coaxial connectors.

This document indicates recommended performance characteristics to be considered when writing a detail specification and it covers test schedules and inspection requirements for assessment levels M and H.

The type NEX10® RF coaxial connectors are used with all kinds of RF cables and microstrip circuits in radio frequency transmission systems with operating frequencies up to 20 GHz.

NOTE Metric dimension are original dimensions. All undimensioned pictorial configurations are for reference purpose only.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 61169-1:2013, *Radio frequency connectors – Part 1: Generic specification – General requirements and measuring methods*

IEC 62153-4-7, *Metallic cables and other passive components test methods – Part 4-7: Electromagnetic compatibility (EMC) -Test method for measuring of transfer impedance Z_T and screening attenuation a_S or coupling attenuation a_C of connectors and assemblies – Triaxial tube in tube method*

ISO 3290-1, *Rolling bearings-balls – Part 1: steel balls*

3 Terms and definitions

No terms and definitions are listed in this document.

¹ NEX10® is an example of a suitable product available commercially. This information is given for the convenience of users of this document and does not constitute an endorsement by IEC of this product.