
**Automated liquid handling systems —
Part 3:
Determination, specification and
reporting of volumetric performance**

Systèmes automatisés de manipulation de liquides —

*Partie 3: Détermination, spécification et compte-rendu des
performances volumétriques*



This document is a preview generated by ELS



COPYRIGHT PROTECTED DOCUMENT

© ISO 2022

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

Page

Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Abbreviated terms	1
5 Volumetric performance	2
5.1 General	2
5.2 Data collection and examination	3
5.3 Indexing to track data	4
5.3.1 General	4
5.3.2 Indexing from the channel perspective	4
5.3.3 Indexing from the microplate perspective	4
5.4 Descriptive statistics on an individual channel basis	5
5.4.1 General	5
5.4.2 Average volume	5
5.4.3 Systematic error	5
5.4.4 Random error	6
5.5 Descriptive statistics on a run order basis	7
5.6 Descriptive statistics for entire data sets	8
5.7 Differences between channels	8
5.8 Volume increments	9
6 Reporting	9
6.1 Reporting of the results	9
6.1.1 General	9
6.1.2 Test reports and calibration certificates	9
6.1.3 Calibration certificates	10
6.1.4 As-found and as-left reporting	11
6.1.5 Calibration interval recommendation	11
Annex A (informative) Applications of descriptive statistics	12
Bibliography	21

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 48, *Laboratory equipment*.

This first edition of ISO 23783-3, together with ISO 23783-1 and ISO 23783-2, cancels and replaces IWA 15:2015.

A list of all parts in the ISO 23783 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

Globalization of laboratory operations requires standardized practices for operating automated liquid handling systems (ALHS), communicating test protocols, as well as analysing and reporting of performance parameters. IWA 15:2015 was developed to provide standardized terminology, test protocols, and analytical methods for reporting test results. The concepts developed for, and described in, IWA 15 form the foundation of the ISO 23783 series.

Specifically, this document addresses the needs of:

- users of ALHS, as a basis for calibration, verification, validation, optimization, and routine testing of trueness and precision;
- manufacturers of ALHS, as a basis for quality control, communication of acceptance test specifications and conditions, and issuance of manufacturer's declarations (where appropriate);
- test houses and other bodies, as a basis for certification, calibration, and testing.

The tests established in this document should be carried out by trained personnel.

Automated liquid handling systems —

Part 3:

Determination, specification and reporting of volumetric performance

1 Scope

This document provides guidance and establishes requirements for collecting and examining volumetric performance data of automated liquid handling systems (ALHS). It specifies how to index and track volumetric performance data and provides descriptive statistics for the evaluation of these data. This document also specifies reporting requirements of ALHS volumetric performance.

This document is applicable to all ALHS with complete, installed liquid handling devices, including tips and other essential parts needed for delivering a specified volume, which perform liquid handling tasks without human intervention into labware.

NOTE For terminology and general requirements of automated liquid handling systems, see ISO 23783-1. Measurement procedures for the determination of volumetric performance are given in ISO 23783-2.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 23783-1, *Automated liquid handling systems — Part 1: Terminology and general requirements*

ISO 23783-2:2022, *Automated liquid handling systems — Part 2: Measurement procedures for the determination of volumetric performance*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 23783-1 apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <https://www.electropedia.org/>

4 Abbreviated terms

For the purposes of this document, the abbreviated terms given in ISO 23783-1 apply.