# **TECHNICAL REPORT RAPPORT TECHNIQUE TECHNISCHER REPORT**

# **CEN ISO/ASTM/TR** 52917

October 2022

ICS 25.030

**English Version** 

# Additive manufacturing - Round robin testing - General guidelines (ISO/ASTM TR 52917:2022)

Fabrication additive - Essais interlaboratoires - Lignes directrices générales (ISO/ASTM TR 52917:2022)

Additive Fertigung - Ringversuche - Leitfaden zur Durchführung von Ringversuchen (ISO/ASTM TR 52917:2022)

This Technical Report was approved by CEN on 16 September 2022. It has been drawn up by the Technical Committee CEN/TC 438.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and ELIEN C United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

© 2022 CEN All rights of exploitation in any form and by any means reserved worldwide for CEN national Members.

Ref. No. CEN ISO/ASTM/TR 52917:2022 E

# **European foreword**

This document (CEN ISO/ASTM/TR 52917:2022) has been prepared by Technical Committee ISO/TC 261 "Additive manufacturing" in collaboration with Technical Committee CEN/TC 438 "Additive Manufacturing" the secretariat of which is held by AFNOR.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

Any feedback and questions on this document should be directed to the users' national standards body/national committee. A complete listing of these bodies can be found on the CEN website.

## **Endorsement notice**

The text of ISO/ASTM TR 52917:2022 has been approved by CEN as CEN ISO/ASTM/TR 52917:2022 without any modification.

# Contents

Forew	ord	iv
Intro	luction	v
1	Scope	
2	Normative references	
3	Terms and definitions	
4	RRS task force and RRS manager	1
5	Develop a round robin study5.1Suggested steps to develop a round robin study5.2Identify the goal of the study and select the round robin task force5.3Prepare scope of round robin study5.4Develop a manufacturing plan5.5Process control document	2 2 2 2 3
6	Develop a measurement and testing plan	5
7	Solicit participants	5
8	Send the manufacturing plan to participants	5
9	Execute a pilot run with select participants	6
10	Execute a full scale production run	6
11	Data handling	7
12	Prepare study report	
13	Record keeping	
Biblio	graphy	8

### ISO/ASTM TR 52917:2022(E)

# Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see <a href="https://www.iso.org/directives">www.iso.org/directives</a>).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see <a href="https://www.iso.org/patents">www.iso.org/patents</a>).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by ISO/TC 261, *Additive manufacturing*, in cooperation with ASTM Committee F42, *Additive Manufacturing Technologies*, on the basis of a partnership agreement between ISO and ASTM International with the aim to create a common set of ISO/ASTM standards on additive manufacturing, and in collaboration with the European Committee for Standardization (CEN) Technical Committee CEN/TC 438, *Additive manufacturing*, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at <u>www.iso.org/members.html</u>.

# Introduction

This document outlines the steps with regard to aspects of design to conduct and run a round robin study (RRS) to assess the degree of variability in an additive manufacturing material or process.

The RRS can be used to study variations arising from the AM production process including feedstock, machine operation, process control, and post processing. The RRS plan can identify various aspects of the AM process to be considered to execute the study so that it is possible to maximize the consistency of the results based on the objective of the study.

Additive manufacturing is still a developing technology and round robin studies play an important role to help generate the information needed to populate materials engineering databases, determine design allowables, and improve processing and post-processing consistency in order to drive maturation.

The result of the RRS is a qualitative or quantitative assessment of the material used or the process variability, rather than the assessment of accuracy and precision of a specific test method from an interlaboratory study. Additionally, RRS can involve other entities besides laboratories.

Round robin studies differ from normal research studies by having different participants, each trying to undertake a nominally identical process. The aim is to determine the effect of the desired variables on the process outcome. The output can be used for different applications such as the demonstration of process robustness or for derivation of material property data. A well-conducted RSS does not guarantee small variability, but ensures that any observed variability is indicative of the material or process, not poor study design.

hat Ore with Ore and the ore of t

# Additive manufacturing — Round robin testing — General guidelines

## 1 Scope

This document is focused on the management of the round robin study (RRS) and can provide guidance for the scope development, planning, and execution of the RRS study. It can provide guidance to identify the feedstock, machine operations, process controls, and post-processing operations prior to running the study. RR organizers can identify controlled and free parameters in the study. This document can also provide guidance on the selection and use of test methods that can be applicable. The RRS investigates the variations found in AM parts. The outcome of the study can be used to improve the maturation of AM technologies.

A RRS, as described in this document, is different from an inter-laboratory comparison because an interlaboratory study establishes the variability in a measurement method when undertaken by multiple users on a well-controlled artefact.

### 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/ASTM 52900, Additive manufacturing — General principles — Fundamentals and vocabulary

### 3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO/ASTM 52900, and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <u>https://www.iso.org/obp</u>
- IEC Electropedia: available at https://www.electropedia.org/

#### 3.1

#### process control document

document recording process variables, procedure followed, and building notes

#### 4 RRS task force and RRS manager

The RR task force is the executive team responsible for establishing the goals and scope of the round robin study. The procedure presented in this guide can consist of sequences to help the RRS task force in preparing the RRS. Once the RRS has been developed, an RRS manager can be assigned to assist participants with operational questions.

The RRS task force can be the sole arbiter of technical issues.