

# INTERNATIONAL STANDARD

## NORME INTERNATIONALE

**Management and interfaces for WPT – Device-to-device wireless charging  
(D2DWC) for mobile devices with wireless power TX/RX module**

**Gestion et interfaces pour WPT – Chargement sans fil de dispositif à dispositif  
(D2DWC) pour dispositifs mobiles avec module TX/RX d'énergie sans fil**



## THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2022 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Secretariat  
3, rue de Varembe  
CH-1211 Geneva 20  
Switzerland

Tel.: +41 22 919 02 11  
[info@iec.ch](mailto:info@iec.ch)  
[www.iec.ch](http://www.iec.ch)

### About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

### About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

#### IEC publications search - [webstore.iec.ch/advsearchform](http://webstore.iec.ch/advsearchform)

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

#### IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

#### IEC Customer Service Centre - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: [sales@iec.ch](mailto:sales@iec.ch).

#### IEC Products & Services Portal - [products.iec.ch](http://products.iec.ch)

Discover our powerful search engine and read freely all the publications previews. With a subscription you will always have access to up to date content tailored to your needs.

#### Electropedia - [www.electropedia.org](http://www.electropedia.org)

The world's leading online dictionary on electrotechnology, containing more than 22 300 terminological entries in English and French, with equivalent terms in 19 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

### A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

### A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

#### Recherche de publications IEC -

[webstore.iec.ch/advsearchform](http://webstore.iec.ch/advsearchform)

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études, ...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

#### IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

#### Service Clients - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: [sales@iec.ch](mailto:sales@iec.ch).

IEC Products & Services Portal - [products.iec.ch](http://products.iec.ch)

Découvrez notre puissant moteur de recherche et consultez gratuitement tous les aperçus des publications. Avec un abonnement, vous aurez toujours accès à un contenu à jour adapté à vos besoins.

#### Electropedia - [www.electropedia.org](http://www.electropedia.org)

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 300 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 19 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

# INTERNATIONAL STANDARD

## NORME INTERNATIONALE

**Management and interfaces for WPT – Device-to-device wireless charging  
(D2DWC) for mobile devices with wireless power TX/RX module**

**Gestion et interfaces pour WPT – Chargement sans fil de dispositif à dispositif  
(D2DWC) pour dispositifs mobiles avec module TX/RX d'énergie sans fil**

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

COMMISSION  
ELECTROTECHNIQUE  
INTERNATIONALE

ICS 29.240.99; 33.160.01

ISBN 978-2-8322-5703-6

**Warning! Make sure that you obtained this publication from an authorized distributor.  
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

## CONTENTS

|                                                                                             |    |
|---------------------------------------------------------------------------------------------|----|
| FOREWORD.....                                                                               | 4  |
| 1 Scope.....                                                                                | 6  |
| 2 Normative references .....                                                                | 6  |
| 3 Terms, definitions and abbreviated terms .....                                            | 6  |
| 3.1 Terms and definitions.....                                                              | 6  |
| 3.2 Abbreviated terms.....                                                                  | 7  |
| 4 Operation scenarios .....                                                                 | 8  |
| 4.1 Architecture .....                                                                      | 8  |
| 4.2 Communication procedure for D2DWC.....                                                  | 9  |
| 4.2.1 General .....                                                                         | 9  |
| 4.2.2 Total operation scenario of D2DWC.....                                                | 9  |
| 4.2.3 TX operation scenario of D2DWC .....                                                  | 10 |
| 4.2.4 RX operation scenario of D2DWC.....                                                   | 11 |
| 5 Specifications and control protocol of D2DWC unit .....                                   | 12 |
| 5.1 General control of a D2DWC unit of the TX-RX combined type.....                         | 12 |
| 5.1.1 General .....                                                                         | 12 |
| 5.1.2 Purposes of WPT control of the D2DWC unit .....                                       | 14 |
| 5.1.3 Operation control of the D2DWC unit.....                                              | 14 |
| 5.2 Design guide for D2DWC TX-RX combined power transmitter.....                            | 17 |
| 5.3 Control protocol of D2DWC unit .....                                                    | 18 |
| 5.3.1 General .....                                                                         | 18 |
| 5.3.2 WPT command .....                                                                     | 19 |
| 5.3.3 D2DWC control.....                                                                    | 20 |
| 5.3.4 Reply of D2DWC .....                                                                  | 22 |
| 5.3.5 D2DWC parameter .....                                                                 | 22 |
| Annex A (informative) Antenna design guide for D2DWC TX-RX combined power transmitter ..... | 24 |
| A.1 5-W-class WPT RX antenna.....                                                           | 24 |
| A.1.1 General .....                                                                         | 24 |
| A.1.2 Antenna design guide .....                                                            | 24 |
| A.1.3 Detailed specifications of circuit.....                                               | 25 |
| A.2 15-W-class WPT RX antenna design guide .....                                            | 26 |
| A.2.1 General .....                                                                         | 26 |
| A.2.2 Detailed specifications of circuit.....                                               | 27 |
| Annex B (informative) Regulation certification.....                                         | 29 |
| Bibliography.....                                                                           | 30 |
| Figure 1 – Overall architecture of the proposed EMT/WPT module.....                         | 8  |
| Figure 2 – Operation scenario of D2DWC .....                                                | 9  |
| Figure 3 – TX operation scenario of D2DWC using battery power only.....                     | 10 |
| Figure 4 – TX operation scenario of D2DWC using constant power supply.....                  | 11 |
| Figure 5 – RX operation scenario of D2DWC .....                                             | 12 |
| Figure 6 – Wireless charging control architecture of the proposed standard.....             | 13 |
| Figure 7 – System operation efficiency .....                                                | 14 |
| Figure 8 – Operation diagram for D2DWC WPT .....                                            | 14 |

|                                                                                                              |    |
|--------------------------------------------------------------------------------------------------------------|----|
| Figure 9 – D2DWC TX operation voltage diagram .....                                                          | 15 |
| Figure 10 – D2DWC TX operation voltage diagram .....                                                         | 16 |
| Figure 11 – D2DWC RX operable voltage/current diagram .....                                                  | 17 |
| Figure 12 – Major function blocks of D2DWC .....                                                             | 18 |
| Figure 13 – D2DWC unit wireless power transfer and control protocol of the MCU .....                         | 19 |
| Figure A.1 – D2DWC TX/RX antenna of the 5-W-class WPT RX standard .....                                      | 24 |
| Figure A.2 – D2DWC TX/RX circuit diagram of the 5-W-class WPT RX specifications .....                        | 25 |
| Figure A.3 – D2DWC TX/RX antenna of the 15-W-class WPT RX specifications .....                               | 26 |
| Figure A.4 – D2DWC TX/RX circuit diagram of the 15-W-class WPT RX specifications .....                       | 27 |
| Table 1 – Specifications for the TX operation of D2DWC unit.....                                             | 13 |
| Table 2 – WPT CMD fields .....                                                                               | 19 |
| Table 3 – WPT subcommands .....                                                                              | 19 |
| Table 4 – D2DWC Control Command fields.....                                                                  | 20 |
| Table 5 – Determination of the D2DWC wireless power transfer operation .....                                 | 20 |
| Table 6 – Determination of battery charging amount .....                                                     | 20 |
| Table 7 – D2DWC unit temperature limit .....                                                                 | 21 |
| Table 8 – D2DWC unit voltage limit.....                                                                      | 21 |
| Table 9 – D2DWC unit current limit .....                                                                     | 21 |
| Table 10 – Operation setting when wireless charging stops .....                                              | 21 |
| Table 11 – Operation setting when an error occurs .....                                                      | 22 |
| Table 12 – Responses of D2DWC Control CMDs .....                                                             | 22 |
| Table 13 – D2DWC parameter command fields .....                                                              | 22 |
| Table 14 – Output voltage field of D2DWC .....                                                               | 22 |
| Table 15 – D2DWC output current field .....                                                                  | 23 |
| Table 16 – Current temperature of D2DWC unit .....                                                           | 23 |
| Table 17 – Output current of the battery terminal .....                                                      | 23 |
| Table 18 – Output current of battery terminal .....                                                          | 23 |
| Table 19 – Risk state field of the D2DWC unit.....                                                           | 23 |
| Table 20 – Desired minimum voltage of the D2DWC unit .....                                                   | 23 |
| Table A.1 – D2DWC TX/RX antenna parameters of the 5-W-class WPT RX specifications .....                      | 25 |
| Table A.2 – Electric characteristics of the D2DWC TX/RX circuit of the 5-W-class WPT RX specifications ..... | 26 |
| Table A.3 – D2DWC TX/RX antenna parameters of the 15-W-class WPT RX specifications .....                     | 27 |
| Table A.4 – Electric characteristics of the D2DWC TX/RX circuit of 15-W-class WPT RX specifications .....    | 28 |

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

# MANAGEMENT AND INTERFACES FOR WPT – DEVICE-TO-DEVICE WIRELESS CHARGING (D2DWC) FOR MOBILE DEVICES WITH WIRELESS POWER TX/RX MODULE

## FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 63254 has been prepared by technical area 15: Wireless power transfer, of IEC technical committee 100: Audio, video and multimedia systems and equipment. It is an International Standard.

The text of this International Standard is based on the following documents:

| Draft         | Report on voting |
|---------------|------------------|
| 100/3799/FDIS | 100/3820/RVD     |

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at [www.iec.ch/members\\_experts/refdocs](http://www.iec.ch/members_experts/refdocs). The main document types developed by IEC are described in greater detail at [www.iec.ch/standardsdev/publications](http://www.iec.ch/standardsdev/publications).

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under [webstore.iec.ch](http://webstore.iec.ch) in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

# MANAGEMENT AND INTERFACES FOR WPT – DEVICE-TO-DEVICE WIRELESS CHARGING (D2DWC) FOR MOBILE DEVICES WITH WIRELESS POWER TX/RX MODULE

## 1 Scope

This document defines the specification and the control protocol of the D2DWC module for the use of wireless power TX and RX functions by a single device. The related antenna physical design examples for sharing information are presented in Annex A.

This document proposes the D2DWC module circuit requirement, which consists of the D2DWC main AP, D2DWC IC, the EMT/WPT antenna unit and the PMIC unit. In Clause 5, the register information and message protocols for WPT control are defined in order to implement the WPT TX function.

In this document, the interface and protocol in the wireless power process of the mobile device can be used in accordance with the corresponding wireless power transfer standard. Any wireless power transfer standard working within the 100 kHz to 350 kHz frequency range can be included in the scope of this document.

This document can be used for mobile wireless power transfer in mobile phones and other mobile devices, IoT devices, micro-sensor industries and related application fields.

## 2 Normative references

There are no normative references in this document.

## 3 Terms, definitions and abbreviated terms

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

### 3.1 Terms and definitions

#### 3.1.1

##### **D2DWC**

##### **device-to-device wireless charging**

wireless charging technology that uses a magnetic field-transmission function between mobile devices, which can simultaneously perform wireless power TX and RX functions

#### 3.1.2

##### **D2DWC unit**

IC that enables wireless power transmission/reception, and includes a magnetic field-transmission function, mux, which allows the selection of WPT TX, and a transmission inverter