

Wind energy generation systems - Part 12-1: Power performance measurements of electricity producing wind turbines

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

See Eesti standard EVS-EN IEC 61400-12-1:2022 sisaldab Euroopa standardi EN IEC 61400-12-1:2022 ingliskeelset teksti.	This Estonian standard EVS-EN IEC 61400-12-1:2022 consists of the English text of the European standard EN IEC 61400-12-1:2022.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas.	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation and Accreditation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 14.10.2022.	Date of Availability of the European standard is 14.10.2022.
Standard on kättesaadav Eesti Standardimis-ja Akrediteerimiskeskusest.	The standard is available from the Estonian Centre for Standardisation and Accreditation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 27.180

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardimis- ja Akrediteerimiskeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardimis-ja Akrediteerimiskeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardimis-ja Akrediteerimiskeskusega: Koduleht www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation and Accreditation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation and Accreditation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation and Accreditation:

Homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

English Version

Wind energy generation systems - Part 12-1: Power
performance measurements of electricity producing wind
turbines
(IEC 61400-12-1:2022)

Systèmes de génération d'énergie éolienne - Partie 12-1:
Mesurages de performance de puissance des éoliennes de
production d'électricité
(IEC 61400-12-1:2022)

Windenergieanlagen - Teil 12-1: Messung des
Leistungsverhaltens von Windenergieanlagen
(IEC 61400-12-1:2022)

This European Standard was approved by CENELEC on 2022-10-10. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

European foreword

The text of document 88/822/CDV, future edition 3 of IEC 61400-12-1, prepared by IEC/TC 88 "Wind energy generation systems" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 61400-12-1:2022.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2023-07-10
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2025-10-10

This document supersedes EN 61400-12-1:2017 and all of its amendments and corrigenda (if any).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

Any feedback and questions on this document should be directed to the users' national committee. A complete listing of these bodies can be found on the CENELEC website.

Endorsement notice

The text of the International Standard IEC 61400-12-1:2022 was approved by CENELEC as a European Standard without any modification.

INTERNATIONAL STANDARD

NORME INTERNATIONALE



**Wind energy generation systems –
Part 12-1: Power performance measurements of electricity producing wind
turbines**

**Systèmes de génération d'énergie éolienne –
Partie 12-1: Mesurages de performance de puissance des éoliennes de
production d'électricité**



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2022 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Secretariat
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 300 terminological entries in English and French, with equivalent terms in 19 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Recherche de publications IEC -

webstore.iec.ch/advsearchform

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études, ...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Découvrez notre puissant moteur de recherche et consultez gratuitement tous les aperçus des publications. Avec un abonnement, vous aurez toujours accès à un contenu à jour adapté à vos besoins.

Electropedia - www.electropedia.org

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 300 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 19 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

INTERNATIONAL STANDARD

NORME INTERNATIONALE



**Wind energy generation systems –
Part 12-1: Power performance measurements of electricity producing wind
turbines**

**Systèmes de génération d'énergie éolienne –
Partie 12-1: Mesurages de performance de puissance des éoliennes de
production d'électricité**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 27.180

ISBN 978-2-8322-5621-3

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD	8
INTRODUCTION	10
1 Scope	12
2 Normative references	12
3 Terms and definitions	13
4 Symbols, units and abbreviated terms	16
5 Power performance method overview	23
6 Preparation for performance test	26
6.1 General	26
6.2 Wind turbine and electrical connection	26
6.3 Test site	27
6.3.1 General	27
6.3.2 Location of the wind measurement equipment	27
6.3.3 Measurement sector	27
6.3.4 Correction factors and uncertainty due to flow distortion originating from topography	28
7 Test equipment	28
7.1 Electric power	28
7.2 Wind speed	29
7.2.1 General	29
7.2.2 General requirements for meteorological mast mounted anemometers	30
7.2.3 Top-mounted anemometers	30
7.2.4 Side-mounted anemometers	31
7.2.5 Remote sensing device (RSD)	31
7.2.6 Rotor equivalent wind speed measurement	31
7.2.7 Hub height wind speed measurement	32
7.2.8 Wind shear measurements	32
7.3 Wind direction	34
7.4 Air density	34
7.5 Rotational speed and pitch angle	35
7.6 Blade condition	35
7.7 Wind turbine control system	35
7.8 Data acquisition system	35
8 Measurement procedure	36
8.1 General	36
8.2 Wind turbine operation	36
8.3 Data collection	36
8.4 Data rejection	36
8.5 Database	37
9 Derived results	37
9.1 Data normalization	37
9.1.1 General	37
9.1.2 Correction for meteorological mast flow distortion of side-mounted anemometer	38
9.1.3 Wind shear correction (when REWS measurements available)	38
9.1.4 Wind veer correction	41

9.1.5	Air density normalization.....	41
9.1.6	Turbulence normalization.....	42
9.2	Determination of the measured power curve	42
9.3	Annual energy production (AEP)	43
9.4	Power coefficient	45
10	Reporting format.....	45
Annex A (normative)	Assessment of obstacles.....	53
Annex B (normative)	Assessment of terrain at the test site	54
Annex C (normative)	Site calibration procedure	55
Annex D (normative)	Evaluation of uncertainty in measurement.....	56
Annex E (informative)	Theoretical basis for determining the uncertainty of measurement using the method of bins.....	59
E.1	General.....	59
E.2	Combining uncertainties.....	60
E.2.1	General	60
E.2.2	Expanded uncertainty	62
E.2.3	Basis for the uncertainty assessment.....	62
E.3	Category A uncertainties.....	67
E.3.1	General	67
E.3.2	Category A uncertainty in electric power.....	67
E.3.3	Category A uncertainties in the site calibration	67
E.4	Category B uncertainties: Introduction and data acquisition system	67
E.4.1	Category B uncertainties: Introduction	67
E.4.2	Category B uncertainties: Data acquisition system.....	68
E.5	Category B uncertainties: Power output.....	68
E.5.1	General	68
E.5.2	Category B uncertainties: Power output – Current transformers	69
E.5.3	Category B uncertainties: Power output – Voltage transformers.....	69
E.5.4	Category B uncertainties: Power output – Power transducer or other power measurement device	70
E.5.5	Category B uncertainties: Power output – Data acquisition	70
E.6	Category B uncertainties: Wind speed – Introduction and sensors	71
E.6.1	Category B uncertainties: Wind speed – Introduction	71
E.6.2	Category B uncertainties: Wind speed – Hardware	71
E.6.3	Category B uncertainties: Wind speed – Meteorological mast mounted sensors.....	71
E.7	Category B uncertainties: Wind speed – RSD	73
E.7.1	General	73
E.7.2	Category B uncertainties: Wind speed – RSD – Calibration	73
E.7.3	Category B uncertainties: Wind speed – RSD – In-situ check.....	74
E.7.4	Category B uncertainties: Wind speed – RSD – Classification	74
E.7.5	Category B uncertainties: Wind speed – RSD – Mounting	74
E.7.6	Category B uncertainties: Wind speed – RSD – Flow variation.....	74
E.7.7	Category B uncertainties: Wind speed – RSD – Monitoring test	75
E.8	Category B uncertainties: Wind speed – REWS	75
E.8.1	General	75
E.8.2	Category B uncertainties: Wind speed – REWS – Wind speed measurement over whole rotor.....	75
E.8.3	Category B uncertainties: Wind speed – REWS – Wind veer.....	76

E.9	Category B uncertainties: Wind speed – Terrain	77
E.9.1	General	77
E.9.2	Category B uncertainties: Wind speed – Terrain – Pre-calibration.....	77
E.9.3	Category B uncertainties: Wind speed – Terrain – Post-calibration	78
E.9.4	Category B uncertainties: Wind speed – Terrain – Classification.....	78
E.9.5	Category B uncertainties: Wind speed – Terrain – Mounting	78
E.9.6	Category B uncertainties: Wind speed – Terrain – Data acquisition	78
E.9.7	Category B uncertainties: Wind speed – Terrain – Lightning finial.....	79
E.9.8	Category B uncertainties: Wind speed – Terrain – Change in correction between adjacent bins	79
E.9.9	Category B uncertainties: Wind speed – Terrain – Removal of WD sensor	79
E.9.10	Category B uncertainties: Wind speed – Terrain – Seasonal variation.....	79
E.10	Category B uncertainties: Air density	79
E.10.1	General	79
E.10.2	Category B uncertainties: Air density – Temperature – Introduction	80
E.10.3	Category B uncertainties: Air density – Temperature – Calibration.....	81
E.10.4	Category B uncertainties: Air density – Temperature – Radiation shielding.....	81
E.10.5	Category B uncertainties: Air density – Temperature – Mounting	81
E.10.6	Category B uncertainties: Air density – Temperature – Data acquisition.....	81
E.10.7	Category B uncertainties: Air density – Pressure – Introduction	81
E.10.8	Category B uncertainties: Air density – Pressure – Calibration.....	82
E.10.9	Category B uncertainties: Air density – Pressure – Mounting	83
E.10.10	Category B uncertainties: Air density – Pressure – Data acquisition	83
E.10.11	Category B uncertainties: Air density – Relative humidity – Introduction	83
E.10.12	Category B uncertainties: Air density – Relative humidity – Calibration.....	84
E.10.13	Category B uncertainties: Air density – Relative humidity – Mounting	84
E.10.14	Category B uncertainties: Air density – Relative humidity – Data acquisition	84
E.10.15	Category B uncertainties: Air density – Correction	85
E.11	Category B uncertainties: Method	85
E.11.1	General	85
E.11.2	Category B uncertainties: Method – Wind conditions	85
E.11.3	Category B uncertainties: Method – Seasonal effects	90
E.11.4	Category B uncertainties: Method – Turbulence normalization (or the lack thereof)	91
E.11.5	Category B uncertainties: Method – Cold climate	91
E.12	Category B uncertainties: Wind direction.....	92
E.12.1	General	92
E.12.2	Category B uncertainties: Wind direction – Vane or sonic	92
E.12.3	Category B uncertainties: Wind direction – RSD	93
E.13	Combining uncertainties.....	94
E.13.1	General	94
E.13.2	Combining Category B uncertainties in electric power ($u_{P,i}$)	95
E.13.3	Combining uncertainties in the wind speed measurement ($u_{V,i}$).....	95
E.13.4	Combining uncertainties in the wind speed measurement from cup or sonic ($u_{VS,i}$).....	95
E.13.5	Combining uncertainties in the wind speed measurement from RSD ($u_{VR,i}$).....	96

E.13.6	Combining uncertainties in the wind speed measurement from REWS $u_{VREWS,i}$	96
E.13.7	Combining uncertainties in the wind speed measurement for REWS for either a meteorological mast significantly above hub height or an RSD with a lower-than-hub-height meteorological mast	97
E.13.8	Combining uncertainties in the wind speed measurement for REWS for a hub height meteorological mast plus RSD for shear using an absolute wind speed	99
E.13.9	Combining uncertainties in the wind speed measurement for REWS for hub height meteorological mast RSD for shear using a relative wind speed	101
E.13.10	Combining uncertainties in the wind speed measurement from REWS due to wind veer across the whole rotor $u_{VREWS,veer,i}$	103
E.13.11	Combining uncertainties in the wind speed measurement from flow distortion due to site calibration $u_{VT,i}$	107
E.13.12	Combining uncertainties for the temperature measurement $u_{T,i}$	108
E.13.13	Combining uncertainties for the pressure measurement $u_{B,i}$	108
E.13.14	Combining uncertainties for the humidity measurement $u_{RH,i}$	109
E.13.15	Combining uncertainties for the method related components $u_{M,i}$	110
E.13.16	Combining uncertainties for the wind direction measurement with wind vane or sonic anemometer $u_{WV,i}$	110
E.13.17	Combining uncertainties for the wind direction measurement with RSD $u_{WR,i}$	111
E.13.18	Combined category B uncertainties	111
E.13.19	Combined standard uncertainty – Power curve	111
E.13.20	Combined standard uncertainty – Energy production	111
E.14	Relevance of uncertainty components under specified conditions	112
E.15	Reference tables	112
Annex F (normative)	Wind tunnel calibration procedure for anemometers	116
Annex G (normative)	Mounting of instruments on the meteorological mast	117
Annex H (normative)	Power performance testing of small wind turbines	118
H.1	General	118
H.2	Wind turbine system definition and installation	118
H.3	Meteorological mast location	119
H.4	Test equipment	119
H.5	Measurement procedure	120
H.6	Derived results	121
H.7	Reporting	121
H.8	Assessment of influence of wind turbines and obstacles at the test site	121
H.9	Assessment of terrain at test site	121
H.10	Site calibration procedure (refer to IEC 61400-12-3)	122
Annex I (normative)	Classification of cup and sonic anemometry	123
Annex J (normative)	Assessment of cup and sonic anemometry	124
Annex K (normative)	In-situ comparison of anemometers	125
Annex L (normative)	The application of remote sensing technology	126
L.1	General	126
L.2	Classification requirements specific to power performance tests	127
L.3	Verification requirements specific to power performance tests	127

L.4	Uncertainty evaluation specific to power performance tests	127
L.5	Additional checks specific to power performance tests	128
L.5.1	Monitoring the performance of the remote sensing device at the application site	128
L.5.2	Identification of malfunctioning of the remote sensing device	128
L.5.3	Consistency check of the assessment of the remote sensing device systematic uncertainties	128
L.5.4	In-situ test of the remote sensing device	128
L.6	Other requirements specific to power performance testing	128
Annex M (informative)	Normalization of power curve data according to the turbulence intensity	131
M.1	General	131
M.2	Turbulence normalization procedure	131
M.3	Determination of the zero turbulence power curve	133
M.4	Order of wind shear correction (normalization) and turbulence normalization	139
M.5	Uncertainty of turbulence normalization or of power curves due to turbulence effects	139
Annex N (informative)	Wind tunnel calibration procedure for wind direction sensors	141
Annex O (informative)	Power performance testing in cold climate	142
O.1	Overview	142
O.2	Recommendations	142
O.2.1	General	142
O.2.2	Sonic anemometers	142
O.2.3	Cup anemometers	142
O.3	Uncertainties	143
O.4	Reporting	143
Annex P (informative)	Wind shear normalization procedure	144
Annex Q (informative)	Definition of the rotor equivalent wind speed under consideration of wind veer	146
Q.1	Overview	146
Q.2	Definition of rotor equivalent wind speed under consideration of wind veer	147
Q.3	Measurement of wind veer	147
Q.4	Combined wind shear and wind veer normalization	147
Annex R (informative)	Uncertainty considerations for tests on multiple turbines	148
Annex S (informative)	Mast flow distortion correction for lattice masts	152
Bibliography		153
Figure 1	– Requirements as to distance of the wind measurement equipment and maximum allowed measurement sectors	28
Figure 2	– Wind shear measurement heights appropriate to measurement of rotor equivalent wind speed	33
Figure 3	– Wind shear measurement heights when no wind speed measurements above hub height are available (for wind shear exponent determination only)	34
Figure 4	– Process of application of the various normalizations	38
Figure 5	– Presentation of example database: power performance test scatter plot sampled at 1 Hz (mean values averaged over 10 min)	49
Figure 6	– Presentation of example measured power curve	49
Figure 7	– Presentation of example C_p curve	50

Figure H.1 – Definition of hub height and meteorological mast location for vertical axis wind turbines	119
Figure L.1 – Example of permitted range of locations for measurement volume	129
Figure M.1 – Process for obtaining a power curve for a specific turbulence intensity (I_{ref})	132
Figure M.2 – Process for obtaining the initial zero turbulence power curve parameters from the measured data	134
Figure M.3 – First approach for initial zero turbulence power curve	134
Figure M.4 – Process for obtaining the theoretical zero-turbulence power curve from the measured data	136
Figure M.5 – Adjusted initial zero turbulence power curve (green) compared to first approach (red)	137
Figure M.6 – Process for obtaining the final zero-turbulence power curve from the measured data	138
Figure M.7 – Adjusted initial zero turbulence power curve (green) compared to final zero turbulence power curve (black)	138
Figure Q.1 – Wind profiles measured with lidar over flat terrain	147
Table 1 – Overview of wind measurement configurations for power curve measurements that meet the requirements of this document	26
Table 2 – Wind speed measurement configurations (X indicates allowable configuration)	29
Table 3 – Example of REWS calculation	40
Table 4 – Example of presentation of a measured power curve	50
Table 5 – Example of presentation of estimated annual energy production	52
Table D.1 – List of uncertainty components	57
Table E.1 – Expanded uncertainties	62
Table E.2 – List of category A and B uncertainties	64
Table E.3 – Example of standard uncertainties due to absence of a wind shear measurement	87
Table E.4 – Example of standard uncertainties due to absence of a wind veer measurement	89
Table E.5 – Uncertainty contributions due to lack of upflow knowledge	90
Table E.6 – Uncertainty contributions due to lack of turbulence knowledge	90
Table E.7 – Suggested assumptions for correlations of measurement uncertainties between different measurement heights	98
Table E.8 – Suggested correlation assumptions for relative wind direction measurement uncertainties at different measurement heights	105
Table E.9 – Uncertainties from air density normalization	112
Table E.10 – Sensitivity factors	114
Table E.11 – Category B uncertainties	115
Table H.1 – Battery bank voltage settings	120
Table R.1 – List of correlated uncertainty components	149

INTERNATIONAL ELECTROTECHNICAL COMMISSION

WIND ENERGY GENERATION SYSTEMS –**Part 12-1: Power performance measurements
of electricity producing wind turbines****FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 61400-12-1 has been prepared by IEC technical committee 88: Wind energy generation systems. It is an International Standard.

This third edition of IEC 61400-12-1 is part of a structural revision that cancels and replaces the performance standards IEC 61400-12-1:2017 and IEC 61400-12-2:2013. The structural revision contains no technical changes with respect to IEC 61400-12-1:2017 and IEC 61400-12-2:2013, but the parts that relate to wind measurements, measurement of site calibration and assessment of obstacle and terrain have been extracted into separate standards.

The purpose of the re-structure was to allow the future management and revision of the power performance standards to be carried out more efficiently in terms of time and cost and to provide a more logical division of the wind measurement requirements into a series of separate standards which could be referred to by other use case standards in the IEC 61400 series and subsequently maintained and developed by appropriate experts.

The text of this International Standard is based on the following documents:

Draft	Report on voting
88/822/CDV	88/867/RVC

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/standardsdev/publications.

A list of all parts in the IEC 61400 series, published under the general title *Wind energy generation systems*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The "colour inside" logo on the cover page of this document indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

IEC TC 88 has made this third edition in order to reduce the complexity of the previous edition. Wind measurement procedures have been extracted from the performance standard, recognizing that wind measurements need to be referenced from other standards, such as in loads, noise and resource assessment measurements. IEC TC 88 recommends that the restructured standards gradually take over the previous standards before Maintenance Cycle Reports are written on the restructured standards introducing new technical requirements. Revision of the restructured documents should be proposed at the same time to incorporate such technical changes, recommendations, clarifications and simplifications.

The purpose of the IEC 61400-12 series is to provide a uniform methodology that will ensure consistency, accuracy and reproducibility in the measurement and analysis of power performance by wind turbines. This document has been prepared with the anticipation that it would be applied by:

- a) a wind turbine manufacturer striving to meet well-defined power performance requirements and/or a possible declaration system;
- b) a wind turbine purchaser in specifying such performance requirements;
- c) a wind turbine operator who can be required to verify that stated, or required, power performance specifications are met for new or refurbished units;
- d) a wind turbine planner or regulator who needs to be able to accurately and fairly define power performance characteristics of wind turbines in response to regulations or permit requirements for new or modified installations.

This document provides guidance in the measurement, analysis, and reporting of power performance testing for wind turbines. This document will benefit those parties involved in the manufacture, installation planning and permitting, operation, utilization, and regulation of wind turbines. The technically accurate measurement and analysis techniques recommended in this document should be applied by all parties to ensure that continuing development and operation of wind turbines is carried out in an atmosphere of consistent and accurate communication relative to wind turbine performance. This document presents measurement and reporting procedures expected to provide accurate results that can be replicated by others. Meanwhile, a user of this document should be aware of differences that arise from large variations in wind shear and turbulence. Therefore, a user should consider the influence of these differences and the data selection criteria in relation to the purpose of the test before contracting the power performance measurements.

The wind turbine power performance characteristics are determined by the measured power curve and the estimated annual energy production (AEP). The measured power curve, defined as the relationship between the wind speed and the wind turbine power output, is determined by collecting simultaneous measurements of meteorological variables (including wind speed), as well as wind turbine signals (including power output) at the test site for a period that is long enough to establish a statistically significant database over a range of wind speeds and under varying wind and atmospheric conditions. The AEP is calculated by applying the measured power curve to reference wind speed frequency distributions, assuming 100 % availability.

A key element of power performance testing is the measurement of wind speed. This document specifies the use of cup or sonic anemometers or remote sensing devices (RSD) in conjunction with anemometers to measure wind. Even though suitable procedures for calibration, validation and classification are adhered to, the nature of the measurement principle of these devices can potentially cause them to perform differently. These instruments are robust and have been regarded as suitable for this kind of test with the limitation of some of them to certain classes of terrain.

Recognizing that, as wind turbines become ever larger, a wind speed measured at a single height is increasingly unlikely to accurately represent the wind speed through the entire turbine rotor, this document introduces an additional definition of wind speed. Whereas previously wind speed was defined as that measured at hub height only, this can now be supplemented with a

so-called rotor equivalent wind speed (REWS) defined by an arithmetic combination of simultaneous measurements of wind speed at a number of heights spanning the complete rotor diameter between lower tip and upper tip. The power curves defined by hub height wind speed and REWS are not the same and indeed the wind speed distributions defined by hub height wind speed and REWS are also not the same such that the annual energy production (AEP) is defined by the combination of a measured power curve and wind speed distribution, both of which are based on an identical definition of wind speed.

The technical requirements in this document have been extracted from and are identical to those in IEC 61400-12-1:2017. The corrections in IEC 61400-12-1:2017/Cor.1:2019, IEC 61400-12-1:2017/Cor.2:2020 and IEC 61400-12-1:2017/Cor.3:2021 have been incorporated in this document. Specifically, technical corrections have been applied to Equations (E.8), (E.44) and (E.17). A further technical correction to Equation (E.45) has been made to correct inconsistent units in the components of the summation. Refer to IEC 61400-12:2022 for an overview of the re-structuring of the IEC 61400-12 series and the relationships between different parts of the standard.

Procedures for calibration, classification and uncertainty of cup anemometers and ultrasonic anemometers are given in IEC 61400-50-1. Procedures for calibration, classification and uncertainty of remote sensing devices are given in IEC 61400-50-2. Special care should be taken in the selection of the instruments chosen to measure the wind speed because it can influence the result of the test.

WIND ENERGY GENERATION SYSTEMS –

Part 12-1: Power performance measurements of electricity producing wind turbines

1 Scope

This part of IEC 61400 specifies a procedure for measuring the power performance characteristics of a single wind turbine and applies to the testing of wind turbines of all types and sizes connected to the electrical power network. In addition, this document defines a procedure to be used to determine the power performance characteristics of small wind turbines (as defined in IEC 61400-2) when connected to either the electric power network or a battery bank. The procedure can be used for performance evaluation of specific wind turbines at specific locations, but equally the methodology can be used to make generic comparisons between different wind turbine models or different wind turbine settings when site-specific conditions and data filtering influences are taken into account.

Considerations which can be of relevance to the assessment of uncertainty of power performance tests on multiple turbines are presented in Annex R on an informative basis.

This document defines a measurement methodology that requires the measured power curve and derived energy production figures to be supplemented by an assessment of uncertainty sources and their combined effects. Uncertainty sources of wind measurements are assessed from procedures described in the relevant wind measurement equipment standards while uncertainty of the power curve and annual energy production are assessed by procedures in this document.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60688, *Electrical measuring transducers for converting AC and DC electrical quantities to analogue or digital signals*

IEC 61400-2, *Wind turbines – Part 2: Small wind turbines*

IEC 61400-12-2, *Wind energy generation systems – Part 12-2: Power performance of electricity producing wind turbines based on nacelle anemometry*

IEC 61400-12-3, *Wind energy generation systems – Part 12-3: Power performance – Measurement based site calibration*

IEC 61400-12-5, *Wind energy generation systems – Part 12-5: Power performance – Assessment of obstacles and terrain*

IEC 61400-50-1, *Wind energy generation systems – Part 50-1: Wind measurement – Application of meteorological mast, nacelle and spinner mounted instruments*

IEC 61400-50-2, *Wind energy generation systems – Part 50-2: Wind measurement – Application of ground mounted remote sensing technology*

IEC 61869-1, *Instrument transformers – Part 1: General requirements*

IEC 61869-2, *Instrument transformers – Part 2: Additional requirements for current transformers*

IEC 61869-3, *Instrument transformers – Part 3: Additional requirements for inductive voltage transformers*

ISO 2533, *Standard Atmosphere*

ISO/IEC Guide 98-3:2008, *Uncertainty of measurement – Part 3: Guide to the expression of uncertainty in measurement (GUM:1995)*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

3.1

accuracy

closeness of the agreement between the result of a measurement and a true value of the measurand

3.2

annual energy production

AEP

estimate of the total energy production of a wind turbine over a one-year period by applying the measured power curve to different reference wind speed frequency distributions at hub height, assuming 100 % availability

3.3

atmospheric stability

measure of tendency of the wind to encourage or suppress vertical mixing

Note 1 to entry: Stable atmosphere is characterized by a high temperature gradient with altitude, high wind shear, possible wind veer and low turbulence relative to unstable conditions. Neutral and unstable atmosphere generally result in lower temperature gradients and low wind shear.

3.4

complex terrain

terrain surrounding the test site that features significant variations in topography and terrain obstacles (3.18) that can cause flow distortion

3.5

cut-in wind speed

lowest wind speed at which a wind turbine will begin to produce power

3.6

cut-out wind speed

wind speed at which a wind turbine cuts out from the grid due to high wind speed

3.7

data set

collection of data sampled over a continuous period