IEC 63119-2

Edition 1.0 2022-10

INTERNATIONAL STANDARD

NORME INTERNATIONALE

colour inside

This document is a preview generated by EVS

Information exchange for electric vehicle charging roaming service – Part 2: Use cases

Échange d'informations pour le service d'itinérance de la recharge des véhicules électriques – Partie 2: Cas d'utilisation



IEC 63119-2:2022-10(en-fr)

THIS PUBLICATION IS COPYRIGHT PROTECTED
Copyright © 2022 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Secretariat
3, rue de Varembé
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC
The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications
The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform
The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, …). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished
Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc
If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch
Discover our powerful search engine and read freely all the publications previews. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org
The world's leading online dictionary on electrotechnology, containing more than 22 300 terminological entries in English and French, with equivalent terms in 19 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

A propos de l'IEC
La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC
Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Recherche de publications IEC - webstore.iec.ch/advsearchform
La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études, …). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished
Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

Service Clients - webstore.iec.ch/csc
Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch
Découvrez notre puissant moteur de recherche et consultez gratuitement tous les aperçus des publications. Avec un abonnement, vous aurez toujours accès à un contenu à jour adapté à vos besoins.

Electropedia - www.electropedia.org
Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 300 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 19 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

This document is a preview generated by EVS

IEC 63119-2

Edition 1.0 2022-10

INTERNATIONAL STANDARD

NORME INTERNATIONALE

colour inside

This document is a preview generated by EVS

Information exchange for electric vehicle charging roaming service – Part 2: Use cases

Échange d'informations pour le service d'itinérance de la recharge des véhicules électriques – Partie 2: Cas d'utilisation

INTERNATIONAL ELECTROTECHNICAL COMMISSION

COMMISSION ELECTROTECHNIQUE INTERNATIONALE

ICS 43.120

ISBN 978-2-8322-5829-3

Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.

® Registered trademark of the International Electrotechnical Commission
Marque déposée de la Commission Electrotechnique Internationale

CONTENTS

FOREWORD 6
1 Scope 8
2 Normative references 8
3 Terms and definitions 8
4 Abbreviated terms 11
5 General requirements 11
5.1 General 11
5.2 System requirements 11
5.2.1 General 11
5.2.2 CSO system platform requirement 12
5.2.3 CSP platform system requirement 12
5.3 Communication requirements 12
5.4 Cybersecurity requirements 13
5.4.1 Data transmission security 13
5.4.2 Role identification 13
5.4.3 Information privacy protection 13
5.4.4 Information sharing principle 13
5.4.5 Encryption key usage and management 13
5.4.6 Agreement sharing principle 13
5.5 Unique identifier 13
5.5.1 Requirements of the unique identifier 13
5.5.2 Classification of the global ID 13
5.5.3 Definition of the global identifier 14
5.6 Identification method type 14
5.7 Session and transaction 15
5.7.1 General 15
5.7.2 Session 15
5.7.3 Transaction 15
5.7.4 Service session flowchart diagram 16
6 Architecture 17
6.1 System architecture 17
6.2 Actors and systems 18
6.2.1 Definition of actors 18
6.2.2 Systems actors 19
6.3 Roaming function domain 19
6.3.1 General 19
6.3.2 General information exchange 19
6.3.3 Tariff and pricing 19
6.3.4 Energy transfer management 19
6.3.5 Certification handling 20
6.3.6 Support functions 20
6.4 Clearing house function 20
6.4.1 Transaction hub switch 20
6.4.2 SDR reconciliation 21
6.4.3 Settlement 21
7 Use cases view 21

This document is a preview generated by EVS

7.1 Use case hierarchy diagram 21
7.2 Use case hierarchy layer 22
7.2.1 Use case groups 23
7.2.2 Use case list 24
8 Use cases 26
8.1 General information exchange 26
8.1.1 UC1-1 Platform authentication 26
8.1.2 UC1-2 Sites information exchange 28
8.1.3 UC1-3 Sharing dynamic status of EV supply equipment 29
8.2 Tariff and pricing 30
8.2.1 UC2-1 Inform home-CSP on tariff information 30
8.2.2 UC2-2 home-CSP request tariffs from visited-CSO 31
8.3 Energy transfer management 31
8.3.1 UC3-1 Start charging roaming locally at the EV supply equipment 31
8.3.2 UC3-2 Start charging roaming remotely from home-CSP 33
8.3.3 UC3-3 Start charging roaming by PnC 35
8.3.4 UC3-4 Stop energy transfer session via home-CSP 37
8.3.5 UC3-5 Complete a charging service transaction in a roaming scenario 38
8.3.6 UC3-6 Collect dynamic charging information 38
8.3.7 UC3-7 Charge plan exchange 39
8.3.8 UC3-8 Reservation of an EV supply equipment 40
8.3.9 UC3-9 SDR information exchange 42
8.3.10 UC3-10 Update charge plan by visited-CSO 43
8.4 Credentials handling 43
8.4.1 UC4-1 Support online identification of the user at a visited-CSO 43
8.4.2 UC4-2 Pre-distribution of information for offline identification of the user at a visited-CSO 45
8.5 Supporting functions 45
8.5.1 UC5-1 Maintenance/outage information 45
8.5.2 UC5-2 Emergency cable unlocking after charging service activated 47
8.5.3 UC5-3 Emergency cable unlocking for charging service activation failed 48
Annex A (informative) Roaming scenarios 50
A.1 Roaming scenario 1 – Roaming by using QR code scanning 50
A.1.1 Roaming scenario description 50
A.1.2 Roaming scenario business sequence diagram 51
A.1.3 List of elementary use cases 52
A.2 Roaming scenario 2 – Charging site navigation service 53
A.2.1 Roaming scenario description 53
A.2.2 Roaming scenario business sequence diagram 53
A.3 Roaming scenario 3 – Roaming by using RFID card 53
A.3.1 Roaming scenario description 53
A.3.2 List of elementary use cases 54
Annex B (informative) Service session data 55
B.1 Service session data diagram 55
B.2 SDR general structure 56
Bibliography 57

Figure 5-1 – Service session structure 15

This document is a preview generated by EVS

Figure 5-2 – Relationship between session and transaction 16
Figure 5-3 – Diagram of service session 17
Figure 6-1 – System architecture 18
Figure 6-2 – Clearing house function 20
Figure 6-3 – Clearing house 21
Figure 7-1 – Use case hierarchy diagram 22
Figure 7-2 – Use case hierarchy diagram of charging roaming 23
Figure 7-3 – Use domain overview of the 1-Layer in the hierarchy diagram 24
Figure 7-4 – Use case groups overview 24
Figure 8-1 – Use case sequence diagram for platform authentication 28
Figure 8-2 – Use case sequence diagram for Start charging roaming locally at the EV supply equipment 33
Figure 8-3 – Use case sequence diagram for Start charging roaming remotely from home-CSP 35
Figure 8-4 – Use case sequence diagram for Start charging roaming by PnC 37
Figure A.1.1 – Roaming by using QR code scanning 50
Figure A.1.2 – Sequence diagram 52
Figure A.2.1 – Charging site navigation service 53
Figure B.1 – Data diagram of service session 55

Table 1 – System actor categories 12
Table 2 – Structure of the global identifier 14
Table 3 – Definition of the global identifier syntax 14
Table 4 – Session categories 15
Table 5 – Definition of actors 18
Table 6 – Use case group index and description 23
Table 7 – Use case list 25
Table 8 – Use case description for platform authentication 26
Table 9 – Use case description for Sites information exchange 28
Table 10 – Use case description for sharing dynamic status of EV supply equipment 29
Table 11 – Use case description for Inform home-CSP on tariff information 30
Table 12 – Use case description for home-CSP request tariffs from visited-CSO 31
Table 13 – Use case description for Start charging roaming locally at the EV supply equipment 31
Table 14 – Use case description for Start charging roaming remotely from home-CSP 34
Table 15 – Use case description for Start charging roaming by PnC 36
Table 16 – Use case description for Stop energy transfer session via home-CSP 37
Table 17 – Use case description for Complete a charging service transaction in a roaming scenario 38
Table 18 – Use case description for Collect dynamic charging information 39
Table 19 – Use case description for Charge plan exchange 40
Table 20 – Use case description for Reservation of an EV supply equipment 40
Table 21 – Use case description for SDR information exchange 42
Table 22 – Use case description for Update charge plan by visited-CSO 43

This document is a preview generated by EVS

Table 23 – Use case description for Support online identification of the user at a visited-CSO 44
Table 24 – Use case description for Pre-distribution of information for offline identification of the user at a visited-CSO 45
Table 25 – Use case description for Maintenance/outage information 46
Table 26 – Use case description for Emergency cable unlocking after charging service activated 47
Table 27 – Use case description for Emergency cable unlocking for charging service activation failed 48
Table A.1 – Roaming scenario: peer-to-peer roaming by scanning EV supply equipment QR code 51
Table A.2 – Elementary use cases 52
Table A.3 – Peer-to-peer roaming for charging service using RFID card 53
Table A.4 – Elementary use cases 54
Table B.1 – SDR general structure 56

This document is a preview generated by EVS

INTERNATIONAL ELECTROTECHNICAL COMMISSION

_____

INFORMATION EXCHANGE FOR ELECTRIC VEHICLE CHARGING ROAMING SERVICE –

Part 2: Use cases

FOREWORD

1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
6) All users should ensure that they have the latest edition of this publication.
7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 63119-2 has been prepared by IEC technical committee 69: Electrical power/energy transfer systems for electrically propelled road vehicles and industrial trucks. It is an International Standard.

The text of this International Standard is based on the following documents:

Draft	Report on voting
69/847/FDIS	69/862/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document is a preview generated by EVS

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/standardsdev/publications.

A list of all parts in the IEC 63119 series, published under the general title *Information exchange for electric vehicle charging roaming service*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The "colour inside" logo on the cover page of this document indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

This document is a preview generated by EVS

INFORMATION EXCHANGE FOR ELECTRIC VEHICLE CHARGING ROAMING SERVICE –

Part 2: Use cases

This document is a preview generated by EVS

1 Scope

This part of IEC 63119 specifies roaming use cases of information exchange between EV charging service providers (CSP), charging station operators (CSOs) and clearing house platforms through roaming endpoints. The elementary use cases defined in this document are designed to support the user to have access to the EV supply equipment which does not belong to the home-CSP.

IEC 63119 (all parts) is applicable to high-level communication involved in information exchange/interaction between different CSPs, as well as between a CSP and CSO with or without clearing house platform through the roaming endpoint.

IEC 63119 (all parts) does not specify the communication either between charging station (CS) and charging station operator (CSO) or between EV and CS.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 63119-1, *Information exchange for electric vehicle charging roaming service – Part 1: General*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in IEC 63119-1 and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at http://www.electropedia.org/
- ISO Online browsing platform: available at http://www.iso.org/obp

3.1
service
series of processes that the service provider provides to the EV user, including energy transfer service, reservation service, parking service, etc.

3.2
energy transfer service
charging service
complete energy transfer process that the service provider provides to the EV user, including authentication, charging, billing, and settlement, for the time being