

Gullies for buildings - Part 8: Trapped floor gullies with combined mechanical closure and water seal

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

See Eesti standard EVS-EN 1253-8:2022 sisaldab Euroopa standardi EN 1253-8:2022 ingliskeelset teksti.	This Estonian standard EVS-EN 1253-8:2022 consists of the English text of the European standard EN 1253-8:2022.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas.	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation and Accreditation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 26.10.2022.	Date of Availability of the European standard is 26.10.2022.
Standard on kättesaadav Eesti Standardimis-ja Akrediteerimiskeskusest.	The standard is available from the Estonian Centre for Standardisation and Accreditation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 91.140.80

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardimis- ja Akrediteerimiskeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardimis-ja Akrediteerimiskeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardimis-ja Akrediteerimiskeskusega: Koduleht www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation and Accreditation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation and Accreditation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation and Accreditation:

Homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

ICS 91.140.80

English Version

Gullies for buildings - Part 8: Trapped floor gullies with combined mechanical closure and water seal

Avaloirs et siphons pour bâtiments - Partie 8 : Siphons de sol combinant un obturateur mécanique et une garde d'eau

Abläufe für Gebäude - Teil 8: Bodenabläufe mit Geruchverschluss mit mechanischem Geruchverschluss und Wassergeruchverschluss

This European Standard was approved by CEN on 26 September 2022.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents

Page

European foreword	3
1 Scope.....	4
2 Normative references.....	4
3 Terms and definitions.....	4
4 Design and construction.....	8
4.1 General.....	8
4.2 Appearance	8
4.3 Apertures in gratings.....	8
4.4 Resistance of trap with mechanical closure and water seal to pressure.....	9
4.4.1 Requirements.....	9
4.4.2 Test method	9
4.5 Blockage prevention.....	10
4.5.1 Access for cleaning	10
4.5.2 Clogging test.....	11
4.6 Places of installation.....	13
4.7 Materials	13
4.8 Thermal behaviour of floor gullies.....	13
4.8.1 General.....	13
4.8.2 Requirements.....	13
4.8.3 Test method	13
4.8.4 Additional test for floor gullies for use with sheet floor coverings and liquid applied membranes	14
4.9 Tightness.....	15
4.9.1 Odour-tightness.....	15
4.9.2 Watertightness of bodies	16
4.9.3 Watertightness of extensions	16
4.10 Mechanical strength.....	17
4.10.1 Loading strength	17
4.10.2 Clamping ring strength	19
4.10.3 Additional mechanical strength according to the installation	20
4.10.4 Floor gullies for use with liquid applied membranes.....	23
4.11 Flow rates	23
4.11.1 Requirements.....	23
4.11.2 Test method	24
4.11.3 Test arrangement	24
5 Allocation and sequence of tests	25
6 Marking	27
7 Evaluation of conformity.....	27
Annex A (normative) Examples of top view of the positioning of shape of test blocks applied on the gratings	28
Annex B (normative) Test solutions	30
Bibliography	32

European foreword

This document (EN 1253-8:2022) has been prepared by Technical Committee CEN/TC 165 “Waste water engineering”, the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by April 2023, and conflicting national standards shall be withdrawn at the latest by April 2023.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

Within its program of work, Technical Committee CEN/TC 165 requested CEN/TC 165/WG 11 “Gratings, covers and other ancillary components for use inside buildings” to prepare the following standard:

EN 1253-8, *Trapped floor gullies with combined mechanical closure and water seal.*

The EN 1253 series under the main title Gullies for buildings will actually consist of the following parts:

- *Part 1: Trapped floor gullies with a depth water seal of at least 50 mm;*
- *Part 2: Roof drains and floor gullies without trap;*
- *Part 3: Evaluation of conformity;*
- *Part 4: Access covers;*
- *Part 5: Gullies with light liquids closure;*
- *Part 6: Trapped floor gullies with a depth of water seal less than 50 mm;*
- *Part 7: Trapped floor gullies with mechanical closure;*
- *Part 8: Trapped floor gullies with combined mechanical closure and water seal.*

Any feedback and questions on this document should be directed to the users’ national standards body. A complete listing of these bodies can be found on the CEN website.

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.

1 Scope

This document classifies floor gullies for domestic wastewater for use inside buildings, gives guidance, gives guidance for places of installation and specifies requirements for the construction, design, performance and marking of factory made gullies for buildings, irrespective of the material, for use in drainage systems requiring a trap with combined mechanical closure and water seal (referred to as floor gullies).

NOTE Floor gullies with combined mechanical closure and water seal are not covered by EN 1253-1, EN 1253-6, EN 1253-7.

These products are intended to be installed where both condition below are fulfilled:

- the building does not exceed a ground-floor and three floors above;
- infrequent use could result in a water seal evaporating.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 476, *General requirements for components used in drains and sewers*

EN 1253-3, *Gullies for buildings — Part 3: Evaluation of conformity*

EN 16323, *Glossary of wastewater engineering terms*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in EN 16323 and the following apply.

3.1

trapped floor gully

discharge fitting the top of which is a grating or cover capable of installation at ground or floor level, intended to receive wastewater either through apertures in the grating and/or channels joined to the body of the gully and to drain that wastewater through the outlet

Note 1 to entry: Four generic types of floor gullies are shown in Figure 1.

Note 2 to entry: In this document, the term “trapped floor gully” includes linear products, such as channel drains.