Standard representation of geographic point location by coordinates (ISO 6709:2022)



EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

See Eesti standard EVS-EN ISO 6709:2022 sisaldab Euroopa standardi EN ISO 6709:2022 ingliskeelset teksti.

This Estonian standard EVS-EN ISO 6709:2022 consists of the English text of the European standard EN ISO 6709:2022.

Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas.

This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation and Accreditation.

Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 26.10.2022.

Date of Availability of the European standard is 26.10.2022.

Standard on kättesaadav Eesti Standardimis-ja Akrediteerimiskeskusest.

The standard is available from the Estonian Centre for Standardisation and Accreditation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile <u>standardiosakond@evs.ee</u>.

ICS 35.240.70

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardimis- ja Akrediteerimiskeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardimis-ja Akrediteerimiskeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardimis-ja Akrediteerimiskeskusega: Koduleht www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation and Accreditation No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation and Accreditation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation and Accreditation:

Homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

EUROPEAN STANDARD

EN ISO 6709

NORME EUROPÉENNE

EUROPÄISCHE NORM

October 2022

ICS 35.240.70

Supersedes EN ISO 6709:2009

English Version

Standard representation of geographic point location by coordinates (ISO 6709:2022)

Représentation normalisée de la localisation des points géographiques par coordonnées (ISO 6709:2022)

Standarddarstellung für geographische Punkte durch Koordinaten (ISO 6709:2022)

This European Standard was approved by CEN on 5 July 2021.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

European foreword

This document (EN ISO 6709:2022) has been prepared by Technical Committee ISO/TC 211 "Geographic information/Geomatics" in collaboration with Technical Committee CEN/TC 287 "Geographic Information" the secretariat of which is held by BSI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by April 2023, and conflicting national standards shall be withdrawn at the latest by April 2023.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 6709:2009.

Any feedback and questions on this document should be directed to the users' national standards body/national committee. A complete listing of these bodies can be found on the CEN website.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.

Endorsement notice

The text of ISO 6709:2022 has been approved by CEN as EN ISO 6709:2022 without any modification.

Con	ntents	Page
Forev	word	iv
Intro	oduction	vi
1	Scope	1
2	Normative references	1
3	Terms and definitions	1
4	Abbreviated terms and character code notations	4
	4.1 Abbreviated terms	4
	4.2 Character code notations	
5	Conformance	5
6	Geographic point location (GPL) representation	5
	6.1 Overview	
	6.3 Coordinate tuple	
	6.4 Character string delimiters and terminator notation	
	6.5 CRS identifier structure	
	6.6 Text string representation	
	6.6.1 Background	
	6.6.3 Component structure	
7	Human-readable GPL representation	
	7.1 Overview of human-readable GPL representation	16
	7.2 General requirements of human-readable GPL representation.	16
	7.3 Formatted examples of human-readable text strings	
Anne	ex A (normative) Conformance and abstract test suite	20
Anne	ex B (normative) Backwards compatible representation of geograph	ic point location23
Anne	ex C (informative) Uniqueness of latitude and longitude coordinates.	29
Anne	ex D (informative) Latitude and longitude resolution	30
Anne	ex E (informative) Changes compared to ISO 6709:2008	31
Anne	ex F (normative) Character encodings	33
	iography	
		2/1/5

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 211, *Geographic information/Geomatics*, in collaboration with the European Committee for Standardization (CEN) Technical Committee CEN/TC 287, *Geographic Information*, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

This third edition cancels and replaces the second edition (ISO 6709:2008), which has been technically revised. It also incorporates the Technical Corrigendum ISO 6709:2008/Cor. 1:2009.

The main changes are as follows:

- Harmonization with other recently revised ISO/TC 211 International Standards;
- Clarification of normative requirements to maintain rigid backwards compatibility when required;
- Correction of the issues contained in the Technical Corrigendum ISO 6709:2008/Cor. 1:2009;
- Correction of annexes that contained normative requirements but were labelled as informative;
- Deletion of annexes and concepts which have changed and were no longer suitable for the revised edition:
- Correction of instances where European numeric formatting conventions were incorrectly inserted.
 These conventions will no longer be recommended;
- Clarification of editorial issues.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

In accordance with the ISO/IEC Directives, Part 2, 2018, *Rules for the structure and drafting of International Standards*, in International Standards the decimal sign is a comma on the line. However, the General Conference on Weights and Measures (*Conférence Générale des Poids et Mesures*) at its meeting in 2003 passed unanimously the following resolution:

"The decimal marker shall be either a point on the line or a comma on the line."

e cho.
ical are.
e used, for, In practice, the choice between these alternatives depends on customary use in the language concerned. In the technical areas of geodesy and geographic information it is customary for the decimal point always to be used, for all languages. That practice is used throughout this document.

Introduction

Geographic point location (GPL) is the description of a well-defined geographic place using a single coordinate tuple. Efficient interchange of GPL data requires formats which are universally interpretable and which allow the identification of points on, above and below the Earth's surface. Users in various disciplines have different requirements. This is exemplified by the use of degrees and decimal degrees, as well as the traditional degrees, minutes and seconds, for recording latitude and longitude. User applications can also require various levels of precision and can use latitude and longitude without height.

ISO 6709:1983 defined a specific format representation of latitude and longitude, and optionally altitude.

ISO 6709:2008 revised the format representation of the 1983 edition by:

- adding the ability to identify the coordinate reference system (CRS) to which coordinates are referenced, without which location is ambiguous, and
- expanding the use of altitude to allow for any ellipsoidal or gravity-related height or depth.

Since the first edition of this document in 1983, the field of geodesy has undergone significant technological advances, along with the continued development of other related geodesy and geomatics standards.

The aim of this edition is to address these new advances and standards and to revise the coordinate string suitable for digital representation ($\underline{\text{Clause 6}}$) while continuing to support the requirements of the previous edition ($\underline{\text{Annex B}}$).

<u>Clause 7</u> defines a simpler structure for the unambiguous representation of GPL in a human-readable format.

In addition, a series of annexes are provided with the following content:

- Annex A (normative) defines the abstract test suite used for conformance testing;
- Annex B (normative) defines the representation of latitude and longitude coordinates that maintain backwards compatibility with ISO 6709:2008;
- Annex C (informative) presents a description and examples of how the position of coordinates can appear ambiguous without the use of a CRS;
- Annex D (informative) presents a table of mathematical precision values of resolution for latitude and longitude;
- Annex E (informative) describes the changes in this document compared to the previous edition of ISO 6709;
- Annex F (normative) specifies encodings for character strings and delimiters required in this document.

The following options are highlighted to users of this document:

- a) For all cases where backwards compatibility is not required, this document recommends using the methods and rules specified in <u>Clause 6</u>, GPL representation, or <u>Clause 7</u>, human-readable GPL representation;
- b) However, in systems and environments where backwards compatibility with ISO 6709:2008 is required, the methods and rules specified in <u>Annex B</u> can be used.

In addition, when using Annex B, it is recommended that suitable and comprehensive ancillary documentation, not defined within this document or in previous editions of this document, be

prepared and accompany all instances of geographic point location text strings and human-readable representations claiming backwards compatibility.

The use of this document:

- establishes an expanded point representation string format supporting the current concepts and standards of geodesy and geographic information;
- when required, continues to support the needs of established user communities by maintaining backwards compatibility with the previous edition of this document (ISO 6709:2008);
- reduces the cost of interchange of data;
- reduces the delay in converting non-standard coding structures in preparation for interchange by providing advance knowledge of the standard interchange format; and t for ge
- provides flexible support for geographic point representation.

Standard representation of geographic point location by coordinates

1 Scope

This document specifies the representation of latitude and longitude and optionally height or depth compatible with previous editions of ISO 6709.

This document also supports the representations of other coordinate types and time that can be associated with those coordinates as defined through one or more coordinate reference systems (CRS).

This document describes a text string of coordinates, suitable for electronic data exchange, for one point, including reference system identification to ensure that the coordinates unambiguously represent the position of that point. Files containing multiple points with a single common reference system identification are out of scope. This document also describes a simpler text string structure for coordinate representation of a point location that is more suitable for human readability.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 8601-1, Date and time — Representations for information interchange — Part 1: Basic rules

ISO 8601-2, Date and time — Representations for information interchange — Part 2: Extensions

ISO/IEC 10646:2020, Information technology — Universal coded character set (UCS)

ISO 19111, Geographic information — Referencing by coordinates

ISO 19162, Geographic information — Well-known text representation of coordinate reference systems

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at https://www.iso.org/obp
- IEC Electropedia: available at https://www.electropedia.org/

3.1

accuracy

closeness of agreement between a test result or measurement result and the true value

[SOURCE: ISO 3534-2:2006, 3.1.1, modified — Notes to entry have been removed.]

3.2

altitude

height where the chosen reference surface is mean sea level