

Additive manufacturing - Finished part properties -
Orientation and location dependence of mechanical
properties for metal powder bed fusion (ISO/ASTM
52909:2022)

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

See Eesti standard EVS-EN ISO/ASTM 52909:2022 sisaldab Euroopa standardi EN ISO/ASTM 52909:2022 ingliskeelset teksti.	This Estonian standard EVS-EN ISO/ASTM 52909:2022 consists of the English text of the European standard EN ISO/ASTM 52909:2022.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas.	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation and Accreditation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 02.11.2022.	Date of Availability of the European standard is 02.11.2022.
Standard on kättesaadav Eesti Standardimis-ja Akrediteerimiskeskusest.	The standard is available from the Estonian Centre for Standardisation and Accreditation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 25.030

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardimis- ja Akrediteerimiskeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardimis-ja Akrediteerimiskeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardimis-ja Akrediteerimiskeskusega: Koduleht www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation and Accreditation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation and Accreditation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation and Accreditation:

Homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

English Version

Additive manufacturing - Finished part properties -
Orientation and location dependence of mechanical
properties for metal powder bed fusion (ISO/ASTM
52909:2022)

Fabrication additive de métaux - Propriétés des pièces
finies - Dépendance de l'orientation et de
l'emplacement sur les propriétés mécaniques pour la
fusion sur lit de poudre métallique (ISO/ASTM
52909:2022)

Additive Fertigung von Metallen - Eigenschaften von
Fertigteilen - Orientierung und Lage in Abhängigkeit
der mechanischen Eigenschaften für
pulverbettbasiertes Schmelzen (ISO/ASTM
52909:2022)

This European Standard was approved by CEN on 25 April 2022.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

European foreword

This document (EN ISO/ASTM 52909:2022) has been prepared by Technical Committee ISO/TC 261 "Additive manufacturing" in collaboration with Technical Committee CEN/TC 438 "Additive Manufacturing" the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by May 2023, and conflicting national standards shall be withdrawn at the latest by May 2023.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

Any feedback and questions on this document should be directed to the users' national standards body/national committee. A complete listing of these bodies can be found on the CEN website.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.

Endorsement notice

The text of ISO/ASTM 52909:2022 has been approved by CEN as EN ISO/ASTM 52909:2022 without any modification.

Contents

Page

Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	2
3.1 Definition.....	2
3.2 Abbreviations.....	2
3.3 Acronyms.....	3
4 Summary of document	3
5 Significance and use	3
6 Procedure	4
7 Report	4
7.1 General.....	4
7.2 Additional requirements.....	4
Annex A (informative) Example raster (scan) strategies for reporting	5
Bibliography	12

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

The document was prepared by Technical Committee ISO/TC 261, *Additive manufacturing*, in cooperation with ASTM Committee F42, *Additive Manufacturing Technologies*, on the basis of a partnership agreement between ISO and ASTM International with the aim to create a common set of ISO/ASTM standards on Additive Manufacturing, and in collaboration with the European Committee for Standardization (CEN) Technical Committee CEN/TC 438, *Additive manufacturing*, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

AM produced metallic parts are being intensively developed and used more widely today with an expected faster growth in near future. This document aims to support customers' needs to address specifics of the AM deposited parts – location and orientation dependent local properties and their variations over the part or deposition chamber.

This document provides a list of accurate terminologies and existing standards dedicated to mechanical testing of metallic materials, guidance on designation of coordinate systems and their application to AM specimens/parts designation, and recommendations on possibilities for local properties measurement.

Additive manufacturing of metals — Finished part properties — Orientation and location dependence of mechanical properties for metal powder bed fusion

1 Scope

This document covers supplementary guidelines for evaluation of mechanical properties including static/quasi-static and dynamic testing of metals made by additive manufacturing (AM) to provide guidance toward reporting when results from testing of as-built specimen or those excised from printed parts made by this technique or both.

This document is provided to leverage already existing standards. Guidelines are provided for mechanical properties measurements and reporting for additively manufactured metallic specimen as well as those excised from parts.

This document does not purport to address all of the safety concerns, if any, associated with its use. It is the responsibility of the user of this standard to establish appropriate safety, health and environmental practices and determine the applicability of regulatory limitations prior to use.

This document expands upon the nomenclature of ISO/ASTM 52900 and principles of ISO/ASTM 52921 and extends them specifically to metal additive manufacturing. The application of this document is primarily intended to provide guidance on orientation designations in cases where meaningful orientation/direction for AM cannot be obtained from available test methods.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 1099, *Metallic materials — Fatigue testing — Axial force-controlled method*

ISO 4506, *Hardmetals — Compression test*

ISO 6892-1, *Metallic materials — Tensile testing — Part 1: Method of test at room temperature*

ISO 12106, *Metallic materials — Fatigue testing — Axial-strain-controlled method*

ISO 12108, *Metallic materials — Fatigue testing — Fatigue crack growth method*

ISO 12135, *Metallic materials — Unified method of test for the determination of quasistatic fracture toughness*

ISO/ASTM 52900, *Additive manufacturing — General principles — Fundamentals and vocabulary*

ISO/ASTM 52921, *Standard Terminology for Additive Manufacturing—Coordinate Systems and Test Methodologies*

ASTM E8/E8M, *Standard test methods for tension testing of metallic materials*

ASTM E9, *Standard test methods of compression testing of metallic materials at room temperature*

ASTM E399, *Standard test method for linear-elastic plane-strain fracture toughness K_{Ic} of metallic materials*

ASTM E466, *Standard practice for conducting force-controlled constant amplitude axial fatigue tests of metallic materials*

ASTM E561, *Standard test method for k-r curve determination*

ASTM E606/E606M, *Standard test method for strain-controlled fatigue testing*

ASTM E647, *Standard test method for measurement of fatigue crack growth rates*

ASTM E1820, *Standard test method for measurement of fracture toughness*

ASTM E1921, *Test Method for Determination of Reference Temperature, T_0 , for Ferritic Steels in the Transition Range*

ASTM E2472, *Standard Test Method For Determination Of Resistance To Stable Crack Extension Under Low-Constraint Conditions*

ASTM E2899, *Standard test method for measurement of initiation toughness in surface cracks under tension and bending*

ASTM F2971, *Practice for Reporting Data for Test Specimens Prepared by Additive Manufacturing*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO/ASTM 52900 and ISO/ASTM 52921 apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <https://www.electropedia.org/>

3.1 Definition

3.1.1

part location

location of the part/sample/specimen within the build volume

Note 1 to entry: The part location is normally specified by the x, y, z coordinates for the position of the geometric centre of the part's bounding box with respect to the build volume origin.

3.2 Abbreviations

The abbreviations used in this document, and in particular in [Figure A.1](#), are listed in [Table 1](#).

Table 1 — Abbreviations

Abbreviation	Signification	Comment
S	Start	Any base of the specimen or part that provides a surface upon which deposition starts (see Annex A).
E	End	Any area of a specimen or part that provides a surface upon which the specimen or part deposition ends (see Annex A).
M	Middle	Mid-plane of a specimen or part between start and end (see Annex A).
B	Both	Crack growth captures both start and end of build (see Annex A).
RD	Scan direction	This may or may not be the same throughout the build (see Annex A).