Thermistors - Directly heated positive temperature coefficient - Part 1: Generic specification



#### EESTI STANDARDI EESSÕNA

#### NATIONAL FOREWORD

See Eesti standard EVS-EN IEC 60738-1:2022 sisaldab Euroopa standardi EN IEC 60738-1:2022 ingliskeelset teksti.

This Estonian standard EVS-EN IEC 60738-1:2022 consists of the English text of the European standard EN IEC 60738-1:2022.

Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas.

This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation and Accreditation.

Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 25.11.2022.

Date of Availability of the European standard is 25.11.2022.

Standard on kättesaadav Eesti Standardimis-ja Akrediteerimiskeskusest.

The standard is available from the Estonian Centre for Standardisation and Accreditation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile <u>standardiosakond@evs.ee</u>.

#### ICS 31.040.30

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardimis- ja Akrediteerimiskeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardimis-ja Akrediteerimiskeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardimis-ja Akrediteerimiskeskusega: Koduleht <a href="https://www.evs.ee">www.evs.ee</a>; telefon 605 5050; e-post <a href="mailto:info@evs.ee">info@evs.ee</a>

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation and Accreditation No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation and Accreditation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation and Accreditation:

Homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

### EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

#### **EN IEC 60738-1**

November 2022

ICS 31.040.30

Supersedes EN 60738-1:2006; EN 60738-1:2006/A1:2009

#### **English Version**

Thermistors - Directly heated positive temperature coefficient Part 1: Generic specification
(IEC 60738-1:2022)

Thermistances - Coefficient de température positif à chauffage direct - Partie 1: Spécification générique (IEC 60738-1:2022)

Direkt geheizte temperaturabhängige Widerstände mit positivem Temperaturkoeffizienten - Teil 1: Fachgrundspezifikation (IEC 60738-1:2022)

This European Standard was approved by CENELEC on 2022-11-18. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.



European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

#### **European foreword**

The text of document 40/2969/FDIS, future edition 4 of IEC 60738-1, prepared by IEC/TC 40 "Capacitors and resistors for electronic equipment" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 60738-1:2022.

The following dates are fixed:

- latest date by which the document has to be implemented at national (dop) 2023-08-18 level by publication of an identical national standard or by endorsement
- latest date by which the national standards conflicting with the (dow) 2025-11-18 document have to be withdrawn

This document supersedes EN 60738-1:2006 and all of its amendments and corrigenda (if any).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

Any feedback and questions on this document should be directed to the users' national committee. A complete listing of these bodies can be found on the CENELEC website.

#### **Endorsement notice**

The text of the International Standard IEC 60738-1:2022 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following note has to be added for the standard indicated:

IEC 60068-2-45:1980 NOTE Harmonized as EN 60068-2-45:1992 (not modified)

<u>Publication</u>	<u>Year</u>	<u>Title</u>	EN/HD	<u>Year</u>
IEC 60068-2-58	-	Environmental testing - Part 2-58: Tests - Test Td: Test methods for solderability, resistance to dissolution of metallization and to soldering heat of surface mounting devices (SMD)	EN 60068-2-58	-
IEC 60068-2-78	-	Environmental testing - Part 2-78: Tests - Test Cab: Damp heat, steady state	EN 60068-2-78	-
IEC 60294	-	Measurement of the dimensions of a cylindrical component with axial terminations	EN 60294	-
IEC 60617		Standard data element types with associated classification scheme for electric components - Part 4: IEC reference collection fo standard data element types and component classes	-	-
IEC 60717	-	Method for the determination of the space required by capacitors and resistors with unidirectional terminations	EN 60717	-
IEC 61193-2	-	Quality assessment systems - Part 2: Selection and use of sampling plans for inspection of electronic components and packages	EN 61193-2	-
IEC 61249-2-7	-	Materials for printed boards and other interconnecting structures - Part 2-7: Reinforced base materials clad and unclad - Epoxide woven E-glass laminated sheet of defined flammability (vertical burning test), copper-clad	EN 61249-2-7	-
IEC 61760-1	-	Surface mounting technology - Part 1: Standard method for the specification of surface mounting components (SMDs)	EN IEC 61760-1	-
ISO 80000-1	-	Quantities and units - Part 1: General	EN ISO 80000-1	
4				



Edition 4.0 2022-10

# INTERNATIONAL STANDARD

# NORME INTERNATIONALE



Thermistors – Directly heated positive temperature coefficient – Part 1: Generic specification

Thermistances – Coefficient de température positif à chauffage direct – Partie 1: Spécification générique





## THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2022 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Secretariat 3, rue de Varembé CH-1211 Geneva 20

Switzerland

Tel.: +41 22 919 02 11

info@iec.ch www.iec.ch

#### About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

#### About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

#### IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

#### IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

#### IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

#### IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews. With a subscription you will always have access to up to date content tailored to your needs.

#### Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 300 terminological entries in English and French, with equivalent terms in 19 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

#### A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

#### A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

#### Recherche de publications IEC - webstore.iec.ch/advsearchform

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études, ...). Elle donne aussi des informations sur les proiets et les publications remplacées ou retirées.

#### IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

#### Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.

#### IEC Products & Services Portal - products.iec.ch

Découvrez notre puissant moteur de recherche et consultez gratuitement tous les aperçus des publications. Avec un abonnement, vous aurez toujours accès à un contenu à jour adapté à vos besoins.

#### Electropedia - www.electropedia.org

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 300 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 19 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.



Edition 4.0 2022-10

# INTERNATIONAL STANDARD

# NORME INTERNATIONALE



Thermistors – Directly heated positive temperature coefficient – Part 1: Generic specification

Thermistances – Coefficient de température positif à chauffage direct – Partie 1: Spécification générique

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION ELECTROTECHNIQUE INTERNATIONALE

ICS 31.040.30 ISBN 978-2-8322-5731-9

Warning! Make sure that you obtained this publication from an authorized distributor.

Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.

#### CONTENTS

Г	JKEWU	RD	/
1	Scop	pe	9
2	Norm	native references	9
3	Term	is and definitions	10
4		eral requirements	
7			
	4.1 4.2	Units and symbols	
		Preferred values	
	4.2.1	3	
	4.2.2 4.3	P Spacings	
	4.3.1 4.3.2		
_	_	Prail provisions for measurements and test method	
5			
	5.1	General	
	5.2	Standard conditions for testing	
	5.2.1	· · · · · · · · · · · · · · · · · · ·	
	5.2.2		
	5.3	Drying and recovery	
	5.3.1		21
	5.3.2		
	5.3.3		
	5.3.4		
	5.4	Mounting (for surface mount thermistors only)	
	5.4.1		
	5.4.2		
	5.4.3		23
	5.4.4	3	23
6	Elect	trical tests and measurements	
	6.1	Zero-power resistance	
	6.1.1		24
	6.1.2		
	6.1.3		
	6.2	Temperature coefficient of resistance	
	6.2.1		
	6.2.2		
	6.3	Insulation resistance (for insulated types only)	
	6.3.1		
	6.3.2		
	6.3.3	Applied voltage	26
	6.3.4	Requirements	26
	6.4	Voltage proof (for insulated types only)	26
	6.4.1	General	26
	6.4.2	Past methods	26
	6.4.3	Test voltage	26
	6.4.4	Requirements	26
	6.5	Resistance/temperature characteristic	26

	6.5.1	Test methods	. 26
	6.5.2	Requirements	. 27
	6.6	Dissipation factor at $U_{\text{max}}$ ( $\delta$ )	. 27
	6.6.1	General	. 27
	6.6.2	Preconditioning	. 27
	6.6.3	S .	
	6.6.4	Test methods	. 27
	6.6.5	Requirements	. 28
	6.7	Response time by ambient temperature change $(t_a)$	. 28
	6.7.1	General	. 28
	6.7.2		
	6.7.3		
	6.7.4		
	6.7.5	• • • • • • • • • • • • • • • • • • • •	
	6.8	Response time by power change $(t_p)$	
	6.8.1		
	6.8.2		
	6.9	Thermal time constant by ambient temperature change ( $\tau_a$ )	
	6.10	Thermal time constant by cooling ( $\tau_{\rm C}$ )	
	6.10.		
	6.10.		
	6.10. 6.11		
	6.12	Tripping current and tripping time  Non-tripping current	
	6.13	Residual current	
	6.14	Surface temperature	
	6.15	Inrush current	
	6.15.		
	6.15.		
	6.16	Energy by discharge	
	6.16.		.35
	6.16.		.35
7		anical test and measurements	
	7.1	Visual examination and check of dimensions	
	7.1.1	Visual examination	
	7.1.2		
	7.1.3		
	7.1.4		
	7.2	Robustness of terminations	
	7.2.1	General	
	7.2.2		
	7.2.3		
	7.2.4		
	7.2.5		
	7.2.6		
	7.3	Vibration	
	7.4	Shock	.38
	7.5	Shear (adhesion) test	. 38

	7.5.1	1 Test conditions	38
	7.5.2		
	7.5.3		
	7.6	Substrate bending test	
	7.6.1	•	
	7.6.1		
	7.6.2		
	7.6.4		
	7.6.5		
_	7.6.6		
8		ronmental and climatic tests	
	8.1	Rapid change of temperature	
	8.2	Climatic sequence	
	8.2.1		
	8.2.2		
	8.2.3		
	8.2.4		
	8.2.5		
	8.2.6	S Low air pressure	40
	8.2.7	1 ( ) //	
	8.2.8		
	8.3	Damp heat, steady state	
	8.4	Endurance	41
	8.4.1	1 Endurance at room temperature (cycling)	41
	8.4.2	2 Endurance at upper category temperature	42
	8.4.3	B Endurance at maximum operating temperature and maximum voltage	43
	8.4.4	Cold environment electrical cycling	44
	8.4.5		
9	Test	related to component assembly	45
	9.1	Solderability	45
	9.1.1	1 General	
	9.1.2		45
	9.1.3		
	9.2	Resistance to soldering heat	
	9.2.1		
	9.2.2		
	9.2.3		
	9.2.4		
	9.2.5		
10		lity assessment procedures	
		(informative) Mounting for electrical measurements	
<b>Λ</b> Ι			
	A.1	Mounting for thermistors without wire terminations	
	A.2	Mounting for thermistors with wire terminations	
^	A.3	Mounting for surface mount thermistors	
		(informative) Mounting for temperature measurements	
Ar	inex Q	(normative) Quality assessment procedures	
	Q.1	General	52
	Q.2	Applicability of qualification approval	52

Q.3 P	rimary stage of manufacture	52
Q.4 S	ubcontracting	52
Q.5 S	tructurally similar components	52
Q.5.1	General	52
Q.5.2	For electrical tests	53
Q.5.3	For environmental tests	53
Q.5.4	For visual inspection	53
Q.5.5	For endurance tests	53
Q.6 Q	ualification approval procedures	
Q.6.1	Eligibility for qualification approval	
Q.6.2	Application for qualification approval	
Q.6.3	Test procedure for qualification approval	
Q.6.4	Qualification approval based on the fixed sample size procedure	
Q.6.5	Granting of qualification approval	
Q.6.6	Maintenance of qualification approval	
Q.6.7	Quality conformance inspection	
	ework and repair	
Q.7.1	Rework	
Q.7.2	Repair	
	elease for delivery	
Q.8.1 Q.8.2	Release for delivery under qualification approval before the completion	0 1
Q.0.2	of group B tests	62
	ertified test records of released lots	
Q.10 D	elayed delivery	62
	Iternative test methods	
	anufacture outside the geographical limits	
	nchecked parameters	
	formative) Cross-references to IEC 60738-1:2009	
Bibliography	/	65
	ypical resistance-temperature characteristic and definitions for PTC (at zero power)	12
	ypical R-TNF characteristic for PTC thermistors in sensor applications	
•	ypical current/voltage characteristic for PTC thermistors	
	$_{\sf n}$ against $t$ at $U_{\sf dc}$	
Figure 5 – <i>I</i> :	$_{\sf n}$ against $t$ at $U_{\sf RMS}$	17
-igure 6 – Γ	Dissipation factor test circuit	28
	emperature gradient	
	Circuit for measurement of thermal time constant by cooling	
	Circuit for surface temperature measurement	
_	Measuring circuit	
•	Measuring circuit	
_	Circuit for endurance at maximum operating temperature and maximum	
oltage		44
	Example of a preferred mounting method for thermistors without wire	<i>1</i> C
cillinations		<del></del> C

terminations	49
Figure A.3 – Example of a preferred mounting method for surface mount thermistors	
Figure B.1 – Example of a preferred mounting method for temperature measurement	
on cylindrical heating elements	51
Table 1 – Creepage distances and clearances	20
Table 2 – Test severities of vibration	22
Table 3 – Tensile force	37
Table 4 – Number of cycles per climatic category	40
Table A.1 – Recommended land dimensions	50
Table Q.1 – Fixed sample size test schedule for qualification approval of thermistors for current limitation – Assessment level EZ	56
Table Q.2 – Fixed sample size test schedule for qualification approval of thermistors for use as heating elements – Assessment level EZ	57
Table Q.3 – Fixed sample size test schedule for qualification approval of thermistors for inrush current application – Assessment level EZ	58
Table Q.4 – Fixed sample size test schedule for qualification approval of thermistors for use as temperature sensing elements – Assessment level EZ	59
Table Q.5 – Quality conformance inspection for lot-by-lot inspection	
Table Q.6 – Quality conformance inspection for periodic testing	
Table X.1 – Cross-references to the previous adition	
Table X.1 = Gloss-releticities to the previous sulformation.	
	0,

#### INTERNATIONAL ELECTROTECHNICAL COMMISSION

## THERMISTORS – DIRECTLY HEATED POSITIVE TEMPERATURE COEFFICIENT –

#### Part 1: Generic specification

#### **FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 60738-1 has been prepared by IEC technical committee 40: Capacitors and resistors for electronic equipment. It is an International Standard.

This fourth edition cancels and replaces the third edition published in 2006 and Amendment 1:2009. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) Restructured completely to comply with ISO/IEC Directives; categorization and reorganization of test methods into these categories;
- b) Some wordings, figures and references have been revised.

The text of this International Standard is based on the following documents:

Draft	Report on voting	
40/2969/FDIS	40/2977/RVD	

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

A list of all parts in the IEC 60738 series, published under the general title *Thermistors – Directly heated positive temperature coefficient*, can be found on the IEC website.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at <a href="https://www.iec.ch/members\_experts/refdocs">www.iec.ch/members\_experts/refdocs</a>. The main document types developed by IEC are described in greater detail at <a href="https://www.iec.ch/publications">www.iec.ch/publications</a>.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The "colour inside" logo on the cover page of this document indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

## THERMISTORS – DIRECTLY HEATED POSITIVE TEMPERATURE COEFFICIENT –

#### Part 1: Generic specification

#### 1 Scope

This part of IEC 60738 describes terms and methods of test for positive step-function temperature coefficient thermistors, insulated and non-insulated types, typically made from ferro-electric semi-conductor materials.

It establishes standard terms, inspection procedures and methods of test for use in detail specifications for qualification approval and for quality assessment systems for electronic components.

#### 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60027 (all parts), Letter symbols to be used in electrical technology

IEC 60050 (all parts), *International Electrotechnical Vocabulary (IEV)* (available at www.electropedia.org)

IEC 60062, Marking codes for resistors and capacitors

IEC 60068-1:2013, Environmental testing - Part 1: General and guidance

IEC 60068-2-1:2007, Environmental testing - Part 2-1: Tests - Test A: Cold

IEC 60068-2-2:2007, Environmental testing - Part 2-2: Tests - Test B: Dry heat

IEC 60068-2-6, Environmental testing - Part 2-6: Tests - Test Fc: Vibration (sinusoidal)

IEC 60068-2-11, Environmental testing - Part 2-11: Tests - Test Ka: Salt mist

IEC 60068-2-13, Environmental testing - Part 2-13: Tests - Test M: Low air pressure

IEC 60068-2-14, Environmental testing – Part 2-14: Tests – Test N: Change of temperature Amendment 1 (1986)

IEC 60068-2-20, Environmental testing – Part 2-20: Tests – Test Ta and Tb: Test methods for solderability and resistance to soldering heat of devices with leads

IEC 60068-2-21, Environmental testing – Part 2-21: Tests – Test U: Robustness of terminations and integral mounting devices

IEC 60068-2-27, Environmental testing – Part 2-27: Tests – Test Ea and guidance: Shock

IEC 60068-2-30, Environmental testing – Part 2-30: Tests – Test Db: Damp heat, cyclic (12 h + 12-hour cycle)

IEC 60068-2-58, Environmental testing — Part 2-58: Tests — Test Td: Test methods for solderability, resistance to dissolution of metallization and to soldering heat of surface mounting devices (SMD)

IEC 60068-2-78, Environmental testing – Part 2-78: Tests – Test Cab: Damp heat, steady state

IEC 60294, Measurement of the dimensions of a cylindrical component with axial terminations

IEC 60617, Graphical symbols for diagrams (available at http://std.iec.ch/iec60617)

IEC 60717, Method for determination of the space required by capacitors and resistors with unidirectional terminations

IEC 61193-2, Quality assessment systems – Part 2: Selection and use of sampling plans for inspection of electronic components and packages

IEC 61249-2-7, Materials for printed boards and other interconnecting structures – Part 2-7: Reinforced base materials clad and unclad – Epoxide woven E-glass laminated sheet of defined flammability (vertical burning test), copper-clad

IEC 61760-1, Surface mounting technology – Part 1: Standard method for the specification of surface mounting components (SMDs)

ISO 80000-1, Quantities and units - Part 1: General

#### 3 Terms and definitions

For the purposes of this document and subordinate specifications, the following terms and definitions apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- IEC Electropedia: available at https://www.electropedia.org/
- ISO Online browsing platform: available at https://www.iso.org/obp

#### 3.1

#### type

group of components having similar design features and whose similar manufacturing techniques enable them to be grouped together either for qualification approval or for quality conformance inspection

Note 1 to entry: A type is generally covered by a single detail specification.

Note 2 to entry: Components described in several detail specifications can, in some cases, be considered as belonging to the same type, but they are generally covered by a single detail specification.

#### 3.2

#### style

variation within a type having specific nominal dimensions and characteristics