

# INTERNATIONAL STANDARD

# NORME INTERNATIONALE



**Digital addressable lighting interface –  
Part 101: General requirements – System components**

**Interface d'éclairage adressable numérique –  
Partie 101: Exigences générales – Composants de système**



## THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2022 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Secretariat  
3, rue de Varembé  
CH-1211 Geneva 20  
Switzerland

Tel.: +41 22 919 02 11  
[info@iec.ch](mailto:info@iec.ch)  
[www.iec.ch](http://www.iec.ch)

### About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

### About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

#### IEC publications search - [webstore.iec.ch/advsearchform](http://webstore.iec.ch/advsearchform)

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

#### IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

#### IEC Customer Service Centre - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: [sales@iec.ch](mailto:sales@iec.ch).

#### IEC Products & Services Portal - [products.iec.ch](http://products.iec.ch)

Discover our powerful search engine and read freely all the publications previews. With a subscription you will always have access to up to date content tailored to your needs.

#### Electropedia - [www.electropedia.org](http://www.electropedia.org)

The world's leading online dictionary on electrotechnology, containing more than 22 300 terminological entries in English and French, with equivalent terms in 19 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

### A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

### A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

#### Recherche de publications IEC - [webstore.iec.ch/advsearchform](http://webstore.iec.ch/advsearchform)

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études, ...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

#### IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

#### Service Clients - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: [sales@iec.ch](mailto:sales@iec.ch).

#### IEC Products & Services Portal - [products.iec.ch](http://products.iec.ch)

Découvrez notre puissant moteur de recherche et consultez gratuitement tous les aperçus des publications. Avec un abonnement, vous aurez toujours accès à un contenu à jour adapté à vos besoins.

#### Electropedia - [www.electropedia.org](http://www.electropedia.org)

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 300 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 19 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

# INTERNATIONAL STANDARD

## NORME INTERNATIONALE



**Digital addressable lighting interface –  
Part 101: General requirements – System components**

**Interface d'éclairage adressable numérique –  
Partie 101: Exigences générales – Composants de système**

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

COMMISSION  
ELECTROTECHNIQUE  
INTERNATIONALE

ICS 29.140.50; 29.140.99

ISBN 978-2-8322-5964-1

**Warning! Make sure that you obtained this publication from an authorized distributor.  
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

## CONTENTS

FOREWORD.....	7
INTRODUCTION.....	9
1 Scope.....	10
2 Normative references .....	10
3 Terms and definitions .....	11
4 General .....	16
4.1 Purpose .....	16
4.2 Version number .....	16
4.3 System structure and architecture.....	16
4.4 System information flow .....	17
4.5 Command types.....	17
4.6 Bus units.....	18
4.6.1 Transmitters and receivers in bus units.....	18
4.6.2 Control gear .....	18
4.6.3 Input device.....	18
4.6.4 Single-master application controller.....	19
4.6.5 Multi-master application controller .....	19
4.6.6 Sharing an interface .....	19
4.6.7 Power for operation .....	20
4.7 Bus power supply and load calculations.....	21
4.7.1 Current demand coverage .....	21
4.7.2 Maximum signal current compliance .....	21
4.7.3 Simplified system calculation .....	21
4.8 Wiring.....	21
4.8.1 Wiring structure .....	21
4.8.2 Wiring specification .....	21
4.9 Electrical safety requirements .....	22
4.9.1 General .....	22
4.9.2 Insulation.....	22
4.9.3 Electric strength .....	22
4.9.4 Limitation of the touch current from the device to the bus.....	22
4.10 Earthing of the bus.....	23
4.11 Power interruptions at bus units.....	23
4.11.1 Different levels of power interruptions.....	23
4.11.2 Short power interruptions of external power supply.....	23
4.11.3 External power cycle .....	24
4.11.4 Short interruptions of bus power supply .....	24
4.11.5 Bus power down .....	24
4.11.6 System start-up timing .....	24
5 Electrical specification .....	26
5.1 General.....	26
5.2 Marking of the interface .....	26
5.3 Capacitors between the interface and earth .....	26
5.4 Signal voltage rating .....	26
5.5 Signal current rating.....	27
5.6 Marking of bus powered bus unit.....	27

5.7	Signal rise time and fall time .....	28
6	Bus power supply .....	29
6.1	General.....	29
6.2	Marking of the bus power supply terminals.....	29
6.3	Capacitors between the interface and earth .....	29
6.4	Voltage rating .....	29
6.5	Current rating.....	30
6.5.1	General current rating.....	30
6.5.2	Single bus power supply current rating .....	30
6.5.3	Integrated bus power supply current rating .....	30
6.5.4	Dynamic behaviour of the bus power supply .....	30
6.6	Bus power supply timing requirements .....	32
6.6.1	Short power supply interruptions.....	32
6.6.2	Short circuit behaviour .....	32
7	Transmission protocol structure .....	33
7.1	General.....	33
7.2	Bit encoding.....	33
7.2.1	Start bit and data bit encoding .....	33
7.2.2	Stop condition encoding .....	33
7.3	Frame description .....	33
7.4	Frame types.....	34
7.4.1	16-bit forward frame .....	34
7.4.2	24-bit forward frame .....	34
7.4.3	32-bit forward frame .....	34
7.4.4	Reserved forward frame .....	34
7.4.5	Backward frame.....	34
7.4.6	Proprietary forward frames .....	34
8	Timing .....	35
8.1	Single-master transmitter timing.....	35
8.1.1	Single-master transmitter bit timing.....	35
8.1.2	Single-master transmitter frame sequence timing .....	35
8.2	Receiver timing.....	36
8.2.1	Receiver bit timing .....	36
8.2.2	Receiver bit timing violation .....	37
8.2.3	Receiver frame size violation .....	38
8.2.4	Receiver frame sequence timing .....	38
8.2.5	Reception of backward frames.....	38
8.3	Multi-master transmitter timing.....	39
8.3.1	Multi-master transmitter bit timing.....	39
8.3.2	Multi-master transmitter frame sequence timing.....	39
9	Method of operation.....	40
9.1	Dealing with frames and commands.....	40
9.1.1	General .....	40
9.1.2	Frame received or rejected .....	41
9.1.3	Frame accepted or ignored .....	41
9.1.4	Command accepted or ignored .....	41
9.1.5	Command executed or discarded.....	41
9.2	Collision avoidance, collision detection and collision recovery .....	42

9.2.1	General .....	42
9.2.2	Collision avoidance.....	42
9.2.3	Collision detection .....	42
9.2.4	Collision recovery .....	44
9.3	Transactions .....	45
9.4	Send-twice forward frames and send-twice commands .....	45
9.5	Command iteration.....	46
9.6	Usage of a shared interface .....	46
9.6.1	General .....	46
9.6.2	Backward frames.....	47
9.6.3	Forward frames .....	47
9.7	Use of multiple bus power supplies .....	47
10	Declaration of variables .....	47
11	Definition of commands .....	47
Annex A (informative)	Background information for systems .....	48
A.1	Wiring information .....	48
A.2	System architectures .....	49
A.2.1	General .....	49
A.2.2	Single-master architecture.....	49
A.2.3	Multi-master architecture with one application controller.....	50
A.2.4	Multi-master architecture with more than one application controller .....	51
A.2.5	Multi-master architecture with integrated input device.....	52
A.2.6	Multi-master architecture with integrated input device and power supply.....	53
A.3	Collision detection .....	54
A.4	Timing definition explanations.....	55
A.4.1	General .....	55
A.4.2	Receiver timing.....	55
A.4.3	Transmitter timing.....	55
A.4.4	Grey areas .....	56
A.5	Maximum current consumption calculation explanation .....	56
A.5.1	Single bus power supply .....	56
A.5.2	Multiple bus power supplies.....	57
A.5.3	Redundant bus power supplies .....	58
A.6	Communication layer overview.....	59
A.6.1	General .....	59
A.6.2	Physical layer .....	60
A.6.3	Data link layer .....	60
A.6.4	Network layer .....	60
A.6.5	Transport layer .....	60
A.6.6	Session layer.....	60
A.6.7	Presentation layer .....	60
A.6.8	Application layer.....	60
A.7	Effects of combining version number 1 and version number 2.y devices.....	60
Annex B (informative)	Touch current.....	62
Bibliography	.....	63
Figure 1 – IEC 62386 graphical overview .....		9
Figure 2 – System structure example .....		17

Figure 3 – Communication between bus units (example).....	17
Figure 4 – Example of a shared interface.....	20
Figure 5 – Start-up timing example.....	25
Figure 6 – Maximum signal rise and fall time measurements.....	28
Figure 7 – Minimum signal rise and fall time measurements.....	29
Figure 8 – Bus power supply current behaviour.....	31
Figure 9 – Bus power supply voltage behaviour.....	32
Figure 10 – Frame example.....	33
Figure 11 – Bi-phase encoded bits.....	33
Figure 12 – Bit timing example.....	35
Figure 13 – Settling time illustration.....	35
Figure 14 – Receiver timing decision example.....	37
Figure 15 – Dealing with frames and commands.....	41
Figure 16 – Collision detection timing decision example.....	44
Figure 17 – Collision recovery example.....	45
Figure A.1 – Single-master architecture example.....	50
Figure A.2 – Multi-master architecture example with one application controller.....	51
Figure A.3 – Multi-master architecture example with two application controllers.....	52
Figure A.4 – Multi-master architecture example with integrated input device.....	53
Figure A.5 – Multi-master architecture example with integrated input device and bus power supply.....	54
Figure A.6 – Collision detection timing diagram.....	55
Figure A.7 – Transmitter and receiver timing illustration.....	56
Figure A.8 – Bus power supply current values.....	57
Figure A.9 – Current demand coverage.....	57
Figure A.10 – Combination of four bus power supplies.....	58
Figure A.11 – Redundant bus power supplies.....	58
Figure B.1 – Touch current from a bus unit.....	62
Figure B.2 – Summation of touch currents from several bus units.....	62
Table 1 – System components.....	16
Table 2 – Transmitters and receivers in bus units.....	18
Table 3 – Power-interruption timing of external power.....	23
Table 4 – Power-interruption timing of bus power.....	23
Table 5 – Short power interruptions.....	24
Table 6 – Start-up timing.....	25
Table 7 – System voltage levels.....	26
Table 8 – Receiver voltage levels.....	27
Table 9 – Transmitter voltage levels.....	27
Table 10 – Current rating.....	27
Table 11 – Signal rise and fall times.....	28
Table 12 – Bus power supply output voltage.....	30
Table 13 – Bus power supply current rating.....	30

Table 14 – Bus power supply dynamic behaviour .....	31
Table 15 – Short circuit timing behaviour .....	32
Table 16 – Transmitter bit timing.....	35
Table 17 – Transmitter settling time values .....	36
Table 18 – Receiver timing starting at the beginning of a logical bit .....	37
Table 19 – Receiver timing starting at an edge inside of a logical bit .....	37
Table 20 – Receiver settling time values .....	38
Table 21 – Multi-master transmitter bit timing.....	39
Table 22 – Multi-master transmitter settling time values .....	40
Table 23 – Checking a logical bit, starting at an edge at the beginning of the bit.....	43
Table 24 – Checking a logical bit, starting at an edge inside the bit .....	43
Table 25 – Collision recovery timing .....	44
Table 26 – Transmitter command iteration timing .....	46
Table 27 – Receiver command iteration timing .....	46
Table A.1 – Maximum cable length .....	49
Table A.2 – OSI layer model of the IEC 62386 series.....	59
Table A.3 – Effects of combining version number 1 and version number 2.y devices.....	61

IEC 62386-101:2022 preview generated by EVS



## INTERNATIONAL ELECTROTECHNICAL COMMISSION

**DIGITAL ADDRESSABLE LIGHTING INTERFACE –****Part 101: General requirements –  
System components**

## FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 62386-101 has been prepared by IEC technical committee 34: Lighting. It is an International Standard.

This third edition cancels and replaces the second edition published in 2014 and Amendment 1:2018. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) the scope has been updated;
- b) safety and earthing have been updated and extended;
- c) references have been updated;
- d) the use of bus-power and external-power has been clarified;
- e) polarity sensitivity for bus units including a bus power supply has been updated;

f) frame sizes of 32 bits are no longer reserved.

The text of this International Standard is based on the following documents:

Draft	Report on voting
34/947/FDIS	34/988/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at [www.iec.ch/members\\_experts/refdocs](http://www.iec.ch/members_experts/refdocs). The main document types developed by IEC are described in greater detail at [www.iec.ch/standardsdev/publications](http://www.iec.ch/standardsdev/publications).

This Part 101 of IEC 62386 is intended to be used in conjunction with:

- Part 102, which contains general requirements for the relevant product type (control gear), and with the appropriate Part 2xx (particular requirements for control gear);
- Part 103, which contains general requirements for the relevant product type (control devices), and the appropriate Part 3xx (particular requirements for control devices);
- Part 104, which contains general requirements for wireless and alternative wired system components;
- Part 105, which contains particular requirements for firmware transfer for control gear and control devices.

A list of all parts in the IEC 62386 series, published under the general title *Digital addressable lighting interface*, can be found on the IEC website

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under [webstore.iec.ch](http://webstore.iec.ch) in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

**IMPORTANT – The "colour inside" logo on the cover page of this document indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.**

## INTRODUCTION


IEC 62386 contains several parts, referred to as series. The IEC 62386 series specifies a bus system for control by digital signals of electronic lighting equipment. The IEC 62386-1xx series includes the basic specifications. Part 101 contains general requirements for system components, Part 102 extends this information with general requirements for control gear and Part 103 extends it further with general requirements for control devices. Parts 104 and 105 can be applied to control gear or control devices. Part 104 gives requirements for wireless and alternative wired system components. Part 105 describes firmware transfer. Part 150 gives requirements for an auxiliary power supply which can be stand-alone, or built into control gear or control devices.

The IEC 62386-2xx series extends the general requirements for control gear with lamp specific extensions (mainly for backward compatibility with Edition 1 of IEC 62386) and with control gear specific features.

The IEC 62386-3xx series extends the general requirements for control devices with input device specific extensions describing the instance types as well as some common features that can be combined with multiple instance types.

This third edition of IEC 62386-101 is intended to be used in conjunction with IEC 62386-102 and with the various parts that make up the IEC 62386-2xx series for control gear, together with IEC 62386-103 and the various parts that make up the IEC 62386-3xx series of particular requirements for control devices. The division into separately published parts provides for ease of future amendments and revisions. Additional requirements will be added as and when a need for them is recognized.

The setup of the standards is graphically represented in Figure 1 below.



**Figure 1 – IEC 62386 graphical overview**

When this part of IEC 62386 refers to any of the clauses of the other parts of the IEC 62386-1xx series, the extent to which such a clause is applicable is specified. The other parts also include additional requirements, as necessary.

All numbers used in this document are decimal numbers unless otherwise noted. Hexadecimal numbers are given in the format 0xVV, where VV is the value. Binary numbers are given in the format XXXXXXXXb or in the format XXXX XXXX, where X is 0 or 1, "x" in binary numbers means "don't care".

## DIGITAL ADDRESSABLE LIGHTING INTERFACE –

### Part 101: General requirements – System components

#### 1 Scope

This part of IEC 62386 is applicable to system components in a bus system for control by digital signals of electronic lighting equipment.

The control methods, algorithms and data exchange methods of application controllers used for lighting control are not within the scope of the IEC 62386 series. EMC requirements are not within the scope of the IEC 62386 series.

#### 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 61347-1:2015, *Lamp controlgear – Part 1: General and safety requirements*  
IEC 61347-1:2015/AMD1:2017

IEC 62386-102:2022, *Digital addressable lighting interface – Part 102: General requirements – Control gear*

IEC 62386-103:2022, *Digital addressable lighting interface – Part 103: General requirements – Control devices*

IEC 62386-104, *Digital addressable lighting interface – Part 104: General requirements – Wireless and alternative wired system components*

IEC 62386-105, *Digital addressable lighting interface – Part 105: Particular requirements for control gear and control devices – Firmware Transfer*

IEC 62386-2xx (all parts), *Digital addressable lighting interface – Part 2xx: Particular requirements for control gear*

IEC 62386-3xx (all parts), *Digital addressable lighting interface – Part 3xx: Particular requirements for control devices*

IEC 61000-4-11, *Electromagnetic compatibility (EMC) – Part 4-11: Testing and measurement techniques – Voltage dips, short interruptions and voltage variations immunity tests for equipment with input current up to 16 A per phase*

IEC 60664-1, *Insulation coordination for equipment within low-voltage supply systems – Part 1: Principles, requirements and tests*

IEC 60990:2016, *Methods of measurement of touch current and protective conductor current*

IEC 61643-11, *Low-voltage surge protective devices – Part 11: Surge protective devices connected to low-voltage power systems – Requirements and test methods*

### 3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

#### 3.1

##### **active state**

phase of low level voltage during a transmission

Note 1 to entry: Noise and short pulses may be ignored and therefore do not change the state.

#### 3.2

##### **advanced bus power supply**

bus power supply capable of checking the bus for fault conditions before switching on its output continuously

Note 1 to entry: Examples of fault conditions are mains voltage connected to the bus or short circuit of the bus.

#### 3.3

##### **application controller**

control device that is connected to the bus and sends commands in order to control input devices and/or control gear connected to the same bus

#### 3.4

##### **backward frame**

frame used for backward transmission

#### 3.5

##### **backward transmission**

transmission of data as a reply to and triggered by a forward transmission

#### 3.6

##### **bus**

two-wire connection line carrying power and frames

#### 3.7

##### **bus powered**

drawing the power for operation from the bus

#### 3.8

##### **bus power down**

bus power interruption longer than 45 ms

#### 3.9

##### **bus power interruption**

abnormal condition where the bus voltage is in the receiver low level voltage range, but not because of a transmitter being active