# INTERNATIONAL STANDARD

ISO 18314-5

First edition 2022-11

# Analytical colorimetry —

Part 5:

Procedure for colorimetric determination of colour differences of object colours according to equidistant colour spaces

Analyse colorimétrique —

Partie 5: Mode opératoire pour la détermination colorimétrique des différences de couleur des couleurs d'objets selon des espaces colorimétriques équidistants





© ISO 2022

tation, no part of 'including plot' 'om either'. All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Email: copyright@iso.org Website: www.iso.org

Published in Switzerland

Contents		Page
Foreword		iv
Introduction		v
1 Scope		1
2 Normative reference	2S	1
3 Terms and definition	18	1
4 Procedure		1
5 Test report		2
Annex A (informative) OSA-	JCS colour space modified by Oleari et al	3
	90 colour space	
	6-UCS colour space	
	2	
© ISO 2022 – All rights reserved	SO DO CHOM SO DO COLO	iii

#### **Foreword**

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see <a href="www.iso.org/directives">www.iso.org/directives</a>).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see <a href="https://www.iso.org/patents">www.iso.org/patents</a>).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see <a href="https://www.iso.org/iso/foreword.html">www.iso.org/iso/foreword.html</a>.

This document was prepared by Technical Committee ISO/TC 256, *Pigments, dyestuffs and extenders*.

A list of all parts in the ISO 18314 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at <a href="https://www.iso.org/members.html">www.iso.org/members.html</a>.

#### Introduction

The scope of ISO/TC 256 is standardization in the field of colorants, i.e. pigments, dyestuffs and extenders. Standards on test metrics in this field is a very effective basis for the introduction and improvement of quality management systems. The consequent use of standardized test metrics within a company can cut down testing costs to a fraction of the original costs. Carefully written test metrics improve the precision of the test results. Standards for pigments, dyestuffs and extenders used as raw materials support the trade of these materials.

Several formulas had been developed in the past for the assessment of colour differences. For presenting colours in a colour space, the CIELAB (CIE 1976  $L^*a^*b^*$ ) colour space (adopted by ISO and published as ISO/CIE 11664-4)<sup>[1]</sup> and colour coordinates are the most prominent. For predicting colour differences, the International Commission on Illumination (CIE) has standardized CIEDE2000 (adopted by ISO and published as ISO/CIE 11664-6)<sup>[2]</sup>. The CIEDE2000 formula is intended to be applicable within the sample colour-difference magnitude of 0 to 5 CIELAB units. However, it does not have a new associated analytical colour space, but is still based on CIELAB.

For the steering and adjustment of colorant production or extender production in colorants industry, a uniform colour space (UCS) is an essential tool in addition to a colour difference formula. This requires adjusting colorant formulations in a colour space. Both corrective actions in production and the delivery specifications with customers are based on tolerance ellipsoids in the colour space applied. In CIE 217, different colour difference formulas and colour space models have been analysed using actual and reliable visual data sets. Several models gave similar performance, so no specific uniform colour space model or Euclidian colour-difference formula can be proposed performing statistically significantly better than CIEDE2000. However, three colour spaces stood out: OSA-UCS, DIN990 and CAM02-UCS, doc erties o. in chronological order of their publications. In this document, the actual editions of these models are standardized for the assessment of coloristic properties of pigments, dyestuff and extenders.

This document is a previous general ded by tills

## Analytical colorimetry —

### Part 5:

# Procedure for colorimetric determination of colour differences of object colours according to equidistant colour spaces

#### 1 Scope

This document specifies the procedure and test report for determining small colour differences of object colours according to equidistant colour spaces. Three suggestions for metrics for the quantitative determination of small colour differences ( $\Delta E < 5$ ) of non-luminous colours are given in Annexes A, B and C. These examples are related to the three colour space models: OSA-UCS modified by Oleari et al., DIN990 and CAM16-UCS (uniform colour space).

This document is applicable for the assessment of pigments, dyestuff and extenders in the field of coatings, plastic and prints only that are evaluated in pairs for colour conformity, and which have small perceptible colour differences.

#### 2 Normative references

There are no normative references in this document.

#### 3 Terms and definitions

No terms and definitions are listed in this document.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <a href="https://www.iso.org/obp">https://www.iso.org/obp</a>
- IEC Electropedia: available at <a href="https://www.electropedia.org/">https://www.electropedia.org/</a>

#### 4 Procedure

For determining small colour differences ( $\Delta E < 5$ ) of object colours according to equidistant colour spaces, one of the three procedures from Annexes A, B and C should be used. Three suggestions for metrics for the quantitative determination of small colour differences of non-luminous colours are given in detail in Annexes A, B and C for information. These examples are related to the three colour space models OSA-UCS modified by Oleari et al., DIN990¹) and CAM16-UCS. Further information on these models can be found in References [11] to [31].

The used calculation metric for the colour difference shall be stated in the test report.

When the formulae described in Annexes A, B and C are used for large colour differences (greater than approximately 10 CIELAB units), larger deviations between calculated colour differences and visual evaluations are to be expected. This is due to a nonlinear relationship between small and large colour differences. If it is intended to use the formulae in this range, it should be explicitly agreed between the interested parties.

1

<sup>1)</sup> DIN990 was denoted DIN99b<sup>[19]</sup> but has later been referred to as DIN990 <sup>[18]</sup> <sup>[21]</sup>.