

INTERNATIONAL STANDARD

NORME INTERNATIONALE

**Thyristor valves for high voltage direct current (HVDC) power transmission –
Part 3: Essential ratings (limiting values) and characteristics**

**Valves à thyristors pour le transport d'énergie en courant continu à haute
tension (CCHT) –
Partie 3: Valeurs assignées (valeurs limites) et caractéristiques essentielles**





THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2022 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Secretariat
3, rue de Varembé
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 300 terminological entries in English and French, with equivalent terms in 19 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Recherche de publications IEC - webstore.iec.ch/advsearchform

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études, ...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Découvrez notre puissant moteur de recherche et consultez gratuitement tous les aperçus des publications. Avec un abonnement, vous aurez toujours accès à un contenu à jour adapté à vos besoins.

Electropedia - www.electropedia.org

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 300 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 19 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.



IEC 60700-3

Edition 1.0 2022-11

INTERNATIONAL STANDARD

NORME INTERNATIONALE

**Thyristor valves for high voltage direct current (HVDC) power transmission –
Part 3: Essential ratings (limiting values) and characteristics**

**Valves à thyristors pour le transport d'énergie en courant continu à haute
tension (CCHT) –
Partie 3: Valeurs assignées (valeurs limites) et caractéristiques essentielles**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 29.200

ISBN 978-2-8322-6121-7

Warning! Make sure that you obtained this publication from an authorized distributor.

Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.

CONTENTS

| | |
|--|----|
| FOREWORD | 5 |
| 1 Scope | 7 |
| 2 Normative references | 7 |
| 3 Terms, definitions, symbols and abbreviated terms | 7 |
| 3.1 Terms and definitions | 7 |
| 3.2 Symbols and abbreviated terms | 8 |
| 3.2.1 General | 8 |
| 3.2.2 Subscripts | 8 |
| 3.2.3 Letter symbols | 8 |
| 3.2.4 Abbreviated terms | 9 |
| 4 Service conditions | 9 |
| 4.1 General | 9 |
| 4.2 Environmental conditions | 9 |
| 4.2.1 Site altitude | 9 |
| 4.2.2 Air temperature and humidity range in valve halls | 9 |
| 4.2.3 Cleanliness in valve halls | 10 |
| 4.2.4 Seismic conditions | 10 |
| 4.3 System conditions | 10 |
| 4.3.1 General information of the system | 10 |
| 4.3.2 AC system voltage | 10 |
| 4.3.3 AC system frequency | 10 |
| 4.3.4 DC system voltage | 10 |
| 4.3.5 DC system current and overload requirements | 11 |
| 4.3.6 Short circuit current requirements for thyristor valves | 11 |
| 4.3.7 Insulation coordination design related to thyristor valves | 11 |
| 4.4 Technical parameters for six-pulse bridge design | 11 |
| 4.4.1 General | 11 |
| 4.4.2 Voltage parameters | 11 |
| 4.4.3 Current parameters | 12 |
| 4.4.4 Valve arrester parameters | 13 |
| 4.4.5 Other system parameters | 13 |
| 4.5 Other conditions | 14 |
| 5 Ratings | 14 |
| 5.1 Voltage and current ratings (limiting values) | 14 |
| 5.1.1 Rated AC voltage across valve (U_{v0N}) | 14 |
| 5.1.2 Maximum steady state AC voltage across valve (U_{v0max}) | 14 |
| 5.1.3 Maximum temporary state AC voltage across valve (U_{v0maxT}) | 14 |
| 5.1.4 Minimum steady state AC voltage across valve (U_{v0min}) | 15 |
| 5.1.5 Minimum temporary state AC voltage across valve (U_{v0minT}) | 15 |
| 5.1.6 Valve repetitive peak off-state voltage (U_{vDRM}) | 15 |
| 5.1.7 Valve non-repetitive peak off-state voltage (U_{vDSM}) | 15 |
| 5.1.8 Valve repetitive peak reverse voltage (U_{vRRM}) | 15 |
| 5.1.9 Valve non-repetitive peak reverse voltage (U_{vRSM}) | 15 |
| 5.1.10 Valve switching impulse withstand voltage ($SIWV_v$) | 15 |

| | | |
|--------|---|----|
| 5.1.11 | Valve lightning impulse withstand voltage ($LIWV_V$) | 16 |
| 5.1.12 | Valve steep front impulse withstand voltage ($STIWV_V$)..... | 16 |
| 5.1.13 | Valve switching impulse protective firing voltage ($SIPLPF$) | 16 |
| 5.1.14 | Valve RMS current ($I_V(RMS)$) | 16 |
| 5.1.15 | Valve average current ($I_V(av)$) | 16 |
| 5.1.16 | Valve one-loop fault current with re-applied forward voltage ($I_{SC\alpha}$) | 16 |
| 5.1.17 | Valve multiple-loop fault current without re-applied forward voltage ($I_{SC\beta}$)..... | 17 |
| 5.2 | Delay and extinction angle ratings (limiting values) | 17 |
| 5.2.1 | Rated firing delay angle (α_N) | 17 |
| 5.2.2 | Minimum allowable firing delay angle (α_{min})..... | 17 |
| 5.2.3 | Maximum allowable firing delay angle (α_{max}) | 17 |
| 5.2.4 | Minimum temporary state firing delay angle (α_{minT}) | 17 |
| 5.2.5 | Rated extinction angle (γ_N)..... | 17 |
| 5.2.6 | Minimum allowable extinction angle (γ_{min})..... | 17 |
| 5.2.7 | Maximum allowable extinction angle (γ_{max})..... | 17 |
| 5.2.8 | Minimum temporary state extinction angle (γ_{minT})..... | 17 |
| 5.3 | Insulation and test voltage levels (limiting values)..... | 18 |
| 5.3.1 | Maximum DC voltage between valve terminals ($U_{d(v)max}$) | 18 |
| 5.3.2 | Maximum DC voltage across multiple valve unit ($U_{d(m)max}$) | 18 |
| 5.3.3 | Maximum DC voltage across valve support ($U_{d(vs)max}$)..... | 18 |
| 5.3.4 | Maximum AC voltage between valve terminals ($U_{ac(v)max}$) | 18 |
| 5.3.5 | Maximum AC voltage across multiple valve unit ($U_{ac(m)max}$)..... | 19 |
| 5.3.6 | Maximum AC voltage across valve support ($U_{ac(vs)max}$) | 19 |
| 5.3.7 | Maximum switching impulse voltage between valve terminals ($U_{s(v)max}$)..... | 19 |
| 5.3.8 | Maximum switching impulse voltage across multiple valve unit ($U_{s(m)max}$) | 19 |
| 5.3.9 | Maximum switching impulse voltage across valve support ($U_{s(vs)max}$) | 20 |
| 5.3.10 | Maximum lightning impulse voltage between valve terminals ($U_{l(v)max}$) | 20 |
| 5.3.11 | Maximum lightning impulse voltage across multiple valve unit ($U_{l(m)max}$) | 20 |
| 5.3.12 | Maximum lightning impulse voltage across valve support ($U_{l(vs)max}$)..... | 20 |
| 5.3.13 | Maximum steep front impulse voltage between valve terminals ($U_{st(v)max}$) | 20 |
| 5.3.14 | Maximum steep front impulse voltage across multiple valve unit ($U_{st(m)max}$) | 21 |
| 5.3.15 | Maximum steep front impulse voltage across valve support ($U_{st(vs)max}$)..... | 21 |
| 6 | Characteristics | 21 |
| 6.1 | General..... | 21 |
| 6.2 | Losses characteristics..... | 21 |
| 6.2.1 | General | 21 |
| 6.2.2 | Maximum load loss per valve at rated condition (P_{vmax}) | 21 |

| | | |
|---|--|----|
| 6.2.3 | Maximum no-load loss per valve ($P_{V0\max}$) | 22 |
| 6.2.4 | Maximum heat emission to valve hall ($P_{E\max}$) | 22 |
| 6.3 | Protection characteristics | 22 |
| 6.3.1 | Valve lightning impulse protective firing voltage ($LIPL_{PF}$) | 22 |
| 6.3.2 | Valve steep front impulse protective firing voltage ($STIPL_{PF}$) | 22 |
| 6.3.3 | Thyristor protective firing level (V_{PF}) | 22 |
| 6.3.4 | Thyristor forward recovery protection level (V_{RP}) | 22 |
| 6.3.5 | Thyristor forward du/dt protection level (du/dt_{PF}) | 22 |
| 6.3.6 | Valve protective firing trip level (N_{tripPF}) | 23 |
| 6.3.7 | Valve loss of redundancy trip level (N_{trip}) | 23 |
| 6.4 | Temperature characteristics | 23 |
| 6.4.1 | Maximum cooling medium temperature at valve inlet ($T_{(in)\max}$) | 23 |
| 6.4.2 | Maximum cooling medium temperature at valve outlet ($T_{(out)\max}$) | 23 |
| 6.4.3 | Thyristor junction temperature at rated condition (T_{jN}) | 23 |
| 6.4.4 | Maximum thyristor junction temperature ($T_{j\max}$) | 23 |
| 6.4.5 | Storage temperature (T_{stg}) | 23 |
| 6.5 | Reliability characteristics | 23 |
| 6.5.1 | General | 23 |
| 6.5.2 | Expected annual failure rate of thyristor level (λ_E) | 24 |
| 6.6 | Other characteristics | 24 |
| 6.6.1 | Valve on-state voltage ($U_{V(on)}$) | 24 |
| 6.6.2 | Maximum steady state operating time at $\alpha = 90^\circ$ ($t_{90\max}$) | 24 |
| 6.6.3 | Maximum temporary state operating time at $\alpha = 90^\circ$ ($t_{90\max T}$) | 24 |
| 6.6.4 | Maximum steady state commutation overshoot factor (k_C) | 24 |
| 6.6.5 | Maximum temporary state commutation overshoot factor (k_{CT}) | 24 |
| Annex A (informative) | Input parameters for thyristor valve design | 29 |
| Annex B (informative) | Technical data sheet of thyristor valves | 31 |
| Bibliography | | 34 |
| Figure 1 – Typical arrester arrangement for converter units with two 12-pulse bridges in series | 25 | |
| Figure 2 – Operating voltage of valve and valve arrester in rectified mode | 26 | |
| Figure 3 – Thyristor valve voltage waveforms in different operation modes | 26 | |
| Figure 4 – One loop valve short circuit current and voltage waveforms | 27 | |
| Figure 5 – Multiple loop valve short circuit current and voltage waveforms | 27 | |
| Figure 6 – Continuous operating voltages at various locations for a 12-pulse bridge in rectifier mode | 28 | |
| Table A.1 – Main input parameters required for thyristor valve design | 29 | |
| Table B.1 – Technical data sheet of thyristor valves | 31 | |

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**THYRISTOR VALVES FOR HIGH VOLTAGE DIRECT CURRENT (HVDC)
POWER TRANSMISSION –****Part 3: Essential ratings (limiting values) and characteristics****FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 60700-3 has been prepared by subcommittee 22F: Power electronics for electrical transmission and distribution systems, of IEC technical committee 22: Power electronic systems and equipment. It is an International Standard.

The text of this International Standard is based on the following documents:

| Draft | Report on voting |
|-------------|------------------|
| 22F/667/CDV | 22F/686/RVC |

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

A list of all parts in the IEC 60700 series, published under the general title *Thyristor valves for high voltage direct current (HVDC) power transmission*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

THYRISTOR VALVES FOR HIGH VOLTAGE DIRECT CURRENT (HVDC) POWER TRANSMISSION –

Part 3: Essential ratings (limiting values) and characteristics

1 Scope

This part of IEC 60700 specifies the service conditions, the definitions of essential ratings and characteristics of thyristor valves utilized in line commutated converters with three-phase bridge connections to realize the conversion from AC to DC and vice versa for high voltage direct current (HVDC) power transmission applications. It is applicable for air insulated, liquid cooled and indoor thyristor valves.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60060-1, *High-voltage test techniques – Part 1: General definitions and test requirements*

IEC 60071-1, *Insulation co-ordination – Part 1: Definitions, principles and rules*

IEC 60700-1:2015, *Thyristor valves for high voltage direct current (HVDC) power transmission – Part 1: Electrical testing*

IEC 60700-1:2015/AMD1:2021¹

IEC 60700-2:2016, *Thyristor valves for high voltage direct current (HVDC) power transmission – Part 2: Terminology*

IEC 61803:2020, *Determination of power losses in high-voltage direct current (HVDC) converter stations with line-commutated converters*

3 Terms, definitions, symbols and abbreviated terms

3.1 Terms and definitions

No terms and definitions are listed in this document.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- IEC Electropedia: available at <https://www.electropedia.org/>
- ISO Online browsing platform: available at <https://www.iso.org/obp>

¹ There exists a consolidated edition 1.1 (2021) that comprises IEC 60700-1:2015 and its Amendment 1:2021.