Rubber- or plastic-coated fabrics - Upholstery fabrics - Classification and methods of test



EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

See Eesti standard EVS-EN 15618:2022 sisaldab Euroopa standardi EN 15618:2022 ingliskeelset teksti.

This Estonian standard EVS-EN 15618:2022 consists of the English text of the European standard EN 15618:2022.

Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas.

This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation and Accreditation.

Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 21.12.2022.

Date of Availability of the European standard is 21.12.2022.

Standard on kättesaadav Eesti Standardimis-ja Akrediteerimiskeskusest.

The standard is available from the Estonian Centre for Standardisation and Accreditation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile <u>standardiosakond@evs.ee</u>.

ICS 59.080.40, 97.140

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardimis- ja Akrediteerimiskeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardimis-ja Akrediteerimiskeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardimis-ja Akrediteerimiskeskusega: Koduleht www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation and Accreditation No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation and Accreditation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation and Accreditation:

Homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

EUROPEAN STANDARD NORME EUROPÉENNE

EN 15618

EUROPÄISCHE NORM

December 2022

ICS 59.080.40; 97.140

Supersedes EN 15618:2009+A1:2012

English Version

Rubber- or plastic-coated fabrics - Upholstery fabrics - Classification and methods of test

Supports textiles revêtus de caoutchouc ou de plastique - Étoffes d'ameublement - Classification et méthodes d'essai Mit Kautschuk oder Kunststoff beschichtete Textilien -Möbelstoffe - Klassifizierung und Prüfverfahren

This European Standard was approved by CEN on 21 November 2022.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents		Page
Fure	opean foreword	2
IntroductionIntroduction		
111u ·	1 Scope	
2	2 Normative references	
3	3 Terms and definitions	
4 -	4 Requirements	0
D:1-1	5 Test reportliography	10
	S D D COLLON OCO TO COLLON OCOLLON OCO TO COLLON OCO TO COLLON OCO TO COLLON OCO TO COLLON OCOLLON OCO TO COLLON OCO TO COLLON OCO TO COLLON OCO TO COLLON OCOLLON OCO TO COLLON OCO TO COLLON OCO TO COLLON OCO TO COLLON OCOLLON OCO TO COLLON OCO TO COLLON OCO TO COLLON OCO TO COLLON OCOLLON OCO TO COLLON OCO TO COLLON OCO TO COLLON OCO TO COLLON OCOLLON OCO TO COLLON OCO TO COLLON OCO TO COLLON OCO TO COLLON OCOLLON OCO TO COLLON OCO TO COLLON OCO TO COLLON OCO TO COLLON OCOLLON OCO TO COLLON OCO TO COLLON OCO TO COLLON OCO TO COLLON OCOLLON OCO TO COLLON OCO TO COLLON OCO TO COLLON OCO TO COLLON OCOLLON OCO TO COLLON OCO TO COLLON OCO TO COLLON OCO TO COLLON OCOLLON OCO TO COLLON OCO TO COLLON OCO TO COLLON OCO TO COLLON OCOLLON OCO TO COLLON OCO TO COLLON OCO TO COLLON OCO TO COLLON OCOLLON OCO TO COLLON OCO TO COLLON OCO TO COLLON OCOLLO OCO TO COLLON OCOLLO OCOLLO OCOLLO OCOLLO OCOLLO OCOLLO OCOLLO OCOLLO OCOL	

European foreword

This document (EN 15618:2022) has been prepared by Technical Committee CEN/TC 248 "Textiles and textile products", the secretariat of which is held by BSI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by June 2023, and conflicting national standards shall be withdrawn at the latest by June 2023.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 15618:2009+A1:2012.

The main changes compared to the previous edition are as follows:

- in the Introduction, the term "categories" has been changed to "requirement levels";
- in Clause 2, the reference to ISO 5981 and prEN ISO 26081 have been deleted. Some references have been replaced (ISO 3303 by EN ISO 3303-2, EN ISO 5402 by EN ISO 32100 and EN ISO 26082 by EN ISO 26082-1). New references have been added (EN ISO 105-C06, EN ISO 105-E16, EN ISO 5077 and ISO 105-F09);
- in Clause 4, the former Table 1 has been split into separate Tables including a change to a new requirement level format to avoid misunderstanding of product categories. Supplementary properties have been added (colour fastness to water spotting, to domestic and commercial laundering, determination of dimensional change in washing and drying) with their related normative references. The requirements of resistance to soil detailed according to EN ISO 26082-1 are mandatory (the former Table 2 of optional properties has been deleted).

Any feedback and questions on this document should be directed to the users' national standards body. A complete listing of these bodies can be found on the CEN website.

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.

Introduction

This document introduces a system of performance levels. It is not possible to divide upholstery fabrics into just a few performance categories, because of the enormous variety of conditions of use. In addition, the type of upholstery (firm or soft) influences the abrasion of the upholstery fabric and hence the requirements to the abrasion resistance. There is, for example, a tremendous difference between furniture used in a room without windows and furniture which is directly exposed to sunlight, or between furniture used by elder people and furniture used by a family with small children. These differences in conditions and severity of use necessitate a flexible approach. This is done by defining a performance level for each property. This allows to choose the appropriate level for each parameter and so to compose a "product profile", adapted to each specific type of use. This means that high resistance to exa.
ns will abrasion can be combined with, for example, low colour fastness. However, due to the interrelation of some parameters, not all combinations will be possible.

1 Scope

This document specifies a set of properties relevant to the assessment of coated upholstery fabrics for indoor furniture and the appropriate test methods to determine these properties. It also describes a matrix system to express the material properties of an upholstery fabric.

This document is applicable to upholstery fabrics both in domestic and public use, except when used for the seats of road or railway vehicles, boats or aeroplanes.

This document applies to upholstery fabrics with a coating on the wear face.

This document does not apply to textile upholstery fabrics covered by EN 14465.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 1021-1, Furniture — Assessment of the ignitability of upholstered furniture — Part 1: Ignition source smouldering cigarette

EN 1021-2, Furniture — Assessment of the ignitability of upholstered furniture — Part 2: Ignition source match flame equivalent

EN 15973:2011, Rubber- or plastic-coated fabrics — Upholstery fabrics — Resistance to soiling

EN ISO 105-B02, Textiles — Tests for colour fastness — Part B02: Colour fastness to artificial light: Xenon arc fading lamp test (ISO 105-B02)

EN ISO 105-C06, Textiles — Tests for colour fastness — Part C06: Colour fastness to domestic and commercial laundering (ISO 105-C06:2010)

EN ISO 105-E16, Textiles — Tests for colour fastness — Part E16: Colour fastness to water spotting on upholstery fabrics (ISO 105-E16:2006)

EN ISO 105-X12, Textiles — Tests for colour fastness — Part X12: Colour fastness to rubbing (ISO 105-X12)

EN ISO 1421, Rubber- or plastics-coated fabrics — Determination of tensile strength and elongation at break (ISO 1421)

EN ISO 2411, Rubber- or plastics-coated fabrics — Determination of coating adhesion (ISO 2411)

EN ISO 3303-2, Rubber- or plastics-coated fabrics — Determination of bursting strength — Part 2: Hydraulic method (ISO 3303-2)

EN ISO 4674-1, Rubber- or plastics-coated fabrics — Determination of tear resistance — Part 1: Constant rate of tear methods (ISO 4674-1)

EN ISO 5077, Textiles — Determination of dimensional change in washing and drying (ISO 5077)

EN ISO 5470-2, Rubber- or plastics-coated fabrics — Determination of abrasion resistance — Part 2: Martindale abrader (ISO 5470-2)

EN ISO 26082-1, Leather — Physical and mechanical test methods for the determination of soiling - Part 1: Rubbing (Martindale) method (ISO 26082-1)

EN ISO 32100, Rubber- or plastics-coated fabrics — Physical and mechanical tests — Determination of flex resistance by the flexometer method (ISO 32100)

ISO 105-F09, Textiles — Tests for colour fastness — Part F09: Specification for cotton rubbing cloth

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at https://www.iso.org/obp
- IEC Electropedia: available at https://www.electropedia.org/

3.1

coated fabric

fabric with an adherent, discrete continuous layer of rubber and/or plastic based material on one or both surfaces

[SOURCE: EN 13360:2002, 3.1.3]

3.2

stain

result of the type of soiling by particles or liquids

3.3

cleanability

property of the coated fabric to be restored to its original appearance after cleaning

4 Requirements

This document proposes different levels of performance for each characteristic. This allows to choose the appropriate level for each characteristic and so to compose a "product profile", adapted to each specific type of use. The levels indicated by shaded boxes in Table 8 are not applicable, e.g. a colour fastness to light less than 4 is considered insufficient.

To ensure safe and durable performance, each characteristic of the coated fabric for upholstery shall comply with the value and class declared by the coated fabric producer in accordance with the requirements of Tables 1 to 10.

NOTE Detachable covers, as mentioned in EN 14465, can be made of coated fabrics, but no specification has been requested.