

Digital addressable lighting interface - Part 101:
General requirements - System components

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

See Eesti standard EVS-EN IEC 62386-101:2022 sisaldab Euroopa standardi EN IEC 62386-101:2022 ingliskeelset teksti.	This Estonian standard EVS-EN IEC 62386-101:2022 consists of the English text of the European standard EN IEC 62386-101:2022.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas.	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation and Accreditation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 23.12.2022.	Date of Availability of the European standard is 23.12.2022.
Standard on kättesaadav Eesti Standardimis-ja Akrediteerimiskeskusest.	The standard is available from the Estonian Centre for Standardisation and Accreditation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 29.140.50, 29.140.99

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardimis- ja Akrediteerimiskeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardimis-ja Akrediteerimiskeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardimis-ja Akrediteerimiskeskusega: Koduleht www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation and Accreditation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation and Accreditation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation and Accreditation:

Homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

English Version

Digital addressable lighting interface - Part 101: General
requirements - System components
(IEC 62386-101:2022)

Interface d'éclairage adressable numérique - Partie 101:
Exigences générales - Composants de système
(IEC 62386-101:2022)

Digital adressierbare Schnittstelle für die Beleuchtung - Teil
101: Allgemeine Anforderungen - Systemkomponenten
(IEC 62386-101:2022)

This European Standard was approved by CENELEC on 2022-12-21. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

European foreword

The text of document 34/947/FDIS, future edition 3 of IEC 62386-101, prepared by IEC/TC 34 "Lighting" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 62386-101:2022.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2023-09-21
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2025-12-21

This document supersedes EN 62386-101:2014 and all of its amendments and corrigenda (if any).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

Any feedback and questions on this document should be directed to the users' national committee. A complete listing of these bodies can be found on the CENELEC website.

Endorsement notice

The text of the International Standard IEC 62386-101:2022 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standard indicated:

CISPR 15 NOTE Harmonized as EN IEC 55015

IEC 60598-1:2020 NOTE Harmonized as EN IEC 60598-1:2021 (not modified) +A11:2022

IEC 61347 (series) NOTE Harmonized as EN 61347 (series)

IEC 61547 NOTE Harmonized as EN 61547

IEC 63044 (series) NOTE Harmonized as EN IEC 63044 (series)

INTERNATIONAL STANDARD

NORME INTERNATIONALE



**Digital addressable lighting interface –
Part 101: General requirements – System components**

**Interface d'éclairage adressable numérique –
Partie 101: Exigences générales – Composants de système**



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2022 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Secretariat
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 300 terminological entries in English and French, with equivalent terms in 19 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Recherche de publications IEC -

webstore.iec.ch/advsearchform

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études, ...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Découvrez notre puissant moteur de recherche et consultez gratuitement tous les aperçus des publications. Avec un abonnement, vous aurez toujours accès à un contenu à jour adapté à vos besoins.

Electropedia - www.electropedia.org

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 300 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 19 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

INTERNATIONAL STANDARD

NORME INTERNATIONALE



**Digital addressable lighting interface –
Part 101: General requirements – System components**

**Interface d'éclairage adressable numérique –
Partie 101: Exigences générales – Composants de système**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 29.140.50; 29.140.99

ISBN 978-2-8322-5964-1

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD	7
INTRODUCTION	9
1 Scope	10
2 Normative references	10
3 Terms and definitions	11
4 General	16
4.1 Purpose	16
4.2 Version number	16
4.3 System structure and architecture	16
4.4 System information flow	17
4.5 Command types	17
4.6 Bus units	18
4.6.1 Transmitters and receivers in bus units	18
4.6.2 Control gear	18
4.6.3 Input device	18
4.6.4 Single-master application controller	19
4.6.5 Multi-master application controller	19
4.6.6 Sharing an interface	19
4.6.7 Power for operation	20
4.7 Bus power supply and load calculations	21
4.7.1 Current demand coverage	21
4.7.2 Maximum signal current compliance	21
4.7.3 Simplified system calculation	21
4.8 Wiring	21
4.8.1 Wiring structure	21
4.8.2 Wiring specification	21
4.9 Electrical safety requirements	22
4.9.1 General	22
4.9.2 Insulation	22
4.9.3 Electric strength	22
4.9.4 Limitation of the touch current from the device to the bus	22
4.10 Earthing of the bus	23
4.11 Power interruptions at bus units	23
4.11.1 Different levels of power interruptions	23
4.11.2 Short power interruptions of external power supply	23
4.11.3 External power cycle	24
4.11.4 Short interruptions of bus power supply	24
4.11.5 Bus power down	24
4.11.6 System start-up timing	24
5 Electrical specification	26
5.1 General	26
5.2 Marking of the interface	26
5.3 Capacitors between the interface and earth	26
5.4 Signal voltage rating	26
5.5 Signal current rating	27
5.6 Marking of bus powered bus unit	27

5.7	Signal rise time and fall time	28
6	Bus power supply	29
6.1	General.....	29
6.2	Marking of the bus power supply terminals.....	29
6.3	Capacitors between the interface and earth	29
6.4	Voltage rating	29
6.5	Current rating.....	30
6.5.1	General current rating.....	30
6.5.2	Single bus power supply current rating	30
6.5.3	Integrated bus power supply current rating	30
6.5.4	Dynamic behaviour of the bus power supply	30
6.6	Bus power supply timing requirements	32
6.6.1	Short power supply interruptions.....	32
6.6.2	Short circuit behaviour.....	32
7	Transmission protocol structure	33
7.1	General.....	33
7.2	Bit encoding.....	33
7.2.1	Start bit and data bit encoding	33
7.2.2	Stop condition encoding	33
7.3	Frame description	33
7.4	Frame types.....	34
7.4.1	16-bit forward frame	34
7.4.2	24-bit forward frame	34
7.4.3	32-bit forward frame	34
7.4.4	Reserved forward frame	34
7.4.5	Backward frame.....	34
7.4.6	Proprietary forward frames	34
8	Timing	35
8.1	Single-master transmitter timing.....	35
8.1.1	Single-master transmitter bit timing.....	35
8.1.2	Single-master transmitter frame sequence timing	35
8.2	Receiver timing	36
8.2.1	Receiver bit timing	36
8.2.2	Receiver bit timing violation	37
8.2.3	Receiver frame size violation	38
8.2.4	Receiver frame sequence timing	38
8.2.5	Reception of backward frames.....	38
8.3	Multi-master transmitter timing	39
8.3.1	Multi-master transmitter bit timing.....	39
8.3.2	Multi-master transmitter frame sequence timing.....	39
9	Method of operation.....	40
9.1	Dealing with frames and commands	40
9.1.1	General	40
9.1.2	Frame received or rejected	41
9.1.3	Frame accepted or ignored	41
9.1.4	Command accepted or ignored	41
9.1.5	Command executed or discarded.....	41
9.2	Collision avoidance, collision detection and collision recovery	42

9.2.1	General	42
9.2.2	Collision avoidance	42
9.2.3	Collision detection	42
9.2.4	Collision recovery	44
9.3	Transactions	45
9.4	Send-twice forward frames and send-twice commands	45
9.5	Command iteration	46
9.6	Usage of a shared interface	46
9.6.1	General	46
9.6.2	Backward frames	47
9.6.3	Forward frames	47
9.7	Use of multiple bus power supplies	47
10	Declaration of variables	47
11	Definition of commands	47
Annex A (informative)	Background information for systems	48
A.1	Wiring information	48
A.2	System architectures	49
A.2.1	General	49
A.2.2	Single-master architecture	49
A.2.3	Multi-master architecture with one application controller	50
A.2.4	Multi-master architecture with more than one application controller	51
A.2.5	Multi-master architecture with integrated input device	52
A.2.6	Multi-master architecture with integrated input device and power supply	53
A.3	Collision detection	54
A.4	Timing definition explanations	55
A.4.1	General	55
A.4.2	Receiver timing	55
A.4.3	Transmitter timing	55
A.4.4	Grey areas	56
A.5	Maximum current consumption calculation explanation	56
A.5.1	Single bus power supply	56
A.5.2	Multiple bus power supplies	57
A.5.3	Redundant bus power supplies	58
A.6	Communication layer overview	59
A.6.1	General	59
A.6.2	Physical layer	60
A.6.3	Data link layer	60
A.6.4	Network layer	60
A.6.5	Transport layer	60
A.6.6	Session layer	60
A.6.7	Presentation layer	60
A.6.8	Application layer	60
A.7	Effects of combining version number 1 and version number 2.y devices	60
Annex B (informative)	Touch current	62
Bibliography	63
Figure 1 – IEC 62386 graphical overview	9
Figure 2 – System structure example	17

Figure 3 – Communication between bus units (example).....	17
Figure 4 – Example of a shared interface.....	20
Figure 5 – Start-up timing example	25
Figure 6 – Maximum signal rise and fall time measurements.....	28
Figure 7 – Minimum signal rise and fall time measurements.....	29
Figure 8 – Bus power supply current behaviour.....	31
Figure 9 – Bus power supply voltage behaviour	32
Figure 10 – Frame example	33
Figure 11 – Bi-phase encoded bits.....	33
Figure 12 – Bit timing example.....	35
Figure 13 – Settling time illustration	35
Figure 14 – Receiver timing decision example	37
Figure 15 – Dealing with frames and commands	41
Figure 16 – Collision detection timing decision example.....	44
Figure 17 – Collision recovery example.....	45
Figure A.1 – Single-master architecture example	50
Figure A.2 – Multi-master architecture example with one application controller	51
Figure A.3 – Multi-master architecture example with two application controllers.....	52
Figure A.4 – Multi-master architecture example with integrated input device	53
Figure A.5 – Multi-master architecture example with integrated input device and bus power supply	54
Figure A.6 – Collision detection timing diagram.....	55
Figure A.7 – Transmitter and receiver timing illustration.....	56
Figure A.8 – Bus power supply current values.....	57
Figure A.9 – Current demand coverage.....	57
Figure A.10 – Combination of four bus power supplies.....	58
Figure A.11 – Redundant bus power supplies	58
Figure B.1 – Touch current from a bus unit	62
Figure B.2 – Summation of touch currents from several bus units	62
Table 1 – System components	16
Table 2 – Transmitters and receivers in bus units	18
Table 3 – Power-interruption timing of external power.....	23
Table 4 – Power-interruption timing of bus power.....	23
Table 5 – Short power interruptions	24
Table 6 – Start-up timing.....	25
Table 7 – System voltage levels.....	26
Table 8 – Receiver voltage levels	27
Table 9 – Transmitter voltage levels	27
Table 10 – Current rating	27
Table 11 – Signal rise and fall times	28
Table 12 – Bus power supply output voltage	30
Table 13 – Bus power supply current rating	30

Table 14 – Bus power supply dynamic behaviour	31
Table 15 – Short circuit timing behaviour	32
Table 16 – Transmitter bit timing.....	35
Table 17 – Transmitter settling time values	36
Table 18 – Receiver timing starting at the beginning of a logical bit	37
Table 19 – Receiver timing starting at an edge inside of a logical bit	37
Table 20 – Receiver settling time values	38
Table 21 – Multi-master transmitter bit timing.....	39
Table 22 – Multi-master transmitter settling time values	40
Table 23 – Checking a logical bit, starting at an edge at the beginning of the bit.....	43
Table 24 – Checking a logical bit, starting at an edge inside the bit	43
Table 25 – Collision recovery timing	44
Table 26 – Transmitter command iteration timing	46
Table 27 – Receiver command iteration timing	46
Table A.1 – Maximum cable length	49
Table A.2 – OSI layer model of the IEC 62386 series.....	59
Table A.3 – Effects of combining version number 1 and version number 2.y devices.....	61

preview generated by EVS

INTERNATIONAL ELECTROTECHNICAL COMMISSION

DIGITAL ADDRESSABLE LIGHTING INTERFACE –**Part 101: General requirements –
System components****FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 62386-101 has been prepared by IEC technical committee 34: Lighting. It is an International Standard.

This third edition cancels and replaces the second edition published in 2014 and Amendment 1:2018. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) the scope has been updated;
- b) safety and earthing have been updated and extended;
- c) references have been updated;
- d) the use of bus-power and external-power has been clarified;
- e) polarity sensitivity for bus units including a bus power supply has been updated;

f) frame sizes of 32 bits are no longer reserved.

The text of this International Standard is based on the following documents:

Draft	Report on voting
34/947/FDIS	34/988/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/standardsdev/publications.

This Part 101 of IEC 62386 is intended to be used in conjunction with:

- Part 102, which contains general requirements for the relevant product type (control gear), and with the appropriate Part 2xx (particular requirements for control gear);
- Part 103, which contains general requirements for the relevant product type (control devices), and the appropriate Part 3xx (particular requirements for control devices);
- Part 104, which contains general requirements for wireless and alternative wired system components;
- Part 105, which contains particular requirements for firmware transfer for control gear and control devices.

A list of all parts in the IEC 62386 series, published under the general title *Digital addressable lighting interface*, can be found on the IEC website

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The "colour inside" logo on the cover page of this document indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

IEC 62386 contains several parts, referred to as series. The IEC 62386 series specifies a bus system for control by digital signals of electronic lighting equipment. The IEC 62386-1xx series includes the basic specifications. Part 101 contains general requirements for system components, Part 102 extends this information with general requirements for control gear and Part 103 extends it further with general requirements for control devices. Parts 104 and 105 can be applied to control gear or control devices. Part 104 gives requirements for wireless and alternative wired system components. Part 105 describes firmware transfer. Part 150 gives requirements for an auxiliary power supply which can be stand-alone, or built into control gear or control devices.

The IEC 62386-2xx series extends the general requirements for control gear with lamp specific extensions (mainly for backward compatibility with Edition 1 of IEC 62386) and with control gear specific features.

The IEC 62386-3xx series extends the general requirements for control devices with input device specific extensions describing the instance types as well as some common features that can be combined with multiple instance types.

This third edition of IEC 62386-101 is intended to be used in conjunction with IEC 62386-102 and with the various parts that make up the IEC 62386-2xx series for control gear, together with IEC 62386-103 and the various parts that make up the IEC 62386-3xx series of particular requirements for control devices. The division into separately published parts provides for ease of future amendments and revisions. Additional requirements will be added as and when a need for them is recognized.

The setup of the standards is graphically represented in Figure 1 below.




Figure 1 – IEC 62386 graphical overview

When this part of IEC 62386 refers to any of the clauses of the other parts of the IEC 62386-1xx series, the extent to which such a clause is applicable is specified. The other parts also include additional requirements, as necessary.

All numbers used in this document are decimal numbers unless otherwise noted. Hexadecimal numbers are given in the format 0xVV, where VV is the value. Binary numbers are given in the format XXXXXXXXb or in the format XXXX XXXX, where X is 0 or 1, "x" in binary numbers means "don't care".

DIGITAL ADDRESSABLE LIGHTING INTERFACE –

Part 101: General requirements – System components

1 Scope

This part of IEC 62386 is applicable to system components in a bus system for control by digital signals of electronic lighting equipment.

The control methods, algorithms and data exchange methods of application controllers used for lighting control are not within the scope of the IEC 62386 series. EMC requirements are not within the scope of the IEC 62386 series.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 61347-1:2015, *Lamp controlgear – Part 1: General and safety requirements*
IEC 61347-1:2015/AMD1:2017

IEC 62386-102:2022, *Digital addressable lighting interface – Part 102: General requirements – Control gear*

IEC 62386-103:2022, *Digital addressable lighting interface – Part 103: General requirements – Control devices*

IEC 62386-104, *Digital addressable lighting interface – Part 104: General requirements – Wireless and alternative wired system components*

IEC 62386-105, *Digital addressable lighting interface – Part 105: Particular requirements for control gear and control devices – Firmware Transfer*

IEC 62386-2xx (all parts), *Digital addressable lighting interface – Part 2xx: Particular requirements for control gear*

IEC 62386-3xx (all parts), *Digital addressable lighting interface – Part 3xx: Particular requirements for control devices*

IEC 61000-4-11, *Electromagnetic compatibility (EMC) – Part 4-11: Testing and measurement techniques – Voltage dips, short interruptions and voltage variations immunity tests for equipment with input current up to 16 A per phase*

IEC 60664-1, *Insulation coordination for equipment within low-voltage supply systems – Part 1: Principles, requirements and tests*

IEC 60990:2016, *Methods of measurement of touch current and protective conductor current*

IEC 61643-11, *Low-voltage surge protective devices – Part 11: Surge protective devices connected to low-voltage power systems – Requirements and test methods*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

3.1

active state

phase of low level voltage during a transmission

Note 1 to entry: Noise and short pulses may be ignored and therefore do not change the state.

3.2

advanced bus power supply

bus power supply capable of checking the bus for fault conditions before switching on its output continuously

Note 1 to entry: Examples of fault conditions are mains voltage connected to the bus or short circuit of the bus.

3.3

application controller

control device that is connected to the bus and sends commands in order to control input devices and/or control gear connected to the same bus

3.4

backward frame

frame used for backward transmission

3.5

backward transmission

transmission of data as a reply to and triggered by a forward transmission

3.6

bus

two-wire connection line carrying power and frames

3.7

bus powered

drawing the power for operation from the bus

3.8

bus power down

bus power interruption longer than 45 ms

3.9

bus power interruption

abnormal condition where the bus voltage is in the receiver low level voltage range, but not because of a transmitter being active