Packaging of components for automatic handling - Part 2: Tape packaging of components with unidirectional leads on continuous tapes



EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

See Eesti standard EVS-EN IEC 60286-2:2022 sisaldab Euroopa standardi EN IEC 60286-2:2022 ingliskeelset teksti.

This Estonian standard EVS-EN IEC 60286-2:2022 consists of the English text of the European standard EN IEC 60286-2:2022.

Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas.

This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation and Accreditation.

Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 23.12.2022.

Date of Availability of the European standard is 23.12.2022.

Standard on kättesaadav Eesti Standardimis-ja Akrediteerimiskeskusest.

The standard is available from the Estonian Centre for Standardisation and Accreditation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 31.020, 31.240

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardimis- ja Akrediteerimiskeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardimis-ja Akrediteerimiskeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardimis-ja Akrediteerimiskeskusega: Koduleht www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation and Accreditation No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation and Accreditation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation and Accreditation:

Homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

EN IEC 60286-2

December 2022

ICS 31.020; 31.240

Supersedes EN 60286-2:2015

English Version

Packaging of components for automatic handling - Part 2: Tape packaging of components with unidirectional leads on continuous tapes (IEC 60286-2:2022)

Emballage de composants pour opérations automatisées -Partie 2: Emballage des composants à sorties unilatérales en bandes continues (IEC 60286-2:2022) Gurtung und Magazinierung von Bauelementen für automatische Verarbeitung - Teil 2: Gurtung von Bauelementen mit einseitig herausgeführten Anschlussdrähten (IEC 60286-2:2022)

This European Standard was approved by CENELEC on 2022-12-20. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.



European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

European foreword

The text of document 40/2974/FDIS, future edition 5 of IEC 60286-2, prepared by IEC/TC 40 "Capacitors and resistors for electronic equipment" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 60286-2:2022.

The following dates are fixed:

- latest date by which the document has to be implemented at national 2023-09-20 level by publication of an identical national standard or by endorsement
- latest date by which the national standards conflicting with the (dow) 2025-12-20 document have to be withdrawn

This document supersedes EN 60286-2:2015 and all of its amendments and corrigenda (if any).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

Any feedback and questions on this document should be directed to the users' national committee. A complete listing of these bodies can be found on the CENELEC website.

Endorsement notice

The text of the International Standard IEC 60286-2:2022 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standard indicated:

IEC 60301 NOTE Harmonized as EN 60301

IEC 60717 NOTE Harmonized as EN 60717

ISO 11468 NOTE Harmonized as EN ISO 11468



Edition 5.0 2022-11

INTERNATIONAL STANDARD

NORME INTERNATIONALE

Packaging of components for automatic handling –
Part 2: Tape packaging of components with unidirectional leads on continuous tapes

Emballage de composants pour opérations automatisées – Partie 2: Emballage des composants à sorties unilatérales en bandes continues





THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2022 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Secretariat 3, rue de Varembé CH-1211 Geneva 20

Switzerland

Tel.: +41 22 919 02 11

info@iec.ch www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 300 terminological entries in English and French, with equivalent terms in 19 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Recherche de publications IEC - webstore.iec.ch/advsearchform

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études, ...). Elle donne aussi des informations sur les proiets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Découvrez notre puissant moteur de recherche et consultez gratuitement tous les aperçus des publications. Avec un abonnement, vous aurez toujours accès à un contenu à jour adapté à vos besoins.

Electropedia - www.electropedia.org

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 300 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 19 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.



Edition 5.0 2022-11

INTERNATIONAL STANDARD

NORME INTERNATIONALE

Packaging of components for automatic handling –
Part 2: Tape packaging of components with unidirectional leads on continuous tapes

Emballage de composants pour opérations automatisées – Partie 2: Emballage des composants à sorties unilatérales en bandes continues

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION ELECTROTECHNIQUE INTERNATIONALE

ICS 31.020; 31.240 ISBN 978-2-8322-6029-6

Warning! Make sure that you obtained this publication from an authorized distributor.

Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.

CONTENTS

Ε(DKEWO	RD	4
1	Scope		
2	Norm	ative references	6
3	Term	s and definitions	6
4	Dime	nsions and specific requirements	7
	4.1	General	
	4.2	Coordinate system	
	4.3	Lead taping dimensions	
	4.4	Specific requirements to components and sprocket hole pitches $(P, P_0, P_1, P_0, P_1, P_0, P_0, P_0, P_0, P_0, P_0, P_0, P_0$	
		<i>P</i> ₂ , <i>D</i> ₀)	11
	4.5	Specific requirements to leads	12
	4.5.1	General	12
	4.5.2	Lead diameter (d, d ₁)	12
	4.5.3	Lead spacing (F, F ₁ , F ₂)	12
	4.6	Specific requirements to component position in taping $(\Delta h, \Delta p, \Delta P_1)$	12
	4.7	Specific requirements to components with unguided leads	
	4.7.1	Distance between the abscissa and tip of unguided lead (H_2)	
	4.7.2	Distance between the bottom of the component and the tip of the unguided lead (H_3)	13
	4.7.3	Distance between the lead terminal and the unguided lead (K)	13
5	Requ	irements to taping	13
	5.1	Taping dimensions	13
	5.2	Polarity and orientation requirements of components on tape	
	5.3	Adhesion to tape and extraction force for components	14
	5.4	Splices	14
	5.5	Tape leader and trailer	
6	Requ	irements to tape material	15
	6.1	Tape breaking force	15
	6.2	Tape material	
	6.3	Hold-down tape	
7	Pack	ing	
	7.1	General	
	7.2	Reel dimensions	
	7.2.1	General	
	7.2.2		17
	7.2.3	Component protection	
	7.2.4	J. Company of the com	
	7.3	Maximum dimensions of the fan-fold container	
	7.4 7.5	Missing components	
8	7.5 Recv	cling	
	•	normative) Dimensions for two leads	
Αľ	-		
	A.1	Dimensions for two formed leads, sprocket hole between parts	
	A.2 A.3	Dimensions for two straight leads, sprocket hole between leads	
	A.S	Dimensions for two straight leads, sprocket hole between parts	∠ɔ

A.4 Dimensions for two straight leads, sprocket hole between leads	27
Annex B (normative) Dimensions for three leads	30
B.1 Dimensions for three formed leads, sprocket hole between parts	30
B.2 Dimensions for three formed leads, sprocket hole between leads	
Bibliography	35
Figure 1 – Abscissa, ordinate, reference plane and seating plane	
Figure 2 – Crimped or otherwise formed leads	8
Figure 3 – Lead taping dimensions (straight leads)	8
Figure 4 – Lead taping dimensions (crimped leads)	9
Figure 5 – Lead taping dimensions – unguided leads	9
Figure 6 – Front-to-back and lateral deviations	10
Figure 7 – Position of short terminal without tape	13
Figure 8 – Pull strength (extraction from taping)	14
Figure 9 – Leader and trailer of tape	15
Figure 10 – Symbols for reel dimensions	16
Figure 11 – Reeling	17
Figure 12 – Symbols for fan-fold container dimensions	18
Figure 13 – Missing components	19
Figure A.1 – Symbol references for two formed leads, sprocket hole between parts	22
Figure A.2 – Symbol references for two formed leads, sprocket hole between leads	24
Figure A.3 – Symbol references for two straight leads, sprocket hole between parts	26
Figure A.4 – Symbol references for two straight leads, sprocket hole between leads	28
Figure B.1 – Symbol references for three formed leads, sprocket hole between parts	31
Figure B.2 – Symbol references for three formed leads, sprocket hole between leads	33
Table 1 – Lead taping dimensions	10
Table 2 – Reel dimensions	16
Table 3 – Maximum outer dimensions for a fan-fold container	18
Table A.1 – Dimensions for two formed leads, sprocket hole between parts	23
Table A.2 – Dimensions for two formed leads, sprocket hole between leads	25
Table A.3 – Dimensions for two straight leads, sprocket hole between parts	27
Table A.4 – Dimensions for two straight leads, sprocket hole between leads	29
Table B.1 – Dimensions for three formed leads, sprocket hole between parts	
Table B.2 – Dimensions for three formed leads, sprocket hole between leads	34

INTERNATIONAL ELECTROTECHNICAL COMMISSION

PACKAGING OF COMPONENTS FOR AUTOMATIC HANDLING -

Part 2: Tape packaging of components with unidirectional leads on continuous tapes

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 60286-2 has been prepared by IEC technical committee 40: Capacitors and resistors for electronic equipment. It is an International Standard.

This fifth edition cancels and replaces the fourth edition published in 2015. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) complete revision of structure;
- b) consolidation of essential parameters and requirements in Clause 4.

The text of this International Standard is based on the following documents:

Draft	Report on voting
40/2974/FDIS	40/2996/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

A list of all parts in the IEC 60286 series, published under the general title *Packaging of components for automatic handling*, can be found on the IEC website.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/standardsdev/publications.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- · reconfirmed,
- withdrawn,
- · replaced by a revised edition, or
- · amended.

PACKAGING OF COMPONENTS FOR AUTOMATIC HANDLING -

Part 2: Tape packaging of components with unidirectional leads on continuous tapes

1 Scope

This part of IEC 60286 applies to the tape packaging of components with two or more unidirectional leads for use in electronic equipment. It provides dimensions and tolerances necessary to tape components with unidirectional leads. In general, the tape is applied to the component leads.

It covers requirements for taping techniques used with equipment for automatic handling, preforming of leads, insertion and other operations and includes only those dimensions which are essential to the taping of components intended for the above-mentioned purposes.

2 Normative references

There are no normative references in this document.

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at https://www.electropedia.org/
- ISO Online browsing platform: available at https://www.iso.org/obp

3.1

packaging

product made of any material of any nature to be used in containment, protection, structured alignment for automatic assembly, handling, and delivery

3.2

unquided lead

lead which is not held between carrier tape and hold-down tape

Note 1 to entry: See Figure 5.

3.3

crimp

cinch

purposely formed angular deformation, starting at the reference plane, in such a way that the component bottom side does not touch the top surface of the printed circuit board after insertion and therefore acts as a "stand-off"

Note 1 to entry: The formed crimp is available in different forms, see Figure 2.