

TECHNICAL REPORT



Display lighting unit – Part 1-5: Electrical signal interface of LED BLU



THIS PUBLICATION IS COPYRIGHT PROTECTED
Copyright © 2022 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Secretariat
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 300 terminological entries in English and French, with equivalent terms in 19 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

Preview generated by EVS

TECHNICAL REPORT



Display lighting unit – Part 1-5: Electrical signal interface of LED BLU

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 31.120; 31.260

ISBN 978-2-8322-6269-6

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	4
1 Scope.....	6
2 Normative references	6
3 Terms, definitions, and abbreviated terms	6
3.1 Terms and definitions.....	6
3.2 Abbreviated terms.....	7
4 Electrical interfaces configuration	7
4.1 General.....	7
4.2 Basic configuration of LED blocks	8
4.3 Overview of interface function.....	9
5 Electrical characteristics and interface definition	10
5.1 General.....	10
5.2 Local dimming and boosting data interface	10
5.2.1 General	10
5.2.2 Pin configuration and electrical characteristics	10
5.2.3 Local dimming and boosting data format.....	10
5.2.4 Local dimming and boosting data signal timing	11
5.3 Local dimming and boosting control signal interface	12
5.3.1 General	12
5.3.2 I ² C command format	12
5.3.3 I ² C slave address	12
5.3.4 I ² C register address	12
5.4 Interface between LED BLU and the LED driver unit	13
5.4.1 General	13
5.4.2 Static mode	13
5.4.3 Common cathode mode	14
5.4.4 Common anode mode.....	14
6 Future standardization.....	14
6.1 General.....	14
6.2 Configuration of LED matrix or LED strings	15
6.3 Mini-LED BLU	15
Bibliography.....	16
Figure 1 – LCD-TV interface signal flow chart	8
Figure 2 – Example of the effect on luminance of LED BLU with local boosting.....	10
Figure 3 – Local dimming and boosting data format	10
Figure 4 – Local dimming and boosting data signal timing.....	11
Figure 5 – I ² C command format.....	12
Figure 6 – Example of static mode LED backlight.....	13
Figure 7 – Example of common cathode mode LED backlight	14
Figure 8 – Example of common anode mode LED backlight	14
Table 1 – Address map of the normal mode LED blocks (<i>N</i> rows, <i>M</i> columns).....	8
Table 2 – Address map of the reverse mode LED blocks (<i>N</i> rows, <i>M</i> columns).....	9

Table 3 – Interface function 9

Table 4 – Pin configuration and electrical characteristics 10

Table 5 – Local dimming and boosting data signal timing 11

Table 6 – I²C slave address 12

Table 7 – I²C register address 13

This document is a preview generated by EVS

INTERNATIONAL ELECTROTECHNICAL COMMISSION

DISPLAY LIGHTING UNIT –

Part 1-5: Electrical signal interface of LED BLU

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

IEC TR 62595-1-5 has been prepared by IEC technical committee 110: Electronic displays. It is a Technical Report.

The text of this Technical Report is based on the following documents:

Draft	Report on voting
110/1445/DTR	110/1465A/RVDTR

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this Technical Report is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/standardsdev/publications.

A list of all parts in the IEC 62595 series, published under the general title *Display lighting unit*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The "colour inside" logo on the cover page of this document indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

This document is a preview generated by EVS

DISPLAY LIGHTING UNIT –

Part 1-5: Electrical signal interface of LED BLU

1 Scope

This part of IEC 62595, which is a Technical Report, provides information for the future standardization of the electrical signal interface of LED backlight units for liquid crystal display television sets, which include control signals, control data and LED driver interface. This document only provides information about 2-D local dimming LED backlight units, with or without local boosting.

NOTE All values and parameters of this document are examples.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 62595-1-2:2016, *Display lighting unit – Part 1-2: Terminology and letter symbols*

3 Terms, definitions, and abbreviated terms

For the purposes of this document, the terms and definitions given in IEC 62595-1-2 and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

3.1 Terms and definitions

3.1.1

local dimming

manipulation of luminance over an area of a two-dimensionally divided backlight unit in response to the image that is going to be displayed on the LC device at the same area

Note 1 to entry: In this document, "local dimming" refers to 2-D dimming.

[SOURCE: IEC 62595-1-2:2016,3.7.4, modified – in the terms “block dimming, two-dimensional dimming and 2-D dimming” have been removed, the term “(spatially)” has been deleted in the definition and Note 1 to entry has been added.]

3.1.2

local boosting

<LED backlight unit> dynamic and location-specific increase to peak luminance across the backlight unit in response to image content