



Edition 1.1 2023-01 CONSOLIDATED VERSION

TECHNICAL SPECIFICATION

Non's



Communication networks and systems for power utility automation – Part 7-7: Machine-processable format of IEC 61850-related data models for tools

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ICS 33.200

ISBN 978-2-8322-6372-3

Warning! Make sure that you obtained this publication from an authorized distributor.





Edition 1.1 2023-01 CONSOLIDATED VERSION



Communication networks and systems for power utility automation – Part 7-7: Machine-processable format of IEC 61850-related data models for tools

REDLINE VERSION



CONTENTS

| FOR | EWO | RD | 5 |
|------|-------|--|----|
| INTE | RODU | CTION | 7 |
| 1 | Scop | e | 8 |
| 1. | .1 | General | 8 |
| 1. | .2 | Namespace name and version Published versions | 8 |
| 1. | .4 | Namespace name and version | 9 |
| 1. | .3 | Code Component distribution | 9 |
| | 1.3.1 | General | 9 |
| | 1.3.2 | XML schema namespace code component | 11 |
| 2 | Norm | ative references | 11 |
| 3 | Term | s and definitions | 12 |
| 4 | Abbr | eviated terms | 12 |
| | | cases | |
| | .1 | Generation of SCL data type templates for system specification | |
| | 5.1.1 | Description of the use case | |
| | 5.1.2 | | |
| | 5.1.3 | Information exchanged | 15 |
| 5. | .2 | Generation of SCL data type templates for ICD files | 15 |
| | 5.2.1 | Description of the use case | |
| | 5.2.2 | Technical details | 17 |
| | 5.2.3 | Information exchanged | 18 |
| 5. | .3 | Validation of data model conformity | 18 |
| | 5.3.1 | Description of the use case | 18 |
| | 5.3.2 | 0 | 19 |
| | 5.3.3 | Technical details | 20 |
| 5. | .4 | Definition of private data model extensions by following the rules of the standard | 21 |
| | 5.4.1 | Description of the use case | 21 |
| | 5.4.2 | Diagrams of use case | |
| | 5.4.3 | Technical details | 23 |
| | 5.4.4 | Information exchanged | 24 |
| 5. | .5 | Supporting the IEC 61850 data model change management | 24 |
| | 5.5.1 | Description of the use case | 24 |
| | 5.5.2 | Diagrams of use case | |
| | 5.5.3 | Technical details | 28 |
| | 5.5.4 | Information exchanged | 29 |
| | 5.5.5 | Common terms and definitions | 30 |
| 6 | Name | espace file breakdown | 30 |
| 6. | .1 | General | 30 |
| 6. | .2 | Namespace dependencies | 30 |
| 6. | .3 | Namespace types | 32 |
| | 6.3.1 | General | 32 |
| | 6.3.2 | Core namespace | 32 |
| | 6.3.3 | Domain namespace | 32 |
| | 6.3.4 | Technical report namespace | 32 |
| | 6.3.5 | Private namespace | 33 |

IEC TS 61850-7-7:2018+AMD1:2023 CSV - 3 - © IEC 2023

| 7 Over | view of the format | 33 |
|------------|---|----|
| 7.1 | General | 33 |
| 7.2 | File types | 33 |
| 7.2.1 | NSD | 33 |
| 7.2.2 | • SNSD | 37 |
| 7.2.3 | AppNS | 39 |
| 7.2.4 | NSDoc | 39 |
| 7.3 | NSD usage convention | 40 |
| 7.3.1 | General | 40 |
| 7.3.2 | Element identification | 40 |
| 7.3.3 | Inheritance and extension | 41 |
| 7.3.4 | DataObject parameterization | 42 |
| 7.3.5 | CDC variants | 43 |
| 7.4 | Naming convention | 44 |
| 7.4.1 | File extension | |
| 7.4.2 | File name | 44 |
| 7.5 | Example | |
| 7.5.1 | General | 44 |
| 7.5.2 | NSD file example | 44 |
| 7.5.3 | SNSD file example | 45 |
| 7.5.4 | AppNS file example | 45 |
| 7.5.5 | | |
| 8 File u | ısage | 45 |
| 8.1 | General | 45 |
| 8.2 | System specification creation | 46 |
| 8.3 | Manufacturer IED creation | 47 |
| 8.4 | Creation of a non-standard name space | 47 |
| 8.5 | IED data model validation | 47 |
| 8.6 | Data model update management | 47 |
| Annex A (| normative) Schema NSD.xsd | 48 |
| Annex B (| normative) Compatibility of the different revisions of the standard | 73 |
| B.1 | General | 73 |
| B.2 | NSD version management | 73 |
| B.2.1 | | |
| B.2.2 | | |
| B.2.3 | | |
| B.3 | DataObject parameterization | 74 |
| | 0, | |
| Figure 1 - | - Generation of SCL data type templates for system specification diagrams | 14 |
| - | - Generation of SCL data type templates for ICD files diagrams | |
| | - Validation of data model conformity diagrams | |
| Figure 4 - | - Definition of private data model extensions by following the rules of the | |
| standard | diagrams | 23 |
| Figure 5 - | - Supporting the IEC 61850 data model change management | 27 |
| Figure 6 - | - Namespace dependencies | 31 |
| Figure 7 - | - Service Namespace usage | 32 |
| • | - Abstract LNClass hierarchy example | |

| - 4 - IEC TS 61850-7-7:2018+AMD1:2023 CSV © IEC 2023 |
|--|
| Figure 9 – Specification type creation example46 |
| Table 1 – Reference between published versions of the standard and related |
| namespace name |
| Table 2 – Attributes of xsd namespace 9 |
| |
| |
| |
| |
| |
| |
| 2 |
| |
| $\mathcal{O}_{\mathbf{x}}$ |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| 4 |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| $\mathcal{O}_{\mathcal{I}}$ |
| |
| |
| |
| |
| 0, |
| |
| |
| |
| |

| Table 1 – Reference between published versions of the standard and related | |
|--|---|
| namespace name | 9 |
| | - |
| Table 2 – Attributes of xsd namespace | 9 |

IEC TS 61850-7-7:2018+AMD1:2023 CSV - 5 - © IEC 2023

INTERNATIONAL ELECTROTECHNICAL COMMISSION

COMMUNICATION NETWORKS AND SYSTEMS FOR POWER UTILITY AUTOMATION –

Part 7-7: Machine-processable format of IEC 61850-related data models for tools

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

This consolidated version of the official IEC Standard and its amendment has been prepared for user convenience.

IEC TS 61850-7-7 edition 1.1 contains the first edition (2018-03) [documents 57/1925/DTS and 57/1956/RVDTS] and its amendment 1 (2023-01) [documents 57/2471/DTS and 57/2523/RVDTS].

In this Redline version, a vertical line in the margin shows where the technical content is modified by amendment 1. Additions are in green text, deletions are in strikethrough red text. A separate Final version with all changes accepted is available in this publication. The main task of IEC technical committees is to prepare International Standards. In exceptional circumstances, a technical committee may propose the publication of a technical specification when

- the required support cannot be obtained for the publication of an International Standard, despite repeated efforts, or
- the subject is still under technical development or where, for any other reason, there is the future but no immediate possibility of an agreement on an International Standard.

Technical specifications are subject to review within three years of publication to decide whether they can be transformed into International Standards.

Technical Specification IEC TS 61850-7-7 has been prepared by IEC technical committee 57: Power systems management and associated information exchange.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 61850 series, published under the general title *Communication networks and systems for power utility automation*, can be found on the IEC website.

This IEC standard includes Code Components i.e. components that are intended to be directly processed by a computer. Such content is any text found between the markers <CODE BEGINS> and <CODE ENDS>, or otherwise is clearly labeled in this standard as a Code Component.

The purchase of this IEC standard carries a copyright license for the purchaser to sell software containing Code Components from this standard directly to end users and to end users via distributors, subject to IEC software licensing conditions, which can be found at: http://www.iec.ch/CCv1.

The committee has decided that the contents of the base publication and its amendment will remain unchanged until the stability date indicated on the IEC web site under webstore.iec.ch in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

IEC TS 61850-7-7:2018+AMD1:2023 CSV - 7 - © IEC 2023

INTRODUCTION

Year after year the IEC 61850 data models are extended both in depth with hundreds of new data items, and in width with tens of new parts.

In order to foster an active tool market with good quality, and at the end to improve IEC 61850 interoperability, a machine-processable file, describing data model related parts of the standard as input, is needed. This is the purpose of the new language Name Space Definition (NSD) defined by this part of IEC 61850.

This will avoid the need for any engineering tool related to the IEC 61850 data models to get the content of the standard manually entered, with a high risk of mistakes. This will also help to easily spread any corrections to the data model, as requested to reach interoperability. Tool vendors will be able to integrate NSD in their tools to distribute the standard data models directly to end users.

The description of namespace concept and relation between each kind of namespace is defined by IEC 61850-7-1 and process for creation of a namespace (domain, product, ...) is defined by IEC 61850-1-2.

COMMUNICATION NETWORKS AND SYSTEMS FOR POWER UTILITY AUTOMATION –

Part 7-7: Machine-processable format of IEC 61850-related data models for tools

1 Scope

1.1 General

This part of IEC 61850, which is a Technical Specification, specifies a way to model the code components of IEC 61850 data model (e.g., the tables describing logical nodes, common data classes, structured data attributes, and enumerations) in an XML format that can be imported and interpreted by tools. The following main use cases are supported:

- Generation of SCL data type templates for system specification or ICD files.
- Validation of SCL data type templates.
- Definition of private extensions by following the rules of the standard.
- Adapting rapidly the whole engineering chain as soon as a new version of IEC 61850 data model (an addendum, a corrigenda or a Tissue) affects the content of the standard.
- Provide tool-neutral textual help to users of tools on the data model contents.
- Supporting multi-language publication, i.e., enabling the expression of the data model in different languages, through a machine processable format.

The purpose of this-proposal document is limited to the publication of the XML format which should support the data model part of any IEC 61850-related standard. The publication of code components themselves will be part of the related IEC 61850 part, and IEC 61850-1-2 will indicate the requirements to produce NSD files for other purpose than core datamodel.

1.2 Namespace name and version Published versions

The new namespace name and version section is mandatory for any IEC 61850 namespace (as defined by IEC 61850-7-1:2011).

The parameters which identify this new release of the NSD namespace xmIns:nsd="http://www.iec.ch/61850/2016/NSD" are:

Namespace Version: 2017

Namespace Revision: A

Namespace Release: 1

Namespace release date: 2017/08/28

| Edition | Publication date | Webstore | Namespace |
|-------------|--------------------|-------------------------------|---------------------|
| Edition 1.0 | 2017-?? | IEC 61850-7-7:2017 | IEC 61850-7-7:2017A |

The namespace version relates to the edition of the standard: here namespace version 2017 refers to the first edition of this document.

IEC TS 61850-7-7:2018+AMD1:2023 CSV - 9 - © IEC 2023

Then, the revision relates to amendments if any: as for the current version of this document, revision A corresponds to the original edition, without amendment. For the first amendment, the revision will be B, etc.

Finally, namespace release indicates an update of the related code component (if any) without publication of a new version or revision of the current document. This could be used for internal release of the code component during development of a new version of the document, or to provide fixes of interoperability tissues without need to enter into a full document update process.

The namespace release date is used for information purpose, to indicate when the namespace has been created.

This technical specification defines one namespace:

A NameSpace Definition (NSD)

Table 1 provides an overview of the references between the published versions of this standard and the related namespace name.

Table 1 – Reference between published versions of the standard and related namespace name

| Edition | Publication date | Webstore | Namespace |
|-------------|------------------|--------------------|----------------------|
| Edition 1.0 | 2018-03 | IEC 61850-7-7:2018 | IEC 61850-7-7:2017A |
| Edition 1.1 | 2023-01 | IEC 61850-7-7:2022 | IEC 61850-7-7:2017B5 |

1.4 Namespace name and version

Table 2 shows all the attributes of the XML schema namespace.

Table 2 – Attributes of xsd namespace

| Attribute | | Content | | |
|------------------------------|----------------------|---------------|--|--|
| Namespace nameplate | | | | |
| Namespace Identifier (xmIns) | http://www.iec.ch/61 | 1850/2016/NSD | | |
| XSD version header attribute | 2017B5 | | | |
| Version | 2017 | C X | | |
| Revision | В | 3 | | |
| Release | 5 | Č. | | |
| CodeComponentName | NSD | 4 | | |

1.3 Code Component distribution

1.3.1 General

The Code Components included in this document are also available as electronic machine readable files at: http://www.iec.ch/public/TC57/supportdocuments/IEC_61850-7-7.2017.NSD.2017A.full.zip

The Code Component(s) included in this document are potentially subject to maintenance works and the latest release is available in the repository located at: http://www.iec.ch/TC57/supportdocuments The latest version/release of the document will be found by selecting the file IEC_61850-7-7.2017.NSD.{VersionStateInfo}.full.zip with the filed VersionStateInfo of the highest value.

Each Code Component is a ZIP package containing at least the electronic representation of the Code Component itself, with and a file describing the content of the package (IECManifest.xml).

The IECManifest contains different sections giving information on:

The copyright notice

- The identification of the code component

- The publication related to the code component

The list of the electronic files which compose the code component

 An optional list of history files to track changes during the evolution process of the code component

The IECManifest related to this publication is:

<IECManifest xmlns="http://www.iec.ch/CC/2017/IECManifest" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:schemaLocation="http://www.iec.ch/CC/2017/IECManifest IECManifest.xsd">

Copyright>

COPYRIGHT (c) IEC, 2017. This version of this XSD is part of IEC 61850-7-7:2017; see the IEC 61850-7-7:2017 for full legal notices. In case of any differences between the here-below code and the IEC published content, the herebelow definition supersedes the IEC publication; it may contain updates. See history files. The whole document has to be taken into account to have a full description of this code component.

See www.iec.ch/CCv1 for copyright details.

</Notice>

<License uri="www.iec.ch/CCv1">IEC License</License>

startingVersion="NSD.XSD.v0.3" endingVersion="NSD.XSD.v1.0"/>

</IECManifest>

The package is identified using the following naming rule:

{RefStandard}.{CodeComponentName}.{VersionRevision}.{LightFull}{PublicationStage}.zip

For current publication, the Code Component package name is:

IEC_61850-7-7.2017.NSD.2017A.full.zip

The life cycle of a code component is not restricted to the life cycle of the related publication. The publication life cycle goes through two stages, Version (corresponding to an edition) and Revision (corresponding to an amendment). A third publication stage (Release) allows publication of Code Component in case of urgent fixes of InterOp Tissues, thus without need to publish an amendment.

IEC TS 61850-7-7:2018+AMD1:2023 CSV - 11 - © IEC 2023

This is useful when InterOp Tissues need to be fixed. Then a Consequently, new release(s) of the Code Component-will may be released, which supersede(s) the previous release, and will be distributed through the IEC TC 57 web site at:

http://www.iec.ch/tc57/supportingdocuments

The latest version/release of the document will be found by selecting the file for the code component with the highest value for VersionStateInfo, e.g. IEC TS 61850-7-7.NSD.{VersionStateInfo}.full.zip.

1.3.2 XML schema namespace code component

The NSD code component namespace is an XML schema file. It will be available in a full version.

The full version is freely accessible on the IEC website for download at:

https://assets.iec.ch/public/tc57/IEC_61850-7-7.2017.NSD.2017B4.full.zip

but the usage remains under the licensing conditions.

In case of any differences between the downloadable code and the IEC pdf published content, the downloadable code(s) is(are) the valid one; it may be subject to updates. See history files.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC TS 61850-1-2, Communication networks and systems for power utility automation – Part 1-2: Guidelines on extending IEC 61850

IEC TS 61850-2, Communication networks and systems in substations for power utility automation – Part 2: Glossary

IEC 61850-6, Communication networks and systems for power utility automation – Part 6: Configuration description language for communication in electrical substations related to IEDs

IEC 61850-7-1:2011, Communication networks and systems for power utility automation – Part 7-1: Basic communication structure – Principles and models

IEC 61850-7-2, Communication networks and systems for power utility automation – Part 7-2: Basic information and communication structure – Abstract communication service interface (ACSI)

IEC 61850-7-3, Communication networks and systems for power utility automation – Part 7-3: Basic communication structure – Common data classes

IEC 61850-7-4, Communication networks and systems for power utility automation – Part 7-4: Basic communication structure – Compatible logical node classes and data object classes

IEC 61850-8-1, Communication networks and systems for power utility automation – Part 8-1: Specific communication service mapping (SCSM) – Mappings to MMS (ISO 9506-1 and ISO 9506-2) and to ISO/IEC 8802-3

- 12 - IEC TS 61850-7-7:2018+AMD1:2023 CSV © IEC 2023