

# TECHNICAL SPECIFICATION



**Wind energy generation systems –  
Part 29: Marking and lighting of wind turbines**



**THIS PUBLICATION IS COPYRIGHT PROTECTED**  
**Copyright © 2023 IEC, Geneva, Switzerland**

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Secretariat  
3, rue de Varembe  
CH-1211 Geneva 20  
Switzerland

Tel.: +41 22 919 02 11  
[info@iec.ch](mailto:info@iec.ch)  
[www.iec.ch](http://www.iec.ch)

**About the IEC**

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

**About IEC publications**

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

**IEC publications search - [webstore.iec.ch/advsearchform](http://webstore.iec.ch/advsearchform)**

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

**IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)**

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

**IEC Customer Service Centre - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)**

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: [sales@iec.ch](mailto:sales@iec.ch).

**IEC Products & Services Portal - [products.iec.ch](http://products.iec.ch)**

Discover our powerful search engine and read freely all the publications previews. With a subscription you will always have access to up to date content tailored to your needs.

**Electropedia - [www.electropedia.org](http://www.electropedia.org)**

The world's leading online dictionary on electrotechnology, containing more than 22 300 terminological entries in English and French, with equivalent terms in 19 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

Preview generated by EVS



# TECHNICAL SPECIFICATION



---

**Wind energy generation systems –  
Part 29: Marking and lighting of wind turbines**

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

---

ICS 27.180

ISBN 978-2-8322-6401-0

**Warning! Make sure that you obtained this publication from an authorized distributor.**

## CONTENTS

FOREWORD.....	4
INTRODUCTION.....	6
1 Scope.....	7
2 Normative references .....	7
3 Terms and definitions .....	8
4 Symbols and abbreviated terms.....	10
4.1 Abbreviations.....	10
5 Marking of a wind turbine and wind farms .....	11
5.1 General.....	11
5.2 Reflectance or luminance factor.....	11
6 Lighting of a wind turbine and wind farms .....	12
6.1 International Civil Aviation Organization requirements .....	12
6.2 Planning considerations .....	12
6.3 Wind turbines with a tip height less than 150 m.....	13
6.4 Wind turbines with a tip height of 150 m or more.....	13
6.5 Lighting of wind farms.....	14
6.5.1 General .....	14
6.5.2 Onshore wind farms.....	16
6.5.3 Offshore wind farms.....	17
6.5.4 Deconfliction with marine lighting.....	18
6.6 Wind farms near aerodromes .....	18
6.7 Lights specifications.....	19
6.7.1 General .....	19
6.7.2 Battery back-up time.....	20
6.7.3 Night vision goggle compatibility.....	20
6.7.4 Monitoring and control .....	21
7 Considerations during construction.....	21
8 Reduction of light pollution .....	22
8.1 General.....	22
8.2 Dimming .....	22
8.2.1 Scope .....	22
8.2.2 Operation .....	22
8.2.3 Visible ranges.....	22
8.3 Aircraft detection systems .....	23
8.3.1 General .....	23
8.3.2 Operation and boundaries .....	23
8.3.3 Integrity monitoring.....	24
Annex A (informative) Wind turbines located in areas with lengthy periods of snow .....	25
Annex B (normative) Definition of colours for markings on wind turbines.....	26
B.1 Specifications .....	26
B.2 Provisions for practical implementation .....	27
Annex C (normative) Definition of colours for wind turbine lights.....	28
C.1 General.....	28
C.2 Chromaticities for wind turbine lights with filament-type light sources.....	28
C.3 Chromaticities for wind turbine lights with a solid state light source.....	28

Annex D (normative) Light distribution for low, medium or high intensity aviation obstacle lights.....	30
Figure 1 – Lighting configurations for wind turbines exceeding 150 m.....	14
Figure 2 – Linear configuration wind farm .....	15
Figure 3 – Basic layout of a linear alignment.....	15
Figure 4 – Lighting configuration of an onshore wind farm .....	17
Figure 5 – Lighting configuration of an offshore wind farm .....	18
Figure A.1 – Wind turbines in areas with lengthy periods of snow .....	25
Figure B.1 – Ordinary colours for wind turbine marking.....	27
Figure C.1 – Colours for wind turbine lights with filament-type light sources .....	29
Figure C.2 – Colours for wind turbine lights with solid state light sources (LED).....	29
Table 1 – Wind turbines paint colours .....	11
Table 2 – Characteristics of obstacle lights .....	19
Table D.1 – Light distribution for low-intensity obstacle lights .....	30
Table D.2 – Light distribution for medium- and high-intensity obstacle lights according to benchmark intensities of Table D.1 .....	30

This document is a preview generated by EVS

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

## WIND ENERGY GENERATION SYSTEMS –

## Part 29: Marking and lighting of wind turbines

## FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

IEC TS 61400-29 has been prepared by IEC technical committee 88: Wind energy generation systems. It is a Technical Specification.

The text of this Technical Specification is based on the following documents:

Draft	Report on voting
88/894/DTS	88/913/RVDTS

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this Technical Specification is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at [www.iec.ch/members\\_experts/refdocs](http://www.iec.ch/members_experts/refdocs). The main document types developed by IEC are described in greater detail at [www.iec.ch/publications](http://www.iec.ch/publications).

A list of all parts in the IEC 61400 series, published under the general title *Wind energy generation systems*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under [webstore.iec.ch](http://webstore.iec.ch) in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

**IMPORTANT – The "colour inside" logo on the cover page of this document indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.**

This document is a preview generated by EVS

## INTRODUCTION

As the Wind Industry grows, airspace users (military, civil and emergency aircraft) need to continue to operate safely in an environment that includes wind turbines, and the two industries need to exist harmoniously.

To assist in creating a safe environment, some wind turbines are required to have aeronautical lights so they can be seen by airspace users. Unfortunately, some of these lights can have an adverse visual impact, which produces lighting pollution for nearby communities.

Annex 14 to the Convention on International Civil Aviation published by the International Civil Aviation Organization (ICAO) contains Standards and Recommended Practices (specifications) that prescribe the marking and lighting of wind turbines. However, many countries have interpreted these specifications differently and issued their own guidelines and conditions to suit their local requirements. Therefore, there is little homogeneity and wind turbine manufacturers are obliged to produce bespoke designs to suit specific markets.

There are currently approximately 20 different marking and lighting specifications for countries such as Belgium, Brazil, Canada, Finland, France, Germany and Japan. In many cases, those requirements are very similar. However, they often differ in terms of light intensity, positioning and markings, which could lead to confusion and reduction in air safety.

In some cases wind farms that are separated by only a few kilometers are marked and illuminated in accordance with different guidelines. This includes the transition from the onshore to the offshore wind environment, and vice versa.

This document reflects the need to allow the coexistence of wind turbines and aviation, ensuring that the ICAO Standards and Recommended Practices are followed but also balances with the environmental impact on nearby residents.

References to national regulations are important in this document, given the regional specific circumstances required in many cases. Users should be aware that national and/or "local" regulations can apply. The aim is to encourage safe airspace but with minimum light pollution.

NOTE Throughout the drafting process for this document, the National Guidelines, related to lighting and marking wind turbines, of many ICAO Member States have been used as a resource. However, the guidance documents are too numerous to list and, therefore, reference to any non-normative documents has been omitted.



## WIND ENERGY GENERATION SYSTEMS –

### Part 29: Marking and lighting of wind turbines

#### 1 Scope

This part of IEC 61400, which is a Technical Specification, instils good practice for aviation lighting and marking of wind turbines in both onshore and offshore domains. Consideration is given to visible lighting and infrared (IR) lighting, which is necessary to maintain conspicuity to users of night vision goggles (NVGs).

ICAO Annex 14 Standards and Recommended Practices have been used as the basis to develop supplementary harmonised specifications to assist with implementation.

This document provides a set of technical requirements for marking and lighting of wind turbines with a tip height from/at 150 meters and below 315 meters Above Ground Level (AGL), or Above Mean Sea Level (AMSL) for offshore sites. This will improve situational awareness for airspace users, maintain safety of aircraft flying in the vicinity of wind turbines, and provide additional tools to assist with the reduction in environmental impacts consistent with aviation safety objectives. In the event that the wind turbine development exceeds 315 m tip height and the regulatory frameworks is updated to cater for these heights, this document will be reviewed and amended as necessary. In the absence of an update to the regulatory framework, the guidance in this document is to be followed as a minimum.

In some cases, lighting may be required for wind turbines at or below 150 meters tip height. However, this is not in the scope of this document and in these situations, the developer should contact the relevant National Aviation Authority or Planning Authority for further guidance.

#### 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 61400-3-1:2019, *Wind energy generation systems - Part 3-1: Design requirements for fixed offshore wind turbines*

IEC 62443-4-2:2019, *Security for industrial automation and control systems - Part 4-2: Technical security requirements for IACS components*

International Civil Aviation Organization, Annex 14, *Aerodromes – Volume I – Aerodromes Design and Operations*. 8<sup>th</sup> Edition, July 2018

International Civil Aviation Organization, *Aerodrome Design Manual – Part 4 – Visual Aids* (Doc 9157 – Part 4). 5<sup>th</sup> Edition. 2021

European Union Aviation Safety Agency (EASA), *Certification Specifications and Guidance Material for Aerodromes Design CS-ADR-DSN*, Issue 5, June 2021

Federal Aviation Administration. Advisory Circular 150/5345-43J – *Specification for Obstruction Lighting Equipment*, 11 March 2019

Federal Aviation Administration. 70/7460-1M – *Obstruction Marking and Lighting*, 16 November 2020

IALA Recommendation R0139 (O-139) , *The Marking of Man-Made Offshore Structures*, Edition 3.0, December 2021

NOTE Although too many to list explicitly, in drafting this document the national guidelines of many ICAO Member States, for lighting and marking wind turbines, have been given due consideration. In some cases, specific examples have been provided from national guidelines to enhance the international guidance in this document.

### 3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

#### 3.1

##### **aerodrome**

defined area (including any buildings, installations and equipment) intended to be used either wholly or in part for the arrival, departure and surface movement of aircraft

#### 3.2

##### **aviation Obstacle Lights**

warning lights (visual and infrared) used to reduce hazards to aircraft by indicating the presence of the obstacles

#### 3.3

##### **aviation Obstacle Markings**

warning markings used to reduce hazards to aircraft by indicating the presence of the obstacles

#### 3.4

##### **candela**

International System of Units (SI) base unit of luminous intensity that denotes the luminous power per unit solid angle emitted by a point light source in a particular direction

#### 3.5

##### **cluster configuration wind farm**

wind turbines arranged in a non-linear configuration (see 3.10)

#### 3.6

##### **daytime light**

period(s) of the day when the background luminance is above 500 cd/m<sup>2</sup>

#### 3.7

##### **effective luminous intensity**

effective luminous intensity of a flashing light is equal to the intensity of a steady-burning (fixed) light of the same colour which produces the same visual range under identical conditions of observation

#### 3.8

##### **grid configuration wind farm**

wind turbines arranged in a geographical shape such as a square or a rectangle, with each turbine placed a consistent distance apart in rows

#### 3.9

##### **LED technology**

light emitting diode (LED) is a semiconductor light source that emits light if electrical current flows through it