

INTERNATIONAL STANDARD

NORME INTERNATIONALE



**Secondary cells and batteries containing alkaline or other non-acid electrolytes
– Secondary sealed cells and batteries for portable applications –
Part 1: Nickel-cadmium**

**Accumulateurs alcalins et autres accumulateurs à électrolyte non-acide –
Accumulateurs étanches pour applications portables –
Partie 1: Nickel-cadmium**



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2023 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Secretariat
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 300 terminological entries in English and French, with equivalent terms in 19 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Recherche de publications IEC -

webstore.iec.ch/advsearchform

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études, ...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Découvrez notre puissant moteur de recherche et consultez gratuitement tous les aperçus des publications. Avec un abonnement, vous aurez toujours accès à un contenu à jour adapté à vos besoins.

Electropedia - www.electropedia.org

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 300 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 19 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.



IEC 61951-1

Edition 4.1 2023-02
CONSOLIDATED VERSION

INTERNATIONAL STANDARD

NORME INTERNATIONALE



**Secondary cells and batteries containing alkaline or other non-acid electrolytes
– Secondary sealed cells and batteries for portable applications –
Part 1: Nickel-cadmium**

**Accumulateurs alcalins et autres accumulateurs à électrolyte non-acide –
Accumulateurs étanches pour applications portables –
Partie 1: Nickel-cadmium**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 29.220.30

ISBN 978-2-8322-6464-5

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

REDLINE VERSION

VERSION REDLINE



**Secondary cells and batteries containing alkaline or other non-acid electrolytes
– Secondary sealed cells and batteries for portable applications –
Part 1: Nickel-cadmium**

**Accumulateurs alcalins et autres accumulateurs à électrolyte non-acide –
Accumulateurs étanches pour applications portables –
Partie 1: Nickel-cadmium**

CONTENTS

FOREWORD.....	5
1 Scope.....	7
2 Normative references	7
3 Terms and definitions	7
4 Parameter measurement tolerances	9
5 Cell and battery designation and marking	9
5.1 Cell and battery designation.....	9
5.1.1 Small prismatic cells and cylindrical cells.....	9
5.1.2 Button cells.....	11
5.1.3 Batteries.....	11
5.2 Cell or battery termination.....	11
5.3 Marking.....	12
5.3.1 Small prismatic cells and cylindrical cells.....	12
5.3.2 Button cells.....	12
5.3.3 Batteries.....	12
5.4 Exemption of wording.....	12
6 Dimensions.....	13
6.1 Small prismatic cells and cylindrical cells.....	13
6.1.1 General	13
6.1.2 Small prismatic cells	13
6.1.3 Cylindrical cells	14
6.2 Button cells.....	15
7 Electrical tests.....	16
7.1 General.....	16
7.2 Charging procedure for test purposes	17
7.2.1 Charging procedure for cell.....	17
7.2.2 Charging procedure for battery	17
7.3 Discharge performance	17
7.3.1 General	17
7.3.2 Discharge performance at 20 °C	17
7.3.3 Discharge performance at –18 °C	20
7.3.4 Discharge performance for rapid charge cells (R cells)	21
7.4 Charge (capacity) retention.....	21
7.5 Endurance	21
7.5.1 Endurance in cycles.....	21
7.5.2 Permanent charge endurance.....	25
7.6 Charge acceptance at constant voltage.....	29
7.7 Overcharge.....	29
7.7.1 Small prismatic cells.....	29
7.7.2 L, M, H or X cylindrical and button cells.....	30
7.7.3 LT/LU, MT/MU or HT/HU cylindrical cells.....	30
7.7.4 J cylindrical cells	30
7.7.5 JT cylindrical cells	31
7.7.6 R cylindrical cells.....	31
7.8 Safety device operation Pressure relief feature.....	32

7.9	Button cells or batteries storage, small prismatic cells or batteries storage, cylindrical cells or batteries storage	32
7.10	Charge acceptance at +55 °C for LT, MT or HT cylindrical cells	33
7.11	Trickle charge acceptance for JT cylindrical cells	33
7.12	Internal resistance	34
7.12.1	General	34
7.12.2	Measurement of the internal AC resistance	34
7.12.3	Measurement of the internal DC resistance	35
8	Mechanical tests	36
9	Safety requirements	36
10	Type approval and batch acceptance	36
10.1	General	36
10.2	Type approval	36
10.2.1	Type approval for small prismatic cells	36
10.2.2	Type approval for cylindrical and button cells	37
10.2.3	Type approval for batteries	38
10.3	Batch acceptance	39
	Bibliography	41
	Figure 1 – Jacketed cylindrical cells	13
	Figure 2 – Jacketed small prismatic cells	13
	Figure 3 – Jacketed cells dimensionally interchangeable with primary cells	14
	Figure 4 – Button cells	16
	Table 1 – Dimensions of jacketed small prismatic cells	13
	Table 2 – Dimensions of jacketed cylindrical cells dimensionally interchangeable with primary cells	14
	Table 3 – Dimensions of jacketed cylindrical cells not dimensionally interchangeable with primary cells	15
	Table 4 – Dimensions of button cells	16
	Table 5 – Discharge performance at 20 °C for small prismatic cells and cylindrical cells	18
	Table 32 – Discharge performance at 20 °C for cylindrical cells	18
	Table 6 – Discharge performance at 20 °C for button cells	19
	Table 7 – Discharge performance at 20 °C for batteries	19
	Table 8 – Rated capacity (mAh) compliance test (example)	20
	Table 9 – Discharge performance at –18 °C for small prismatic cells	20
	Table 10 – Discharge performance at –18 °C for cylindrical cells	20
	Table 11 – Discharge performance at –18 °C for button cells	21
	Table 12 – Endurance in cycles for small prismatic cells and cylindrical cells not dimensionally interchangeable with primary cells	22
	Table 13 – Endurance in cycles for cylindrical cells dimensionally interchangeable with primary cells	22
	Table 14 – Endurance in cycles for H or X cells	23
	Table 15 – Endurance in cycles for cylindrical X cells	23
	Table 16 – Endurance in cycles for HR or XR cells	24
	Table 17 – Endurance in cycles for button cells	24

Table 18 – Permanent charge endurance for L, M, J, H or X cylindrical cells.....	25
Table 19 – Permanent charge endurance for button cells.....	25
Table 20 – Permanent charge endurance for LT, MT, or HT cylindrical cells	27
Table 21 – Permanent charge endurance for LU, MU, or HU cylindrical cells	29
Table 22 – Overcharge at 0 °C.....	30
Table 23 – Capacity deterioration due to storage period for cells or batteries.....	33
Table 24 – Charge and discharge at +55 °C.....	33
Table 25 – Trickle charge acceptance for JT cylindrical cells	34
Table 26 – Constant discharge currents used for measurement of DC resistance	36
Table 27 – Sequence of tests for type approval for small prismatic cells	36
Table 28 – Sequence of tests for type approval for cylindrical cells.....	37
Table 29 – Sequence of tests for type approval for button cells.....	38
Table 30 – Sequence of tests for type approval for batteries	39
Table 31 – Recommended test sequence for batch acceptance	40

This document is a preview generated by EVS

INTERNATIONAL ELECTROTECHNICAL COMMISSION

SECONDARY CELLS AND BATTERIES CONTAINING ALKALINE OR OTHER NON-ACID ELECTROLYTES – SECONDARY SEALED CELLS AND BATTERIES FOR PORTABLE APPLICATIONS –

Part 1: Nickel-cadmium

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

This consolidated version of the official IEC Standard and its amendment has been prepared for user convenience.

IEC 61951-1 edition 4.1 contains the fourth edition (2017-03) [documents 21A/622/FDIS and 21A/630/RVD] and its amendment 1 (2023-02) [documents 21A/821/FDIS and 21A/828/RVD].

In this Redline version, a vertical line in the margin shows where the technical content is modified by amendment 1. Additions are in green text, deletions are in strikethrough red text. A separate Final version with all changes accepted is available in this publication.

International Standard IEC 61951-1 has been prepared by subcommittee 21A: Secondary cells and batteries containing alkaline or other non-acid electrolytes, of IEC technical committee 21: Secondary cells and batteries.

This fourth edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- addition of battery type;
- revision of Figure 3 (6.1.3.1);
- addition of “Optional pip” note to positive contact;
- changed leader line position from pip to flats of positive contact (B and G).

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of the IEC 61951 series can be found, under the general title *Secondary cells and batteries containing alkaline or other non-acid electrolytes – Secondary sealed cells and batteries for portable applications*, on the IEC website.

The committee has decided that the contents of the base publication and its amendment will remain unchanged until the stability date indicated on the IEC web site under webstore.iec.ch in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The ‘colour inside’ logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

SECONDARY CELLS AND BATTERIES CONTAINING ALKALINE OR OTHER NON-ACID ELECTROLYTES – SECONDARY SEALED CELLS AND BATTERIES FOR PORTABLE APPLICATIONS –

Part 1: Nickel-cadmium

1 Scope

This part of IEC 61951 specifies marking, designation, dimensions, tests and requirements for secondary sealed nickel-cadmium small prismatic, cylindrical and button cells and batteries, suitable for use in any orientation, for portable applications.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050-482:2004, *International Electrotechnical Vocabulary (IEV) – Part 482: Primary and secondary cells and batteries*

IEC 60086-1, *Primary batteries – Part 1: General*

IEC 60086-2, *Primary batteries – Part 2: Physical and electrical specifications*

IEC 61959, *Secondary cells and batteries containing alkaline or other non-acid electrolytes – Mechanical tests for sealed portable secondary cells and batteries*

IEC 62133-1, *Secondary cells and batteries containing alkaline or other non-acid electrolytes – Safety requirements for portable sealed secondary cells and for batteries made from them, for use in portable applications – Part 1: Nickel systems*

IEC 62902, *Secondary cells and batteries – Marking symbols for identification of their chemistry*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in IEC 60050-482 and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

3.1

nominal voltage

suitable approximate value of voltage used to designate or identify a cell or a battery