



Edition 5.0 2023-02

INTERNATIONAL STANDARD

Cable networks for television signals, sound signals and interactive services – Part 11: Safety





THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2023 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Secretariat 3, rue de Varembé CH-1211 Geneva 20 Switzerland

Tel.: +41 22 919 02 11 info@iec.ch

www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished
Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 300 terminological entries in English and French, with equivalent terms in 19 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.



Edition 5.0 2023-02

INTERNATIONAL STANDARD

Cable networks for television signals, sound signals and interactive services – Part 11: Safety

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ISBN 978-2-8322-6470-6

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FC	REWO	KD	ەە
IN	TRODU	ICTION	8
1	Scop	e	9
2	Norn	eative references	9
3	Term	s, definitions, symbols and abbreviated terms	10
	3.1	Terms and definitions	
	3.2	Symbols	
	3.3	Abbreviated terms	
4		amental requirements	19
	4.1	General	
	4.2	Mechanical requirements	
	4.2.1		
	4.2.2	Equipment design and construction	20
	4.2.3	Accessible parts	20
	4.3	Radiation	20
	4.4	Electromagnetic radiation	
	4.5	Thermal protection	20
	4.6	Safety in case of fire and fire reaction	
5	Prote	ection against environmental influences	21
6	Equip	potential bonding and earthing	21
	6.1	General requirements	21
	6.2	Equipotential bonding mechanisms	21
	6.3	Equipotential bonding in meshed systems	
	6.3.1		
	6.3.2		
	6.3.3		
	6.3.4		
	6.3.5		
7	Main	s-supplied equipment	33
8	Rem	ote power feeding in cable networks	34
	8.1	Remote power feeding	
	8.1.1	5	
	8.1.2		
	8.1.3	, , , , , , , , , , , , , , , , , , , ,	
_	8.2	Remote powering from subscriber premises	35
9		egation distances and protection against indirect contact to electric power bution systems	35
	9.1	General	
	9.2	Overhead lines	
	9.2.1		
	9.2.2	·	
	9.3	House installations up to 1 000 V	
10		em outlets and transfer points	
	10.1	General	
	10.2	System outlet	
	10.2.		

10.2	P.2 Fully isolated system outlet	37
10.2	2.3 Semi-isolated system outlet	37
10.2	Non-isolated system outlet with protective element	37
10.2	2.5 Non-isolated system outlet without protective element	37
10.2	P.6 Fully-isolated system outlet provided by means of a FTTH system	37
10.3	Transfer point	39
11 Prot	ection against atmospheric overvoltages and elimination of potential	
	erences	40
11.1	General	40
11.2	Protection of the antenna system	41
11.2	2.1 Selection of appropriate methods for protection of antenna systems	41
11.2	2.2 Building equipped with a lightning protection system (LPS)	42
11.2	2.3 Building not equipped with an LPS	49
11.3	Earthing and bonding of the antenna system	52
11.3	3.1 Internal protection system	52
11.3	3.2 Earthing conductors	53
11.3	3.3 Earth termination system	55
11.4	Overvoltage protection	
12 Mec	hanical stability	
12.1	General requirements	
12.2	Bending moment	
12.3	Wind-pressure values	
12.4	Mast construction	
12.5	Data to be published	
	(normative) Earth loop impedance	
A.1	General	
A.1 A.2	Earthing for fault conditions	
A.2 A.3	Earthing to protect against hazardous touch voltage	
A.4	Temporary safety measures	
B.1	General	
B.2	Soil quality determines shield-wiring necessity	
B.3	Protective measures against direct lightning strikes on underground cables	
	(informative) Differences in some countries	
C.1	Subclause 6.1	
C.1.		
C.1.		
C.2	Subclause 6.2	
C.2.		
C.2.	,	× .
C.2.	·	
C.3	Subclause 6.3 – Norway	
C.3.		
C.4	Subclause 8.1.1 – Japan	
C.5	Subclause 9.1 – France	79

C.6	Subclause 9.2 – Japan	79
C.7	Subclause 10.1	
C.7.1		79
C.7.2		
	Subclause 10.2 – Japan	
	Subclause 11.1 – Japan	
	Subclause 11.2	
C.10.		
C.10.		
C.11	Subclause 11.3.2 – Japan	
	Subclause 11.3.3 – Japan	
	Subclause 12.2 – Japan	
	Subclause 12.3 – Finlandhy	
ыынодгар	TIY	03
	Example of equipotential bonding and earthing of a metal enclosure inside a active cabinet for outdoor-use	23
Figure 2 -	Example of equipotential bonding of a building installation	24
	Example of equipotential bonding and indirect earthing of a metal enclosure on-conductive cabinet for outdoor-use	25
	Example of equipotential bonding and earthing of a building installation und connection)	27
	Example of equipotential bonding and earthing of a building installation bund connection)	28
	Example of equipotential bonding with a galvanic isolated cable entering a inderground connection)	29
Figure 7 –	Example of maintaining equipotential bonding whilst a unit is removed	31
Figure 8 -	MDU building installed with FTTH technology	39
Figure 9 –	Areas of antenna-mounting in or on buildings, where earthing is not	
Figure 10	Flow chart for selection of the appropriate method for protecting the ystem against atmospheric overvoltages	
	Example of equipotential bonded headends and antennas in a protected the building LPS	45
	Example of equipotential bonded headends and antennas in a protected an external horizontally isolated ATS	46
	Example of equipotential bonded headends and antennas in a protected an external vertically isolated ATS	47
	Example of equipotential bonded antennas (not installed in a protected nd headend with direct connection to building LPS	48
Figure 15 without LF	– Example of equipotential bonded headend and earthed antennas (building	51
Figure 16	– Example of bonding for antennas and headend (building without LPS and isk lower than or equal to the tolerable risk)	
	– Example of protecting an antenna system (not installed in a protected y additional bonding conductors $(R > R_T)$	55
Figure 18	– Examples of earthing mechanisms	58
•	Example of an overvoltage protective device for single dwelling unit	
•	Example of bending moment of an antenna mast	
i igule ZU	Example of behaling moment of all afficilia mast	0 1

Figure B.1 – Principle of two shield wires	Figure A.1 – Systematic of earth loop resistance	65
Figure C.1 – IT power distribution system in Norway	igure B.1 – Principle of single shield wire	68
Figure C.2 – Example of installations located farther than 20 m away from a transforming station	igure B.2 – Principle of two shield wires	69
Figure C.3 – Example of installations located closer than 20 m from a transforming station	Figure C.1 – IT power distribution system in Norway	71
Figure C.4 – Example of cabinets for cable network with locally fed equipment and mains placed less than 2 m apart		72
rains placed less than 2 m apart		72
rains placed less than 2 m apart		73
Figure C.7 – Example of cabinets for cable network with remotely fed equipment and mains placed more than 2 m apart		
mains placed more than 2 m apart		75
Figure C.9 – Example of protection using a voltage depending device on network nstallations on poles		
rigure C.10 – Example of the installation of a safety terminal in Japan		
Figure C.11 – Examples of installation of a lightning protection system in Japan		78
Table 1 – Maximum allowed operation voltages and maximum recommended currents for coaxial cables	igure C.10 – Example of the installation of a safety terminal in Japan	80
Fable B.2 – Protection factors (K_p) of protection measures against direct lightning strokes for buried cables		
strokes for buried cables68	or coaxial cables	34 age42
	or coaxial cables	34 age42
	or coaxial cables	34 age67
	or coaxial cables	34 age67

INTERNATIONAL ELECTROTECHNICAL COMMISSION

CABLE NETWORKS FOR TELEVISION SIGNALS, SOUND SIGNALS AND INTERACTIVE SERVICES –

Part 11: Safety

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 60728-11 has been prepared by technical area 5: Cable networks for television signals, sound signals and interactive services, of IEC technical committee 100: Audio, video and multimedia systems and equipment. It is an International Standard.

This fifth edition cancels and replaces the fourth edition published in 2016. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition.

- a) Replacement of references to IEC 60065 and IEC 60950-1 with references to IEC 62368-1.
- b) Addition of subclauses 4.4 to 4.6.
- c) Revised definition of class I equipment, class II equipment, main earthing terminal, see 3.1.6, 3.1.8 and 3.1.31.
- d) Addition of definitions for harm, hazard, ordinary person, instructed person, skilled person, see 3.1.22, 3.1.23, 3.1.39, 3.1.40 and 3.1.41.

- e) Additional requirement to provide details on the equipment installed, see 4.1.
- f) Additional mechanical, design and construction requirements, see 4.2.2.
- g) Changes to the accessible part requirements, see 4.2.3.
- h) The current carrying capacity and dielectric strength of components is now obligatory, see 8.1.3.
- i) The assessment of the risk of lightning strike is now obligatory, see Figure 10.
- j) Extension of remote feeding voltage on subscriber feeder, see Table 1.

The text of this standard is based on the following documents:

Draft	Report on voting
100/3866/FDIS	100/3882/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/standardsdev/publications.

The list of all the parts of the IEC 60728 series, under the general title *Cable networks for television signals, sound signals and interactive services,* can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

Standards and other deliverables of the IEC 60728 series deal with cable networks including equipment and associated methods of measurement for headend reception, processing and distribution of television and sound signals and for processing, interfacing and transmitting all kinds of data signals for interactive services using all applicable transmission media. These signals are typically transmitted in networks by frequency-multiplexing techniques.

This includes for instance:

- · regional and local broadband cable networks,
- extended satellite and terrestrial television distribution networks and systems,
- · individual satellite and terrestrial television receiving systems,

and all kinds of equipment, systems and installations used in such cable networks, distribution and receiving systems.

The extent of this standardization work is from the antennas and/or special signal source inputs to the headend or other interface points to the network up to the terminal input of the customer premises equipment.

The standardization work will consider coexistence with users of the RF spectrum in wired and wireless transmission systems.

The standardization of any user terminals (i.e. tuners, receivers, decoders, multimedia terminals, etc.) as well as of any coaxial, balanced and optical cables and accessories thereof is excluded.

CABLE NETWORKS FOR TELEVISION SIGNALS, SOUND SIGNALS AND INTERACTIVE SERVICES –

Part 11: Safety

1 Scope

This part of IEC 60728 deals with the safety requirements applicable to fixed sited systems and equipment. As far as applicable, it is also valid for mobile and temporarily installed systems, for example, caravans.

Additional requirements may be applied, for example, referring to:

- electrical installations of buildings and overhead lines,
- · other telecommunication services distribution systems,
- water distribution systems,
- · gas distribution systems,
- lightning systems.

This document is intended to provide requirements specifically for the safety of the system, personnel working on it, subscribers and subscriber equipment. It deals only with safety aspects and is not intended to define a standard for the protection of the equipment used in the system.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60364-1:2005, Low-voltage electrical installations – Part 1: Fundamental principles, assessment of general characteristics, definitions

IEC 60364-4-44:2007, Low-voltage electrical installations – Part 4-44: Protection for safety – Protection against voltage disturbances and electromagnetic disturbances

IEC 60364-4-44:2007/AMD1:2015 IEC 60364-4-44:2007/AMD2:2018

IEC 60364-5-52:2009, Low-voltage electrical installations – Part 5-52: Selection and erection of electrical equipment – Wiring systems

IEC 60364-5-54:2011, Low-voltage electrical installations – Part 5-54: Selection and erection of electrical equipment – Earthing arrangements and protective conductors IEC 60364-5-54:2011/AMD1:2021

IEC 60529:1989, Degrees of protection provided by enclosures (IP Code)

IEC 60529:1989/AMD1:1999 IEC 60529:1989/AMD2:2013

IEC 60990:2016, Methods of measurement of touch current and protective conductor current

0

IEC 62305-2:2010, Protection against lightning - Part 2: Risk management

IEC 62305-3:2010, Protection against lightning – Part 3: Physical damage to structures and life hazard

IEC 62368-1:2018, Audio/video, information and communication technology equipment – Part 1: Safety requirements

IEC 62561-1:2017, Lightning protection system components (LPSC) – Part 1: Requirements for connection components

IEC 62561-2, Lightning protection system components (LPSC) – Part 2: Requirements for conductors and earth electrodes

ISO 7010, Graphical symbols – Safety colours and safety signs – Registered safety signs

ISO/IEC 30129:2015, Information technology – Telecommunications bonding networks for buildings and other structures
ISO/IEC 30129:2015/AMD1:2019

EN 50575:2014, Power, control and communication cables – Cables for general applications in construction works subject to reaction to fire requirements

3 Terms, definitions, symbols and abbreviated terms

3.1 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at http://www.electropedia.org/
- ISO Online browsing platform: available at http://www.iso.org/obp.

3.1.1

air-termination system

part of an external LPS using metallic elements such as rods, mesh conductors or catenary wires intended to intercept lightning flashes

[SOURCE: IEC 62305-3:2010, 3.6]

3.1.2

amplifier

device to compensate for attenuation

3.1.3

attenuation

ratio of the input power to the output power

Note 1 to entry: The ratio is expressed in decibels.