# **INTERNATIONAL STANDARD**

**ISO** 24647

> First edition 2023-02

## Non-destructive testing — Robotic ultrasonic test systems — General requirements

s non xigence. Essais non destructifs — Systèmes robotisés de contrôle par ultrasons



Reference number ISO 24647:2023(E)



© ISO 2023

tation, no part of 'including plot' 'om either'. All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Email: copyright@iso.org Website: www.iso.org

Published in Switzerland

Contents			Page		
For	eword		v		
1	Scor	De	1		
2	Nori	mative references	1		
3		ns and definitions			
4		uirements for test personnel			
5		system			
	5.1 5.2	General Posicion and principles			
	5.2	Design principles Test equipment			
	5.5	5.3.1 Instrument			
		5.3.2 Probes			
		5.3.3 Robots			
		5.3.4 Couplant	4		
	5.4	Typical test systems			
		5.4.1 Single-robot test system			
		5.4.2 Twin-robot test system			
6		racteristics and requirements for robotic ultrasonic test systems			
	6.1	General			
	6.2	Test technique 6.2.1 General			
		6.2.1 General 6.2.2 Pulse-echo technique			
		6.2.3 Trough-transmission technique			
	6.3	Planning of scan pattern and programming of robot motion control			
		6.3.1 General	9		
		6.3.2 Path planning method			
		6.3.3 Restrictions			
	6.4	Synchronisation of the acquisition of ultrasonic and position data	12 12 12		
		6.4.1 Synchronisation of ultrasonic signal and robot position 6.4.2 Synchronisation — Minimum requirements			
		6.4.3 Synchronisation — Optional requirements			
	6.5	Conditions for the application			
7		Verification of the test system			
/	7.1	General			
	7.1	Ultrasonic instrument and probes			
	7.2	7.2.1 General			
		7.2.2 Single-probe systems			
		7.2.3 Multi-probe systems			
		7.2.4 Normalization of pulse-echo systems			
	7.0	7.2.5 Normalization of through-transmission systems			
	7.3 7.4	RobotsSynchronization			
	7. <del>4</del> 7.5	Complete system — Robots, instrument and probes combined			
	7.5	7.5.1 General			
		7.5.2 Signal-to-noise ratio			
		7.5.3 Image distortion coefficient			
		7.5.4 Detection sensitivity	16		
8	Typi	ical process of an automated test for a robotic ultrasonic test system	17		
	8.1	Preparation	17		
	8.2	Probes			
	8.3	Trajectory planning			
	8.4 8.5	Setup of the scanning reference coordinate system	17 17		
	X 5	TENT DEDCEMBE	1/		

#### ISO 24647:2023(E)

Documentation of the verification results		18
nex A (informative) Trajectory planning		
nnex B (informative) Example of a verification report		
oliography		34
0		
C		
O		
0,		
$\Diamond$		
6		
	4:	
	4	
	Y.X	
	9	
		1
		$Q_{j}$

#### **Foreword**

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see <a href="www.iso.org/directives">www.iso.org/directives</a>).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see <a href="https://www.iso.org/patents">www.iso.org/patents</a>).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see <a href="https://www.iso.org/iso/foreword.html">www.iso.org/iso/foreword.html</a>.

This document was prepared by Technical Committee ISO/TC 135, *Non-destructive testing*, Subcommittee SC 3, *Ultrasonic testing*.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at <a href="https://www.iso.org/members.html">www.iso.org/members.html</a>.

This document is a previous general ded by tills

# Non-destructive testing — Robotic ultrasonic test systems — General requirements

### 1 Scope

This document specifies the necessary system hardware components, the characteristics, the component requirements and conditions for the application of robotic ultrasonic test systems.

This document specifies the general requirements and acceptance criteria for robotic ultrasonic test systems.

This document is applicable to robotic ultrasonic test systems composed of one or more robot(s). Some of the characteristics of a robot ultrasonic testing system can be application-specific.

This document is applicable to conventional straight-beam probes and immersion technique.

This document is also applicable for phased array equipment, but additional tests can be necessary.

#### 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 230-1, Test code for machine tools — Part 1: Geometric accuracy of machines operating under no-load or quasi-static conditions

ISO 230-2, Test code for machine tools — Part 2: Determination of accuracy and repeatability of positioning of numerically controlled axes

ISO 5577, Non-destructive testing — Ultrasonic testing — Vocabulary

ISO 8373, Robotics — Vocabulary

ISO 9283, Manipulating industrial robots — Performance criteria and related test methods

ISO 9712, Non-destructive testing — Qualification and certification of NDT personnel

ISO 22232 (all parts), Non-destructive testing — Characterization and verification of ultrasonic test equipment

#### 3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 5577, ISO 8373, ISO 9283, ISO 22232 (all parts) and the following apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <a href="https://www.iso.org/obp">https://www.iso.org/obp</a>
- IEC Electropedia: available at <a href="https://www.electropedia.org/">https://www.electropedia.org/</a>

#### 3.1

#### robotic ultrasonic test system

automatic scanning ultrasonic test system, controlled by computer program, with the scanning motion implemented by one or multiple robots