

INTERNATIONAL STANDARD

NORME INTERNATIONALE

**Industrial communication networks –Fieldbus specifications –
Part 5-28: Application layer service definition – Type 28 elements**

**Réseaux de communication industriels – Spécifications des bus de terrain –
Partie 5-28: Définition des services de la couche application –
Éléments de type 28**



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2023 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Secretariat
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 300 terminological entries in English and French, with equivalent terms in 19 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Recherche de publications IEC -

webstore.iec.ch/advsearchform

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études, ...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Découvrez notre puissant moteur de recherche et consultez gratuitement tous les aperçus des publications. Avec un abonnement, vous aurez toujours accès à un contenu à jour adapté à vos besoins.

Electropedia - www.electropedia.org

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 300 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 19 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.



IEC 61158-5-28

Edition 1.0 2023-03

INTERNATIONAL STANDARD

NORME INTERNATIONALE

**Industrial communication networks – Fieldbus specifications –
Part 5-28: Application layer service definition – Type 28 elements**

**Réseaux de communication industriels – Spécifications des bus de terrain –
Partie 5-28: Définition des services de la couche application –
Éléments de type 28**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 25.040

ISBN 978-2-8322-6583-3

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD.....	5
INTRODUCTION.....	7
1 Scope.....	8
1.1 Overview.....	8
1.2 Specifications	9
1.3 Conformance	9
2 Normative references	9
3 Terms, definitions, symbols, abbreviated terms and conventions	10
3.1 Referenced terms and definitions.....	10
3.1.1 ISO/IEC 7498-1 terms.....	10
3.1.2 ISO/IEC 8822 terms.....	10
3.1.3 ISO/IEC 9545 terms.....	11
3.1.4 ISO/IEC 8824 terms.....	11
3.2 Additional terms and definitions for this IEC 61158-5-28	11
3.3 Abbreviations and symbols	12
3.4 Conventions.....	13
3.4.1 Overview	13
3.4.2 Conventions for class definitions	13
3.4.3 Conventions for service definitions	14
4 Concepts	15
5 Data type ASE	15
5.1 General.....	15
5.1.1 Overview	15
5.1.2 Overview of basic types	16
5.1.3 Overview of fixed-length types.....	16
5.1.4 Overview of constructed types	17
5.2 AL defined data types	17
5.2.1 Fixed length types	17
5.2.2 String type	19
5.2.3 Structure type	20
6 Type 28 communication model specification	25
6.1 General.....	25
6.2 Protocol stack for Type 28 fieldbus	26
6.3 Data mapping modelling.....	27
6.4 Overview of Type 28 communication model	29
6.4.1 General	29
6.4.2 P/S	29
6.4.3 C/S	30
6.5 AL related management information table	30
6.5.1 General	30
6.5.2 Time management information table	31
6.5.3 Network management information table	32
6.6 ASEs	33
6.6.1 Overview	33
6.6.2 RT data ASE.....	34
6.6.3 nRT data ASE.....	36

6.6.4	Time ASE	38
6.6.5	Resource ASE	41
6.6.6	Addressing ASE	43
6.6.7	Management ASE	48
6.6.8	Virtualization ASE	55
6.7	Application service	58
6.7.1	Overview	58
6.7.2	Read service	58
6.7.3	Write service	58
Annex A (informative)	Example of service data mapping DTU message	60
Annex B (informative)	Example of OPC UA data model and Type 28 data model mapping	61
Annex C (informative)	Example of RTA service processing	62
Annex D (informative)	Type 28 virtualization solution example	63
Bibliography		66
Figure 1	Data type class hierarchy example	16
Figure 2	BITMAP data type	20
Figure 3	AL in fieldbus protocol stack architecture	26
Figure 4	Type 28 AL protocol architecture	26
Figure 5	Data mapping modelling object structure	27
Figure 6	Diagram of mapping data buffers and service data variables	28
Figure 7	Diagram of P/S model	29
Figure 8	P/S model of PUSH mode	30
Figure 9	P/S model of PULL mode	30
Figure 10	Diagram of C/S communication model	30
Figure 11	RT data transmission model	35
Figure 12	Diagram of nRT data request response model	37
Figure 13	Diagram of nRT data AP interaction based on C/S communication model	38
Figure 14	Diagram of nRT data AP interaction based on P/S communication model	38
Figure 15	Time synchronization application interaction process	40
Figure 16	Time query process	41
Figure 17	Resource AP interaction based on C/S communication model	43
Figure 18	Resource ASE local service function diagram	43
Figure 19	NETWORKID identification field structure	44
Figure 20	NETWORKID interaction process diagram	46
Figure 21	Diagram of MAC mapping table service function	46
Figure 22	IP mapping table service function diagram	47
Figure 23	Type 28 AL data message mapped to IP payload data payload	47
Figure 24	Type 28 AL protocol header and IP protocol header mapping	48
Figure 25	IP data message is mapped to valid data of Type 28 AL data message	48
Figure 26	Static configuration initialization process	51
Figure 27	Join the network interaction process	52
Figure 28	Passively exit the network interaction process	53

Figure 29 – Actively exit network interaction process	54
Figure 30 – Diagram of diagnostic object mapping	54
Figure 31 – Diagram of the logging process	55
Figure 32 – A physical bus divided into two virtual bus domain diagrams	56
Figure 33 – Diagram of virtualized AP interaction based on C/S communication model	57
Figure 34 – Virtualization ASE local implementation diagram	58
Figure A.1 – Data transmission unit message content example	60
Figure B.1 – OPC UA data model and mapping of Type 28 data model	61
Figure C.1 – Example of RTA service processing	62
Figure D.1 – Diagram of Type 28 industrial bus service deployment	63
Figure D.2 – Diagram of networking topology based on the virtualized bus	63
Figure D.3 – Virtual network topology based on logical business function RT1	64
Table 1 – TIMEV type data coding	17
Table 2 – TIMEDATE type coding	18
Table 3 – TIMEOFDAY type coding	18
Table 4 – TIMEDIFFER type coding	19
Table 5 – VISIBLESTRING type data coding	19
Table 6 – Description of time information structure TIMEINFO_S	20
Table 7 – Description of clock option information structure CLOCK_OPTION_INFO_S	21
Table 8 – Description of network configuration parameter structure NETWORK_CFG_PARA_S	22
Table 9 – Description of MAC mapping table NETWORKID_MAC_MAP_TABLE_S	23
Table 10 – Description of IP mapping table structure IP_MAP_TABLE_S	24
Table 11 – Service data mapping table parameter list	29
Table 12 – Time management information table	31
Table 13 – Network management information table	32
Table 14 – Communication models supported by Type 28 AL ASEs	33
Table 15 – Application service interface return value list	33
Table 16 – RT data service interface parameters	34
Table 17 – nRT data service interface parameters	36
Table 18 – Timing service interface parameters	39
Table 19 – Resource service interface parameters	42
Table 20 – Addressing service interface parameters	45
Table 21 – Management service interface parameters	49
Table 22 – Virtual service interface parameters	56
Table 23 – Read service parameters	58
Table 24 – Write service parameters	59
Table 25 – Application service errcode	59
Table D.1 – Virtual bus environment node NETWORKID list	65

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**INDUSTRIAL COMMUNICATION NETWORKS –
FIELDBUS SPECIFICATIONS –****Part 5-28: Application layer service definition –
Type 28 elements****FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

Attention is drawn to the fact that the use of the associated protocol type is restricted by its intellectual-property-right holders. In all cases, the commitment to limited release of intellectual-property-rights made by the holders of those rights permits a layer protocol type to be used with other layer protocols of the same type, or in other type combinations explicitly authorized by its intellectual-property-right holders.

NOTE Combinations of protocol types are specified in the IEC 61784-1 series and the IEC 61784-2 series.

IEC 61158-5-28 has been prepared by subcommittee 65C: Industrial networks, of IEC technical committee 65: Industrial-process measurement, control and automation. It is an International Standard.

The text of this International Standard is based on the following documents:

Draft	Report on voting
65C/1206/FDIS	65C/1235/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

A list of all parts of the IEC 61158 series, published under the general title *Industrial communication networks – Fieldbus specifications*, can be found on the IEC web site.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

INTRODUCTION

This document is one of a series produced to facilitate the interconnection of automation system components. It is related to other standards in the set as defined by the "three-layer" fieldbus reference model described in IEC 61158-1.

The application service is provided by the application protocol making use of the services available from the data-link or other immediately lower layer. This document defines the application service characteristics that fieldbus applications and/or system management can exploit.

Throughout the set of fieldbus standards, the term "service" refers to the abstract capability provided by one layer of the OSI Basic Reference Model to the layer immediately above. Thus, the application layer service defined in this document is a conceptual architectural service, independent of administrative and implementation divisions.

INDUSTRIAL COMMUNICATION NETWORKS – FIELDBUS SPECIFICATIONS –

Part 5-28: Application layer service definition – Type 28 elements

1 Scope

1.1 Overview

The fieldbus Application Layer (FAL) provides user programs with a means to access the fieldbus communication environment. In this respect, the FAL can be considered as a window between corresponding application programs.

This part of IEC 61158 provides common elements for basic time-critical and non-time-critical messaging communications between application programs in an automation environment and material specific to Type 28 fieldbus. The term "time-critical" is used to represent the presence of a time-window, in which one or more specified actions are required to be completed with some defined level of certainty.

This document defines in an abstract way the externally visible service provided by the different Types of the fieldbus Application Layer in terms of

- an abstract model for defining application resources (objects) capable of being manipulated by users via the use of the FAL service,
- the primitive actions and events of the service,
- the parameters associated with each primitive action and event, and the form which they take, and
- the interrelationship between these actions and events, and their valid sequences.

The purpose of this document is to define the services provided to

- the FAL user at the boundary between the user and the Application Layer of the Fieldbus Reference Model, and
- Systems Management at the boundary between the Application Layer and Systems Management of the Fieldbus Reference Model.

This document specifies the structure and services of the IEC fieldbus Application Layer, in conformance with the OSI Basic Reference Model (ISO/IEC 7498-1) and the OSI Application Layer Structure (ISO/IEC 9545).

FAL services and protocols are provided by FAL application-entities (AE) contained within the application processes. The FAL AE is composed of a set of object-oriented Application Service Elements (ASEs) and a Layer Management Entity (LME) that manages the AE. The ASEs provide communication services that operate on a set of related application process object (APO) classes. One of the FAL ASEs is a management ASE that provides a common set of services for the management of the instances of FAL classes.

Although these services specify, from the perspective of applications, how to request and response are issued and delivered, they do not include a specification of what the requesting and responding applications are to do with them. That is, the behavioural aspects of the applications are not specified; only a definition of what requests and responses they can send/receive is specified. This permits greater flexibility to the FAL users in standardizing such

object behaviour. In addition to these services, some supporting services are also defined in this document to provide access to the FAL to control certain aspects of its operation.

1.2 Specifications

The principal objective of this document is to specify the characteristics of conceptual application layer services suitable for time-critical communications, and thus supplement the OSI Basic Reference Model in guiding the development of application layer protocols for time-critical communications.

A secondary objective is to provide migration paths from previously existing industrial communications protocols. It is this latter objective which gives rise to the diversity of services standardized as the various types of IEC 61158, and the corresponding protocols standardized in the IEC 61158-6 series.

This document can be used as the basis for formal application programming-interfaces. Nevertheless, it is not a formal programming interface, and any such interface will address implementation issues not covered by this document, including

- the sizes and octet ordering of various multi-octet service parameters, and
- the correlation of paired request and confirm, or indication and response, primitives.

1.3 Conformance

This document does not specify individual implementations or products, nor does it constrain the implementations of application layer entities within industrial automation systems.

There is no conformance of equipment to this application layer service definition standard. Instead, conformance is achieved through implementation of conforming application layer protocols that fulfils the Type 28 application layer services as defined in this document.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE All parts of the IEC 61158 series, as well as the IEC 61784-1 series and the IEC 61784-2 series are maintained simultaneously. Cross -references to these documents within the text therefore refer to the editions as dated in this list of normative references.

IEC 61158-1:2023, *Industrial communication networks – Fieldbus specifications – Part 1: Overview and guidance for the IEC 61158 and IEC 61784 series*

IEC 61158-4-28:2023, *Industrial communication networks – Fieldbus specifications – Part 4-28: Data-link layer protocol specification – Type 28 elements*

IEC 61158-6-28:2023, *Industrial communication networks – Fieldbus specifications – Part 6-28: Application layer protocol specification – Type 28 elements*

ISO/IEC 7498-1:1994, *Information technology – Open Systems Interconnection – Basic Reference Model: The Basic Model*

ISO/IEC 7498-3:1997, *Information technology – Open Systems Interconnection – Basic Reference Model: Naming and addressing*

ISO/IEC 8822, *Information technology – Open Systems Interconnection – Presentation service definition*

ISO/IEC 8824-1, *Information technology – Abstract Syntax Notation One (ASN.1) – Part 1: Specification of basic notation*

ISO/IEC 9545, *Information technology – Open Systems Interconnection – Application Layer structure*

ISO/IEC 10731:1994, *Information technology – Open Systems Interconnection – Basic Reference Model – Conventions for the definition of OSI services*

ISO/IEC/IEEE 8802-3:2021, *Information technology – Telecommunications and information exchange between systems – Local and metropolitan area networks – Specific requirements – Part 3: Standard for Ethernet*

IETF RFC 791, J. Postel, *Internet Protocol*, September 1981, available at <https://www.rfc-editor.org/info/rfc791> [viewed 2022-02-18]

IETF RFC 2460, S. Deering and R. Hinden, *“Internet Protocol, Version 6 (IPv6) Specification”*, December 1998, available at <https://www.rfc-editor.org/info/rfc2460> [viewed 2022-02-18]

3 Terms, definitions, symbols, abbreviated terms and conventions

For the purposes of this document, the following terms, definitions, symbols, abbreviated terms and conventions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <https://www.electropedia.org/>
- ISO Online browsing platform: available at <https://www.iso.org/obp>

3.1 Referenced terms and definitions

3.1.1 ISO/IEC 7498-1 terms

For the purposes of this document, the following terms given in ISO/IEC 7498-1 apply:

- application entity
- application process
- application protocol data unit
- application service element
- application entity invocation
- application process invocation
- application transaction
- real open system
- transfer syntax

3.1.2 ISO/IEC 8822 terms

For the purposes of this document, the following terms given in ISO/IEC 8822 apply:

- abstract syntax