

Greenhouse gases - Quantification and reporting of greenhouse gas emissions arising from transport chain operations (ISO 14083:2023)

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

See Eesti standard EVS-EN ISO 14083:2023 sisaldab Euroopa standardi EN ISO 14083:2023 ingliskeelset teksti.	This Estonian standard EVS-EN ISO 14083:2023 consists of the English text of the European standard EN ISO 14083:2023.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas.	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation and Accreditation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 12.04.2023.	Date of Availability of the European standard is 12.04.2023.
Standard on kättesaadav Eesti Standardimis-ja Akrediteerimiskeskusest.	The standard is available from the Estonian Centre for Standardisation and Accreditation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 13.020.40

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardimis- ja Akrediteerimiskeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardimis-ja Akrediteerimiskeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardimis-ja Akrediteerimiskeskusega: Koduleht www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation and Accreditation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation and Accreditation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation and Accreditation:

Homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

English Version

Greenhouse gases - Quantification and reporting of
greenhouse gas emissions arising from transport chain
operations (ISO 14083:2023)

Gaz à effet de serre - Quantification et déclaration des
émissions de gaz à effet de serre résultant des
opérations des chaînes de transport (ISO 14083:2023)

Treibhausgase - Quantifizierung und Berichterstattung
über Treibhausgasemissionen von
Transportvorgängen (ISO 14083:2023)

This European Standard was approved by CEN on 10 March 2023.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

European foreword

This document (EN ISO 14083:2023) has been prepared by Technical Committee ISO/TC 207 "Environmental management" in collaboration with Technical Committee CEN/TC 320 "Transport - Logistics and services" the secretariat of which is held by NEN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by October 2023, and conflicting national standards shall be withdrawn at the latest by October 2023.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 16258:2012.

Any feedback and questions on this document should be directed to the users' national standards body/national committee. A complete listing of these bodies can be found on the CEN website.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.

Endorsement notice

The text of ISO 14083:2023 has been approved by CEN as EN ISO 14083:2023 without any modification.

Contents

Page

Foreword	vii
Introduction	viii
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
3.1 Terms related to transport chain operations	1
3.2 Terms related to greenhouse gases and energy	6
3.3 Terms related to quantification	9
3.4 Other terms	11
4 General principles	11
4.1 General	11
4.2 Relevance	11
4.3 Completeness	12
4.4 Consistency	12
4.5 Accuracy	12
4.6 Transparency	12
4.7 Conservativeness	12
5 Quantification principles	12
5.1 General	12
5.2 System boundaries	12
5.2.1 Transport operations and hub operations included	12
5.2.2 Processes included	13
5.2.3 Application of cut-off criteria	14
5.2.4 Processes not included	14
5.2.5 Optional processes	14
5.2.6 Optional quantification of black carbon emissions from transport operations	15
5.2.7 Carbon offsetting and GHG emissions trading	15
5.3 Conversion of energy carrier data into GHG emissions	15
5.3.1 General	15
5.3.2 Global warming potential	15
5.4 Calculation of transport activity	15
5.4.1 Passenger transport	15
5.4.2 Freight transport	16
5.4.3 Combined transport of freight and passengers (including passenger vehicles)	17
5.4.4 Use of distance adjustment factor	17
5.5 Calculation of hub activity	17
5.5.1 Passenger hub	17
5.5.2 Freight hub	18
5.5.3 Combined freight and passenger hub (including passenger vehicles)	18
5.6 Allocation	18
5.6.1 General	18
5.6.2 Allocation between passengers and freight	19
5.6.3 Allocation between passengers of different travel classes	19
5.6.4 Allocation between ambient and temperature-controlled freight	19
6 General principles related to transport chains, transport chain elements, transport operation categories and hub operation categories	19
6.1 Transport chains and TCEs	19
6.2 Transport operations and hub operations related to TCEs	19
6.3 Transport operation categories and hub operation categories	21
6.3.1 General	21

6.3.2	Transport operation categories	21
6.3.3	Hub operation categories	24
7	Quantification actions	26
7.1	General	26
7.2	Establishment of GHG emission intensity of a TOC or a HOC	27
7.2.1	General	27
7.2.2	Selection of the option	27
7.2.3	Calculation with primary data (option A)	27
7.2.4	Calculation with a model (option B)	28
7.2.5	Selection of a value from a database of default values (option C)	28
7.2.6	Collection of a value from a contracted operator (option D)	28
7.3	Calculation of GHG emissions for a TCE	28
7.4	Calculation of GHG emissions for a transport chain	28
8	Quantification actions at the TOC level	28
8.1	General	28
8.2	Quantification of the GHG activity data of a TOC	29
8.3	Calculation of GHG emissions of a TOC	29
8.3.1	General	29
8.3.2	No allocation needed	29
8.3.3	Allocation needed	30
8.4	Calculation of transport activity of a TOC	31
8.4.1	General	31
8.4.2	Transport activity distance	31
8.4.3	Transport activity of a TOC of passengers — General case	31
8.4.4	Transport activity of a TOC of freight — General case	32
8.4.5	Transport activity of a TOC of passengers with multi-class vehicles	32
8.4.6	Transport activity of a TOC of freight with multi-temperature vehicles	33
8.4.7	Transport activity of a TOC with passengers and freight (whether including passenger vehicles or not)	34
8.4.8	Transport activities of a TOC with any other case	35
8.5	Calculation of GHG emission intensity for the TOC	35
8.5.1	General	35
8.5.2	General case	35
8.5.3	Case of a TOC of freight with multi-temperature vehicles	36
9	Quantification actions at the HOC level	36
9.1	General	36
9.2	Quantification of the GHG activity data of a HOC	36
9.3	Calculation of GHG emissions of a HOC	37
9.3.1	General	37
9.3.2	No allocation needed	37
9.3.3	Allocation needed	38
9.4	Quantification of hub activity of the HOC	39
9.4.1	Freight hub activity	39
9.4.2	Passenger hub activity	39
9.5	Calculation of GHG emission intensity for the HOC	39
9.5.1	General	39
9.5.2	General case	39
9.5.3	Case of a HOC of freight with multi-temperature conditions	40
10	Calculation of GHG emissions for a transport TCE	40
10.1	General	40
10.2	Calculation of transport activity	40
10.3	Selection of a GHG emission intensity	40
10.4	General case	41
10.5	Case of differentiation by passenger classes	41
10.6	Case of differentiation by cargo temperature	41
10.7	Case of transport of passengers and freight in the same vehicle	41

11	Calculation of GHG emissions for a hub TCE	41
11.1	General	41
11.2	Quantification of hub activity	42
11.3	Selection of a GHG emission intensity	42
11.4	General case	42
11.5	Case of differentiation by cargo temperature	42
11.6	Case of transfer of passengers and freight at the same hub	42
12	Results	43
12.1	For one transport chain	43
12.1.1	Calculation of GHG emissions	43
12.1.2	Calculation of transport activity	43
12.1.3	Calculation of GHG emission intensities	44
12.2	For a set of transport chains	44
12.2.1	General	44
12.2.2	Calculation of GHG emissions	44
12.2.3	Calculation of transport activity	44
12.2.4	Calculation of GHG emission intensities	45
12.3	For a transport service	45
12.4	For a set of transport services	45
12.5	For a transport mode	45
13	Reporting	45
13.1	General	45
13.2	Reporting at the organizational level	45
13.2.1	Reporting boundaries	45
13.2.2	Report	45
13.2.3	Periodicity	46
13.3	Reporting at the level of transport or hub services	46
13.3.1	Granularity	46
13.3.2	Report	46
13.4	Supporting information	47
13.4.1	General	47
13.4.2	Description of the calculation method	47
13.4.3	Transparent reporting from the use of modelled data or default GHG emission intensities	52
Annex A	(normative) Air transport	54
Annex B	(normative) Cable car transport	56
Annex C	(normative) Inland waterway transport	59
Annex D	(normative) Transport by pipeline	61
Annex E	(normative) Rail transport	63
Annex F	(normative) Road transport	66
Annex G	(normative) Sea transport	70
Annex H	(normative) Hubs	76
Annex I	(normative) Approach to account for refrigerant leakage GHG emissions from mobile air conditioning and temperature-controlled freight units during transportation operations	80
Annex J	(normative) Additional requirements and guidance for GHG emission factors	83
Annex K	(informative) GHG emission factors and sources	87
Annex L	(informative) Additional guidance for allocation to passenger according to passenger class of travel	92
Annex M	(informative) General guidance on the approach to modelling of GHG emissions of transport chains	98

Annex N (informative) Additional guidance for use of ICT equipment and data servers related to transport operations..... 103

Annex O (informative) Quantification of GHG emissions arising from (re)packaging processes at logistics hubs..... 106

Annex P (informative) Quantification of black carbon emissions from transport operations..... 108

Annex Q (informative) Selection of sources of default GHG emission intensities 110

Annex R (informative) Comparison of GHG emission categorization used in the GHG Protocol and this document..... 112

Bibliography 115

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 207, *Environmental management*, Subcommittee SC 7, *Greenhouse gas and climate change management and related activities*, in collaboration with the European Committee for Standardization (CEN) Technical Committee CEN/TC 320, *Transport — Logistics and services*, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

This first edition cancels and replaces IWA 16:2015, which has been technically revised throughout to expand the framework to a methodology.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

This document provides requirements and guidance for the quantification and reporting of greenhouse gas (GHG) emissions for transport chains for passengers and freight.

This document provides such a calculation with its related reporting. It specifies how to source data as input for the calculation, taking into account that transport operations vary hugely, from multinational organizations operating multiple transport modes to deliver transport services across the globe, through small local operators delivering a simple service to a single user; hence this document has adopted a structure to make it widely applicable. To ensure that values for GHG emissions that result from vehicle and hub operation and associated energy provision are considered, this document takes into account the GHG emissions associated with production and distribution of energy (including, for example, production and distribution of liquid energy carriers or grid transmission of electricity). As a result, calculation results can enable a consistent comparison of possible different energy carriers by transport service operators, users and any other interested parties. Calculation results are only directly comparable if all options chosen are internally consistent.

This document covers all modes of transport (land, water or in the air, irrespective of the means of transport, i.e. vessel, vehicle or pipeline) and includes the operational GHG emissions from hubs where they facilitate transfer of freight or passengers from one element of a transport chain to the next. It takes account of operation of empty trips required for subsequent transportation of freight or passengers. It is applicable at all stages along the entire transport chain (see also illustrative examples in [Figure 1](#) and [Figure 2](#)).

[Figure 1](#) provides an illustrative example of a freight transport chain from the point where freight leaves its last point of production or transformation (A, freight consignor) to the point where freight reaches its first non-transport related operation (B, freight consignee). This transport chain consists of five transport chain elements (TCEs), the GHG emissions of which are calculated separately. The first and last TCEs (TCE 1, TCE 5) represent road services (C) covering pre- and on-carriage; TCE 2 to TCE 4 represent a rail freight service (D) composed of road/rail terminal operations (TCE 2, TCE 4) and main carriage by rail transport (TCE 3).




Figure 1 — Illustrative example of a multi-element freight transport chain

[Figure 2](#) provides an illustrative example of a passenger transport chain from the point where passengers leave their departure location, A, to their destination, B. This transport chain consists of TCEs, the GHG emissions of which are calculated separately. The first TCE (TCE 1) represents transport of the passenger from home to the airport by private car (C); TCE 2 to TCE 4 represent an air travel service (D) composed of passenger terminal operations for the passenger and luggage (TCE 2, TCE 4) and main carriage by plane (TCE 3). The on-carriage represented by TCE 5 shows shuttle express via rail (E).




Figure 2 — Illustrative example of a multi-element passenger transport chain

The reporting set out in this document reflects the need to report information between the parties in a transport chain because information known to the transport or hub operator, when reported to the user of their service, helps the latter to quantify, better manage and reduce the impacts of their transport or hub activities. This is a standard for GHG emission calculation only; therefore, offsetting is not part of this document.

This document is complementary to several existing standards. It is aligned with the ISO 14064 series and ISO 14067 (see [Figure 3](#)). It contributes to the carbon footprint of products (see ISO 14067) and the life cycle assessment in accordance with the ISO 14040 family of standards and ISO 14044. [Figure 3](#) shows the relationship of this document to other International Standards of the ISO 14040 family of standards and the ISO 14060 family of standards, using the example of a freight transport chain and including possible stages within the life cycle of a product bought online as well as example topics to be covered by a company's GHG inventory.




Figure 3 — Relationship between the ISO 14040 family of standards and the ISO 14060 family of standards, using the example of a freight transport chain

NOTE GHG emission intensity per tonne- or passenger-km calculated in accordance with this document can be used as primary or secondary data for GHG quantification projects in accordance with ISO 14067 and/or ISO 14064-1. These data require adaptation or modification if full life cycle based GHG-emissions are needed, e.g. vehicle manufacture or transport infrastructure provision.

The approach acknowledges, and is in line with, the valuable work conducted on GHG calculation and reporting that is documented in the aforementioned standards and by other protocols and organizations, including but not limited to, the United Nations Framework Convention on Climate Change (UNFCCC),^[37] the GHG Protocol^[16] and the Global Logistics Emissions Council (GLEC) Framework for Logistics Emissions Accounting and Reporting^[15].

Greenhouse gases — Quantification and reporting of greenhouse gas emissions arising from transport chain operations

1 Scope

This document establishes a common methodology for the quantification and reporting of greenhouse gas (GHG) emissions arising from the operation of transport chains of passengers and freight.

2 Normative references

There are no normative references in this document.

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <https://www.electropedia.org/>

3.1 Terms related to transport chain operations

3.1.1

cable car

ropeway

transport system where *vehicles* (3.1.35) are moved by at least one cable motorized by a machinery

Note 1 to entry: Vehicles circulating on cable(s) whose movement is not transmitted by at least one cable are not considered cable cars. Vertical elevators are also not considered cable cars.

3.1.2

charter

contract for the hire of a specific *vehicle* (3.1.35) from an owner for a specified period of time for the charterer's purposes subject to agreed restrictions

3.1.3

collection and delivery round

trip with the purpose to collect and/or deliver *freight* (3.1.7) at successive locations along the trip

Note 1 to entry: Typically, but not necessarily, the trip starts and ends at the same location.

3.1.4

consignment

separately identifiable amount of *freight* (3.1.7) transported from one consignor to one consignee via one or more modes of transport

Note 1 to entry: Although "consignment" and "shipment" (3.1.20) are common terms often considered as synonyms, in this document and other technical publications, a consignment is differentiated to a shipment. Indeed, a shipment refers to a grouping of freight corresponding to the shipper needs, whereas a consignment refers to a grouping of freight according to a carrier or freight forwarder's transport solutions.