Textile conveyor belts - Full thickness tensile strength, elongation at break and elongation at the reference load - Test method (ISO 283:2023)



EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

See Eesti standard EVS-EN ISO 283:2023 sisaldab Euroopa standardi EN ISO 283:2023 ingliskeelset teksti.

This Estonian standard EVS-EN ISO 283:2023 consists of the English text of the European standard EN ISO 283:2023.

Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas.

This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation and Accreditation.

Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 12.04.2023.

Date of Availability of the European standard is 12.04.2023.

Standard on kättesaadav Eesti Standardimis-ja Akrediteerimiskeskusest.

The standard is available from the Estonian Centre for Standardisation and Accreditation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile <u>standardiosakond@evs.ee</u>.

ICS 53.040.20

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardimis- ja Akrediteerimiskeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardimis-ja Akrediteerimiskeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardimis-ja Akrediteerimiskeskusega: Koduleht www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation and Accreditation No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation and Accreditation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation and Accreditation:

Homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

EUROPEAN STANDARD

EN ISO 283

NORME EUROPÉENNE

EUROPÄISCHE NORM

April 2023

ICS 53.040.20

Supersedes EN ISO 283:2015

English Version

Textile conveyor belts - Full thickness tensile strength, elongation at break and elongation at the reference load - Test method (ISO 283:2023)

Courroies transporteuses à carcasse textile -Résistance à la traction, allongement à la rupture et allongement sous force de référence en pleine épaisseur - Méthode d'essai (ISO 283:2023) Textilfördergurte - Zugfestigkeit bei voller Gurtdicke, Bruchdehnung und Dehnung bei breitenbezogener Bruchkraft - Prüfverfahren (ISO 283:2023)

This European Standard was approved by CEN on 1 March 2023.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

European foreword

This document (EN ISO 283:2023) has been prepared by Technical Committee ISO/TC 41 "Pulleys and belts (including veebelts)" in collaboration with Technical Committee CEN/TC 188 "Conveyor belts" the secretariat of which is held by SNV.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by October 2023, and conflicting national standards shall be withdrawn at the latest by October 2023.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 283:2015.

Any feedback and questions on this document should be directed to the users' national standards body/national committee. A complete listing of these bodies can be found on the CEN website.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.

Endorsement notice

The text of ISO 283:2023 has been approved by CEN as EN ISO 283:2023 without any modification.

Terms and definitions 4 Principle 5 Apparatus 6 Test pieces 6.1 Shape and dimensions 6.2 Method of selection of test pieces 6.3 Preparation of test pieces 6.4 Number of test pieces 6.5 Conditioning of test pieces 7 Procedure 8 Calculation and expression of results 8.1 Tensile strength 8.2 Elongation 8.2.1 Elongation at break 8.2.2 Elongation at reference force (see 3.5)	Contents			
1 Scope 2 Normative references 3 Terms and definitions 4 Principle 5 Apparatus 6 Test pieces 6.1 Shape and dimensions 6.2 Method of selection of test pieces 6.3 Preparation of test pieces 6.4 Number of test pieces 6.5 Conditioning of test pieces 7 Procedure 8 Calculation and expression of results 8.1 Tensile strength 8.2 Elongation 8.2.1 Elongation at break 8.2.2 Elongation at reference force (see 3.5) 9 Test report Bibliography 10	For	eword		iv
3 Terms and definitions. 4 Principle 5 Apparatus. 6 Test pieces. 6.1 Shape and dimensions 6.2 Method of selection of test pieces. 6.3 Preparation of test pieces. 6.4 Number of test pieces. 6.5 Conditioning of test pieces. 7 Procedure 8 Calculation and expression of results. 8.1 Tensile strength. 8.2 Elongation. 8.2.1 Elongation at break. 8.2.2 Elongation at reference force (see 3.5). 9 Test report.				
4 Principle 5 Apparatus 6 Test pieces 6.1 Shape and dimensions 6.2 Method of selection of test pieces 6.3 Preparation of test pieces 6.4 Number of test pieces 6.5 Conditioning of test pieces 6.5 Lest and the service of the se	2	Normative references		1
5	3			1
6 Test pieces 6.1 Shape and dimensions 6.2 Method of selection of test pieces 6.3 Preparation of test pieces 6.4 Number of test pieces 6.5 Conditioning of test pieces 7 Procedure 8 Calculation and expression of results 8.1 Tensile strength 8.2 Elongation 8.2.1 Elongation at break 8.2.2 Elongation at reference force (see 3.5) 9 Test report Bibliography 10	4			2
6.1 Shape and dimensions 6.2 Method of selection of test pieces 6.3 Preparation of test pieces 6.4 Number of test pieces 6.5 Conditioning of test pieces 7 Procedure 8 Calculation and expression of results 8.1 Tensile strength 8.2 Elongation 8.2.1 Elongation at break 8.2.2 Elongation at reference force (see 3.5) 9 Test report Bibliography 10	5			2
8 Calculation and expression of results 8.1 Tensile strength 8.2 Elongation 8.2.1 Elongation at break 8.2.2 Elongation at reference force (see 3.5) 9 Test report Bibliography 10	6	6.1 6.2 6.3 6.4	Shape and dimensions Method of selection of test pieces Preparation of test pieces Number of test pieces	
8.1 Tensile strength 8.2 Elongation 8.2.1 Elongation at break 8.2.2 Elongation at reference force (see 3.5) 9 Test report Bibliography	7	Proc	cedure	8
Bibliography	8	8.1	Tensile strength Elongation 8.2.1 Elongation at break	
Bibliography	9	Test	report	9

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 41, *Pulleys and belts (including veebelts)*, Subcommittee SC 3, *Conveyor belts*, in collaboration with the European Committee for Standardization (CEN) Technical Committee CEN/TC 188, *Conveyor belts*, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

This fifth edition cancels and replaces the fourth edition (ISO 283:2015), which has been technically revised.

The main changes are as follows:

- addition of conditioning period requirement before being sampled in 6.1;
- clarification of sample width measuring point in <u>6.3</u>;
- addition of cover reduction requirement in the grip areas in <u>6.3</u>;
- deletion of the humidity requirement in <u>6.5</u>.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Textile conveyor belts — Full thickness tensile strength, elongation at break and elongation at the reference load — Test method

1 Scope

This document specifies a test method for the determination of the full thickness tensile strength in the longitudinal direction and the elongation at the reference force and breaking point of conveyor belts having a textile carcass. The method can also be used for the determination of full thickness tensile strength in the transverse direction and the elongation at the breaking point, for use when the manufacturer is requested by the purchaser to state values for these properties.

This document does not apply to light conveyor belts as described in ISO 21183-1.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 7500-1, Metallic materials — Calibration and verification of static uniaxial testing machines — Part 1: Tension/compression testing machines — Calibration and verification of the force-measuring system

ISO 18573, Conveyor belts — Test atmospheres and conditioning periods

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at https://www.iso.org/obp
- IEC Electropedia: available at https://www.electropedia.org/

3.1

tensile strength

greatest measured force during the tensile test divided by the width of the test piece

Note 1 to entry: It is expressed in N/mm.

3.2

nominal tensile strength

specified minimum value of the belt *tensile strength* (3.1)

Note 1 to entry: It is expressed in N/mm.

3.3

reference force

reference load

one-tenth of the *nominal tensile strength* (3.2) in the longitudinal direction multiplied by the width of the test piece in millimetres

EXAMPLE Nominal tensile strength = 1600 N/mm; one tenth of the nominal tensile strength = 160 N/mm; reference force for 25 mm test piece = $25 \text{ mm} \times 160 \text{ N/mm} = 4000 \text{ N}$.