

MADALPINGELISED ELEKTRIPAIGALDISED. OSA 4-43:
KAITSEVIISID. LIIGVOOLUKAITSE

Low-voltage electrical installations - Part 4-43:
Protection for safety - Protection against overcurrent
(IEC 60364-4-43:2023)

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

<p>See Eesti standard EVS-HD 60364-4-43:2023 sisaldab Euroopa standardi HD 60364-4-43:2023 ingliskeelset teksti.</p> <p>Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas</p> <p>Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 01.09.2023.</p> <p>Standard on kättesaadav Eesti Standardimis- ja Akrediteerimiskeskusest.</p>	<p>This Estonian standard EVS-HD 60364-4-43:2023 consists of the English text of the European standard HD 60364-4-43:2023.</p> <p>This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation and Accreditation.</p> <p>Date of Availability of the European standard is 01.09.2023.</p> <p>The standard is available from the Estonian Centre for Standardisation and Accreditation.</p>
---	---

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 29.120.50, 91.140.50

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardimis- ja Akrediteerimiskeskusele. Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardimis- ja Akrediteerimiskeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardimis- ja Akrediteerimiskeskusega: Koduleht www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation and Accreditation. No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation and Accreditation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation and Accreditation:

Homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

English Version

**Low-voltage electrical installations - Part 4-43: Protection for
safety - Protection against overcurrent
(IEC 60364-4-43:2023)**

Installations électriques à basse tension - Partie 4-43:
Protection pour assurer la sécurité - Protection contre les
surintensités
(IEC 60364-4-43:2023)

Errichten von Niederspannungsanlagen - Teil 4-43:
Schutzmaßnahmen - Schutz bei Überstrom
(IEC 60364-4-43:2023)

This Harmonization Document was approved by CENELEC on 2023-08-23. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for implementation of this Harmonization Document at national level.

Up-to-date lists and bibliographical references concerning such national implementations may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This Harmonization Document exists in three official versions (English, French, German).

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

European foreword

The text of document 64/2591/FDIS, future edition 4 of IEC 60364-4-43, prepared by IEC/TC 64 "Electrical installations and protection against electric shock" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as HD 60364-4-43:2023.

The following dates are fixed:

- latest date by which the document has to be implemented at national (dop) 2024-05-23 level by publication of an identical national standard or by endorsement
- latest date by which the national standards conflicting with the (dow) 2026-08-23 document have to be withdrawn

This document supersedes HD 60364-4-43:2010 and all of its amendments and corrigenda (if any).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

Any feedback and questions on this document should be directed to the users' national committee. A complete listing of these bodies can be found on the CENELEC website.

Endorsement notice

The text of the International Standard IEC 60364-4-43:2023 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standard indicated:

IEC 60269-2	NOTE Approved as HD 60269-2
IEC 60269-3	NOTE Approved as HD 60269-3
IEC 60269-4	NOTE Approved as EN 60269-4
IEC 60364-1	NOTE Approved as HD 60364-1
IEC 60364-4-41	NOTE Approved as HD 60364-4-41
IEC 60364-5-54:2011	NOTE Approved as HD 60364-5-54:2011 (not modified) +A11:2017
IEC 60898 (series)	NOTE Approved as EN 60898 (series)
IEC 60909-0	NOTE Approved as EN 60909-0
IEC 60947-1	NOTE Approved as EN IEC 60947-1
IEC 60947-2	NOTE Approved as EN 60947-2
IEC 60947-3	NOTE Approved as EN IEC 60947-3
IEC 60947-6-2	NOTE Approved as EN IEC 60947-6-2
IEC 60947-4-1	NOTE Approved as EN IEC 60947-4-1

IEC 61009-1	NOTE Approved as EN 61009-1
IEC 61439-6	NOTE Approved as EN 61439-6
IEC 61534 (series)	NOTE Approved as EN 61534 (series)
IEC 61557-9	NOTE Approved as EN 61557-9

This document is a preview generated by EVS

INTERNATIONAL STANDARD

NORME INTERNATIONALE

**Low-voltage electrical installations –
Part 4-43: Protection for safety – Protection against overcurrent**

**Installations électriques à basse tension –
Partie 4-43: Protection pour assurer la sécurité – Protection contre les
surintensités**



THIS PUBLICATION IS COPYRIGHT PROTECTED
Copyright © 2023 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Secretariat
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 300 terminological entries in English and French, with equivalent terms in 19 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Recherche de publications IEC -

webstore.iec.ch/advsearchform

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études, ...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Découvrez notre puissant moteur de recherche et consultez gratuitement tous les aperçus des publications. Avec un abonnement, vous aurez toujours accès à un contenu à jour adapté à vos besoins.

Electropedia - www.electropedia.org

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 300 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 19 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.



INTERNATIONAL STANDARD

NORME INTERNATIONALE

**Low-voltage electrical installations –
Part 4-43: Protection for safety – Protection against overcurrent**

**Installations électriques à basse tension –
Partie 4-43: Protection pour assurer la sécurité – Protection contre les
surintensités**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 29.120.50; 91.140.50

ISBN 978-2-8322-7031-8

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD.....	4
430 Protection against overcurrent.....	8
430.1 Scope.....	8
430.2 Normative references.....	8
430.3 Terms and definitions.....	8
430.4 General requirements.....	10
431 Protection against overcurrent by automatic disconnection of supply.....	10
431.1 Protection of line conductors.....	10
431.2 Protection of neutral or mid-point conductor.....	10
431.2.1 AC circuits without triplen harmonics and DC circuits.....	10
431.2.2 Additional requirements for IT systems.....	11
431.2.3 AC system with triplen harmonics.....	11
431.3 Protection against overcurrent.....	12
431.3.1 Protection against both overload current and short-circuit current.....	12
431.3.2 Protection against overload current only.....	12
431.3.3 Protection against short-circuit current only.....	12
431.4 Protection against overload current.....	12
431.4.1 General.....	12
431.4.2 Coordination between conductors and overload protective devices.....	12
431.4.3 Protection against overload current of conductors connected in parallel.....	13
431.5 Protection against short-circuit currents.....	14
431.5.1 General.....	14
431.5.2 Determination of prospective short-circuit currents.....	14
431.5.3 Protection against short-circuit current of conductors connected in parallel.....	14
431.5.4 Requirements for protection against short-circuit current.....	15
431.6 Coordination of protection against overload current and protection against short-circuit current.....	17
431.6.1 Protection afforded by one device.....	17
431.6.2 Protection afforded by separate devices.....	17
431.6.3 Coordination for selectivity and combined short-circuit protection.....	17
Annex A (normative) Protection against overcurrent by other means.....	19
A.1 General.....	19
A.2 Protection against overload.....	19
A.3 Protection against short-circuits.....	19
Annex B (normative) Protection against overcurrent by limitation of the characteristics of supply.....	20
Annex C (informative) Protection of conductors in parallel against overcurrent.....	21
C.1 General.....	21
C.2 Protection against overload current of conductors connected in parallel.....	21
C.3 Protection against short-circuit current of conductors connected in parallel.....	24
Annex D (informative) Design current.....	27
Annex E (normative) Cases where automatic disconnection of supply for protection against overcurrent can cause an increased risk.....	28
Annex F (informative) List of notes concerning certain countries.....	29
Bibliography.....	32

Figure 1 – Coordination between conductor and protective device (conditions 1 and 2)	13
Figure C.1 – Circuit in which an overload protective device is provided for each of the m conductors in parallel	23
Figure C.2 – Circuit in which a single overload protective device is provided for the m conductors in parallel.....	24
Figure C.3 – Current flow at the beginning of the short-circuit.....	25
Figure C.4 – Current flow after operation of the protective device D3.....	25
Figure C.5 – Illustration of linked protective device	26
Table 1 – Correspondence between IEC 60364-4-43:2008 and this document.....	6
Table 2 – Values of k for conductors	16

INTERNATIONAL ELECTROTECHNICAL COMMISSION

LOW-VOLTAGE ELECTRICAL INSTALLATIONS –

Part 4-43: Protection for safety – Protection against overcurrent

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 60364-4-43 has been prepared by IEC technical committee 64: Electrical installations and protection against electric shock. It is an International Standard.

This fourth edition cancels and replaces the third edition published in 2008. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) the standard has been restructured, see Table 1 (Correspondence between IEC 60364-4-43:2008 and this document) below;
- b) the measure "automatic disconnection of supply" has been designated as the preferred measure for protection against overcurrent;
- c) all measures except the measure "automatic disconnection of supply" have been transferred into new normative annexes to indicate that these measures are usable in certain applications and under certain restricted conditions only (see Annex A, Annex B and Annex E);

- d) a new clause "Terms and definitions" has been added;
- e) new requirements have been added for the protection of the neutral or mid-point conductor (with and without triplen harmonics).

The text of this International Standard is based on the following documents:

Draft	Report on voting
64/2591/FDIS	64/2618/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

A list of all parts in the IEC 60364 series, published under the general title *Low-voltage electrical installations*, can be found on the IEC website.

The reader's attention is drawn to the fact that Annex F lists all of the "in-some-country" clauses on differing practices of a less permanent nature relating to the subject of this document.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

Correspondence between IEC 60364-4-43:2008 and this document

Table 1 provides a list of contents of both the previous edition and the current edition of IEC 60364-4-43, indicating the new structure of the standard.

Table 1 also indicates which clauses of IEC 60364-4-43:2008 have been transferred to IEC 60364-5-53:2019.

Table 1 – Correspondence between IEC 60364-4-43:2008 and this document

IEC 60364-4-43:2008		IEC 60364-4-43:2023	
Low-voltage electrical installations – Part 4-43: Protection for safety – Protection against overcurrent		Low-voltage electrical installations – Part 4-43: Protection for safety – Protection against overcurrent	
43	Protection against overcurrent	430	Protection against overcurrent
430.1	Scope	430.1	Scope
430.2	Normative references	430.2	Normative references
		430.3	Terms and definitions
430.3	General requirements	430.4	General requirements
431	Requirements according to the nature of the circuits	431	Protection against overcurrent by automatic disconnection of supply
431.1	Protection of line conductors	431.1	Protection of line conductors
431.2	Protection of the neutral conductor	431.2	Protection of neutral or mid-point conductor
431.3	Disconnection and reconnection of the neutral conductor in multi-phase systems		Deleted Covered by product standards and 530.4.2
432	Nature of protective devices	431.3	Protection against overcurrent Partly covered by Clause 533
432.1	Devices providing protection against both overload current and short-circuit current	431.3.1	Protection against both overload current and short-circuit current
432.2	Devices ensuring protection against overload current only	431.3.2	Protection against overload current only
432.3	Devices ensuring protection against short-circuit current only	431.3.3	Protection against short-circuit current only
432.4	Characteristics of protective devices		Deleted Covered by Clause 533
433	Protection against overload current	431.4	Protection against overload current
433.1	Coordination between conductors and overload protective devices	431.4.2	Coordination between conductors and overload protective devices
433.2	Position of devices for overload protection		Deleted Covered by 533.4.2
433.3	Omission of devices for protection against overload	Annex A Protection against overcurrent by other means, Clause A.2 Protection against overload except 433.3.2.1 which was initially transferred to IEC 60364-5-53:2019, 533.4.2.4 but was then deleted at CDV stage from IEC 60364-5-53:2019	
433.4	Overload protection of conductors in parallel	431.4.3	Protection against overload current of conductors connected in parallel
434	Protection against short-circuit currents	431.5	Protection against short-circuit currents
434.1	Determination of prospective short-circuit currents	431.5.2	Determination of prospective short-circuit currents

IEC 60364-4-43:2008		IEC 60364-4-43:2023	
Low-voltage electrical installations – Part 4-43: Protection for safety – Protection against overcurrent		Low-voltage electrical installations – Part 4-43: Protection for safety – Protection against overcurrent	
434.2	Position of devices for short-circuit protection		Deleted Covered by 533.4.3
434.3	Omission of devices for protection against short-circuit	Annex A Protection against overcurrent by other means, Clause A.3 Protection against short-circuits	
434.4	Short-circuit protection of conductors in parallel	431.5.3	Protection against short-circuit current of conductors connected in parallel
434.5	Characteristics of short-circuit protective devices	431.5.4	Requirements for protection against short-circuit current
435	Coordination of overload and short-circuit protection	431.6	Coordination of protection against overload current and protection against short-circuit current
435.1	Protection afforded by one device	431.6.1	Protection afforded by one device
435.2	Protection afforded by separate devices	431.6.2	Protection afforded by separate devices
		431.6.3	Coordination for selectivity and combined short-circuit protection
		Annex A (normative) Protection against overcurrent by other means	
436	Limitation of overcurrent by characteristics of supply	Annex B (normative) Protection against overcurrent by limitation of the characteristics of supply	
Annex A (informative) Protection of conductors in parallel against overcurrent.		Annex C (informative) Protection of conductors in parallel against overcurrent	
Annex B (informative) Conditions 1 and 2 of 433.1			Deleted Covered by Figure 1 in 431.4.2
Annex C (informative) Position or omission of devices for overload protection		Moved to IEC 60364-5-53:2019, Annex A (Position of devices for overload protection)	
Annex D (informative) Position or omission of devices for short-circuit protection		Moved to IEC 60364-5-53:2019, Annex B (Position of devices for short-circuit protection)	
		Annex D (informative) Design current	
		Annex E (normative) Cases where automatic disconnection of supply for protection against overcurrent can cause an increased risk	
Annex E (informative) List of notes concerning certain countries		Annex F (informative) List of notes concerning certain countries	

LOW-VOLTAGE ELECTRICAL INSTALLATIONS –

Part 4-43: Protection for safety – Protection against overcurrent

430 Protection against overcurrent

430.1 Scope

This part of IEC 60364 provides requirements for:

- protection of live conductors, PEN conductors, PEM conductors, and PEL conductors against the harmful effects caused by overcurrent;
- coordination of measures for protection against overcurrent.

NOTE 1 The requirements of this document do not take account of external influences.

NOTE 2 Protection of conductors according to this document does not necessarily protect the equipment connected to the conductors.

NOTE 3 Flexible cables connecting equipment by plugs and socket-outlet to fixed installations are not part of the scope of this document and for this reason are not necessarily protected against the harmful effects caused by overcurrent.

430.2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60364-5-52:2009, *Low-voltage electrical installations – Part 5-52: Selection and erection of electrical equipment – Wiring systems*

430.3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- IEC Electropedia: available at <https://www.electropedia.org/>
- ISO Online browsing platform: available at <https://www.iso.org/obp>

430.3.1

overcurrent

electric current the value of which exceeds a specified limiting value

Note 1 to entry: For conductors, the specified limiting value is equal to the current-carrying capacity.

Note 2 to entry: An overcurrent is an overload current or a short-circuit current.

[SOURCE: IEC 60050-151:2001, 151-15-28, modified – The Notes to entry have been added.]