

LENNUNDUSE JA KOSMONAUTIKA SEERIA.
MEHITAMATA ÕHUSÕIDUKI SÜSTEEM. OSA 002:
KAUGTUVASTUS

Aerospace series - Unmanned Aircraft Systems - Part
002: Direct Remote identification

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

See Eesti standard EVS-EN 4709-002:2023 sisaldab Euroopa standardi EN 4709-002:2023 ingliskeelset teksti. Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 25.10.2023. Standard on kättesaadav Eesti Standardimis-ja Akrediteerimiskeskusest.	This Estonian standard EVS-EN 4709-002:2023 consists of the English text of the European standard EN 4709-002:2023. This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation and Accreditation. Date of Availability of the European standard is 25.10.2023. The standard is available from the Estonian Centre for Standardisation and Accreditation.
--	---

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 03.220.50, 35.240.60, 49.020

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardimis- ja Akrediteerimiskeskusele. Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardimis-ja Akrediteerimiskeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardimis-ja Akrediteerimiskeskusega: Koduleht www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation and Accreditation. No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation and Accreditation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation and Accreditation: Homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

English Version

**Aerospace series - Unmanned Aircraft Systems - Part 002:
Direct Remote identification**

Série aérospatiale - Aéronefs télépilotes - Partie 002 :
Exigences d'identification directe à distance

Luft- und Raumfahrt - Unbemannte
Luftfahrzeugsysteme - Teil 002: Anforderungen an die
direkte Fernidentifizierung

This European Standard was approved by CEN on 28 August 2023.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents

European foreword	4
Introduction	5
1 Scope.....	6
1.1 General.....	6
1.2 Security.....	6
1.3 DRI display software.....	6
2 Normative references.....	7
3 Terms, definitions and abbreviations	7
3.1 Terms and definitions	7
3.2 List of abbreviated terms	8
4 General design requirements.....	9
4.1 Conceptual overview	9
4.2 Mandatory information	10
4.3 Security of the DRI system	10
4.4 Upload of UAS operator registration number	11
4.5 Performance requirements.....	15
4.6 Working time.....	16
4.7 Add-on specific requirements.....	16
5 Requirements for direct remote identification function.....	16
5.1 Data dictionary	16
5.2 DRI messages.....	23
5.2.1 Message header	23
5.2.2 Block message.....	23
5.2.3 Basic ID message	24
5.2.4 Location/vector message.....	25
5.2.5 Self-ID message.....	29
5.2.6 System message.....	29
5.2.7 Operator ID message	31
5.2.8 Message pack.....	32
5.3 Broadcast transport protocols.....	33
5.3.1 General.....	33
5.3.2 Bluetooth legacy advertising transport mechanism (4.x compatible).....	33
5.3.3 Bluetooth long range advertising mechanism (5.x compatible)	35
5.3.4 Wi-Fi NAN transport method	42
5.3.5 Wi-Fi beacon transport method	46
5.4 Output power	47
5.5 Emission directivity	48
5.6 Update and transmission rates.....	48
6 Verification requirements and test methods	49
6.1 Scope.....	49
6.2 DRI generic test procedure	49
6.2.1 General.....	49
6.2.2 Upload UAS operator registration number test procedure.....	49
6.2.3 UAS DRI data field transmission testing procedure	49
6.3 Update and transmission rates test procedure	52
6.3.1 General test setup.....	52
6.3.2 Measurement procedure.....	53
6.4 Remote ID compatibility with mobile device	54

6.4.1	General test setup.....	54
6.4.2	Measurement procedure	55
	Annex A (informative) Conformity methods and technical specifications references.....	56
A.1	Requirement verification stage.....	56
A.2	Wi-Fi, Bluetooth channels, bandwidth and frequencies.....	56
	Annex B (informative) Additional test procedures for verification of optional features of the add-on DRI devices: UAS category of operation, UAS class	57
B.1	Test setup	57
B.2	UA category of operation configuration test procedure (for add-on only)	57
B.3	UA class configuration test procedure (for add-on only).....	57
B.4	UA Category of operation transmission testing procedure (for add-on only).....	58
	Annex C (informative) Guidelines for mobile device selection.....	60
	Annex ZA (informative) Relationship between this document and the essential requirements of Delegated regulation (EU) 2019/945 of 12th March 2019 on unmanned aircraft systems and on third-country operators of unmanned aircraft systems aimed to be covered.....	61
	Bibliography	63

European foreword

This document (EN 4709-002:2023) has been prepared by the Aerospace and Defence Industries Association of Europe — Standardization (ASD STAN) and is now under the responsibility of CEN/TC 471 'Unmanned aircraft systems'.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by April 2024, and conflicting national standards shall be withdrawn at the latest by April 2024.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

After enquiries and votes carried out in accordance with the rules of this Association, this document has received the approval of the National Associations and the Official Services of the member countries of ASD-STAN, prior to its presentation to CEN.

A list of all parts in the 4709 series can be found on the CEN website: <https://www.cencenelec.eu/>.

This document has been prepared under a standardization request addressed to CEN by the European Commission. The Standing Committee of the EFTA States subsequently approves these requests for its Member States.

For the relationship with EU Legislation, see informative Annex ZA, which is an integral part of this document.

Any feedback and questions on this document should be directed to the users' national standards body. A complete listing of these bodies can be found on the CEN website.

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.

Introduction

The European Commission adopted on the 12th of March 2019 the Delegated Regulation (EU) 2019/945 on unmanned aircraft systems and on third-country operators of unmanned aircraft systems.

This document gives all economic operators (such as manufacturers, importers and distributors and their trade associations as well as bodies involved in the conformity assessment procedures) a viable way to prove compliance with the requirements laid out in the Delegated Regulation of 12th, March 2019.

The end user of this document assumes all responsibility for the safe application of these test methods. All relevant safety/quality procedures should be considered. Special consideration should be considered when operating the UAS for evaluations. All local, state, federal, and country laws should be considered when operating UAS.

For repeatability, it is assumed that environmental conditions (temperature, wind, pressure, humidity) are recorded during any tests and it is further assumed tests conducted unless otherwise noted within the following conditions: Temperature – 18 °C-28 °C, Pressure – Atmospheric from sea level up to 2 000 m, Humidity – 10 %-60 %, Wind Speed – Calm (less than 0,3 m/s or zero on the Beaufort Scale).

DRI display software

The following information is provided to clarify the assumptions made on the capability of compatible mobile receiver devices to get DRI data interpretation and display capability.

As described in 4.1 the interested third party uses a receiver mobile device (such as a smartphone) with specific RID Display Software to receive and display the information contained in Remote ID broadcasted by an UA.

To be easily accessible, the display software is expected to be largely available to all interested third parties.

The software is expected to display all mandatory information described in 4.2. A way to display remote ID could be a map view showing the position of the UA(s) together with the position of the smartphone.

All transport methods for remote ID described in Clause 5 is expected to be processed and displayed by the software to be used as a testing tool. As the transport methods have different hardware requirements, a specific mobile receiver device may not be able to receive all transport methods. The software is expected to show the user which transport methods are supported by the present mobile receiver device.

1 Scope

1.1 General

This document provides means of compliance with the “Direct Remote Identification” requirements set in Regulation (EU) 2019/945 on Unmanned Aircraft Systems.

“Direct remote identification” means a system that ensures the local broadcast of information about a UA in operation.

More specifically, this document addresses drone’s capability to be identified during the whole duration of the flight, in real time and with no specific connectivity or ground infrastructure link, by existing mobile devices when within the broadcasting range. Such functionality, based on an open and documented transmission protocol (described in this document) contributes to address security threats and to support drones’ operators’ obligations with respect to citizens’ fundamental rights to privacy and protection of personal data. It can be used by law enforcement people, critical infrastructure managers, and public to get an instantaneous information on the drone flying around, providing various information such as UA serial number, UA navigation data and operational status, UAS Operator registration number and position as defined in the Delegated Regulation (EU) 2019/945.

Since Regulation (EU) 2019/945 requires DRI information to be broadcasted using an “open and documented protocol”, this document does not define technological measures to protect the confidentiality and integrity of the data broadcasted.

1.2 Security

This document is limited to ensure conformity of the UAS with the requirements set in Parts 2, 3, 4 and 6 of Regulation (EU) 2019/945. Therefore:

- this document does not include the capability to protect communication against user and/or malicious modification of sensors output values involved in DRI information computation (like GNSS, barometer, magnetometer, and accelerometer...) and the DRI radio-transmitter interface;
- this document does not include the capability to protect against user and/or malicious software and hardware modification of the geographical position, the timestamp, the height, the take-off position, the speed, or the route course of the UA/add-on;
- this document does not include the capability to ensure DRI data integrity verification, or the capability to ensure detection that the UA/Add-on’s serial number is unique, when received by the receiver mobile device. However, to provide such capabilities, a digital signature may be added to the DRI message;
- this document does not include the capability to ensure DRI data received by the receiver mobile device are genuine and come from a UA/add-on belonging to a registered UAS operator, or the capability to ensure detection of spoofing of the UAS operator registration number. However, to provide such capabilities, a digital signature may be added to the DRI message.

1.3 DRI display software

Direct remote identification display software is not in the scope of this document. However, it is assumed that compatible mobile receiver devices will support DRI data interpretation and display capability.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ETSI EN 300-328, V2.2.2:2019-07, *Wideband transmission systems; Data transmission equipment operating in the 2,4 GHz band; Harmonised Standard for access to radio spectrum*

ETSI EN 300-440, V2.2.1:2018-07, *Short Range Devices (SRD); Radio equipment to be used in the 1 GHz to 40 GHz frequency range; Harmonised Standard for access to radio spectrum*

ETSI EN 301-893, V2.1.1:2017-05, *5 GHz RLAN; Harmonised Standard covering the essential requirements of article 3.2 of Directive 2014/53/EU*

EN ISO 3166-1:2020, *Codes for the representation of names of countries and their subdivisions - Part 1: Country code (ISO 3166-1:2020)*

3 Terms, definitions and abbreviations

3.1 Terms and definitions

For the purposes of this document, the following terms and definitions.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <https://www.electropedia.org/>

3.1.1

add-on

standalone direct remote ID broadcast device integrating a GNSS function and a communication function, being able to provide position, height, speed over ground, track clockwise with true north, of the UA, and the remote pilot position or it's take-off position

3.1.2

direct remote identification

DRI

system that ensures the local broadcast of information about a UA in operation so that this information can be obtained without physical access to the UA

3.1.3

UAS operator registration number

identifier delivered by the National Aviation Authority, upon UAS operator eRegistration procedure

Note 1 to entry: in this document UAS operator registration number is equivalent to UAS Operator ID or UAS operator registration ID.