

Railway applications - Infrastructure - Noise barriers and related devices acting on airborne sound propagation - Test method for determining the acoustic performance - Part 3-2: Normalized railway noise spectrum and single number ratings for direct sound field applications

## EESTI STANDARDI EESSÕNA

## NATIONAL FOREWORD

See Eesti standard EVS-EN 16272-3-2:2023 sisaldab Euroopa standardi EN 16272-3-2:2023 ingliskeelset teksti.	This Estonian standard EVS-EN 16272-3-2:2023 consists of the English text of the European standard EN 16272-3-2:2023.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation and Accreditation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 18.10.2023.	Date of Availability of the European standard is 18.10.2023.
Standard on kättesaadav Eesti Standardimis-ja Akrediteerimiskeskusest.	The standard is available from the Estonian Centre for Standardisation and Accreditation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile [standardiosakond@evs.ee](mailto:standardiosakond@evs.ee).

ICS 93.100

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardimis- ja Akrediteerimiskeskusele. Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardimis- ja Akrediteerimiskeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardimis- ja Akrediteerimiskeskusega: Koduleht [www.evs.ee](http://www.evs.ee); telefon 605 5050; e-post [info@evs.ee](mailto:info@evs.ee)

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation and Accreditation. No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation and Accreditation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation and Accreditation: Homepage [www.evs.ee](http://www.evs.ee); phone +372 605 5050; e-mail [info@evs.ee](mailto:info@evs.ee)

English Version

**Railway applications - Infrastructure - Noise barriers and related devices acting on airborne sound propagation - Test method for determining the acoustic performance - Part 3-2: Normalized railway noise spectrum and single number ratings for direct sound field applications**

Applications ferroviaires - Infrastructure - Dispositifs de réduction du bruit - Méthode d'essai pour la détermination de la performance acoustique - Partie 3-2 : Spectre de bruit ferroviaire normalisé et indices uniques d'évaluation pour des applications en champ sonore direct

Bahnanwendungen - Oberbau - Lärmschutzwände und verwandte Vorrichtungen zur Beeinflussung der Luftschallausbreitung - Prüfverfahren zur Bestimmung der akustischen Eigenschaften - Teil 3-2: Intrinsische Merkmale - Standardisiertes Schienenverkehrslärmspektrum und Einzahlangaben für gerichtete Schallfelder

This European Standard was approved by CEN on 4 September 2023.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

**CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels**

# Contents

Page

European foreword .....	3
Introduction .....	5
1 Scope.....	6
2 Normative references.....	6
3 Terms, definitions, symbols and abbreviated terms .....	6
3.1 Terms and definitions .....	6
3.2 Symbols and abbreviated terms.....	7
4 Normalized railway noise spectrum for direct sound field applications .....	8
5 Single-number rating of sound reflection index $DL_{RI}$ .....	8
6 Single-number rating of sound insulation index $DL_{SI}$ .....	9
6.1 General.....	9
6.2 Acoustic elements.....	9
6.3 Posts.....	10
6.4 Global .....	10
7 Single-number ratings of diffraction index difference $DL_{ADI}$ .....	11
7.1 General.....	11
7.2 Single-number rating of diffraction index difference $DL_{ADI,refl}$ .....	11
7.3 Single-number rating of diffraction index difference $DL_{ADI,abs}$ .....	12
7.4 Single-number rating of diffraction index difference $DL_{ADI,situ}$ .....	12
8 Uncertainty of single-number ratings .....	12
9 Expression of results .....	12
Annex A (informative) Guidance note on use of the single-number rating of sound reflection index $DL_{RI}$ .....	14
Annex B (informative) Guidance note on use of the single-number rating of sound insulation index $DL_{SI}$ .....	15
Annex C (informative) Guidance note on use of the single-number rating of diffraction index difference $DL_{ADI}$ .....	16
Annex D (informative) Measurement uncertainty of the single-number ratings.....	17
D.1 General.....	17
D.2 Measurement uncertainty based upon reproducibility data for $DL_{RI}$ .....	17
D.3 Measurement uncertainty based upon reproducibility data for $DL_{SI}$ .....	17
D.4 Measurement uncertainty based upon reproducibility data for $DL_{ADI}$ .....	18
Bibliography .....	19

## European foreword

This document (EN 16272-3-2:2023) has been prepared by Technical Committee CEN/TC 256 “Railway application”, the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by April 2024, and conflicting national standards shall be withdrawn at the latest by April 2024.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 16272-3-2:2014.

The main changes compared to the previous edition are listed below:

- The ‘Terms, definitions, symbols and abbreviations’ clause has been updated;
- An annex with the values of the standard deviation of reproducibility and repeatability of single-number ratings has been added; this makes possible the declaration of the measurement uncertainty and the related confidence level, which is now mandatory (Annex C);
- The Bibliography chapter has been added.

EN 16272-3-2 is part of a series and is intended to be read in conjunction with the other parts. All parts are listed in the following:

- EN 16272-1, *Railway applications – Infrastructure – Noise barriers and related devices acting on airborne sound propagation – Test method for determining the acoustic performance – Part 1: Intrinsic characteristics – Sound absorption under diffuse sound field conditions*
- EN 16272-2, *Railway applications – Infrastructure – Noise barriers and related devices acting on airborne sound propagation – Test method for determining the acoustic performance – Part 2: Intrinsic characteristics – Airborne sound insulation under diffuse sound field conditions*
- EN 16272-3-1, *Railway applications – Infrastructure – Noise barriers and related devices acting on airborne sound propagation – Test method for determining the acoustic performance – Part 3-1: Normalized railway noise spectrum and single number ratings for diffuse sound field applications*
- EN 16272-3-2, *Railway applications – Infrastructure – Noise barriers and related devices acting on airborne sound propagation – Test method for determining the acoustic performance – Part 3-2: Normalized railway noise spectrum and single number ratings for direct sound field applications (the present document)*
- EN 16272-4, *Railway applications – Track – Noise barriers and related devices acting on airborne sound propagation – Test method for determining the acoustic performance – Part 4: Intrinsic characteristics – In situ values of sound diffraction under direct sound field conditions*
- EN 16272-5, *Railway applications – Infrastructure – Noise barriers and related devices acting on airborne sound propagation – Part 5: Intrinsic characteristics – Sound absorption under direct sound field conditions*
- EN 16272-6, *Railway applications – Infrastructure – Noise barriers and related devices acting on airborne sound propagation – Test method for determining the acoustic performance – Part 6: Intrinsic characteristics – Airborne sound insulation under direct sound field conditions*

- CEN/TS 16272-7, *Railway applications – Track — Noise barriers and related devices acting on airborne sound propagation — Test method for determining the acoustic performance — Part 7: Extrinsic characteristics — In situ values of insertion loss*

Any feedback and questions on this document should be directed to the users' national standards body. A complete listing of these bodies can be found on the CEN website.

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.

## Introduction

This document is to be read in conjunction with EN 16272-5<sup>1</sup> and EN 16272-6<sup>2</sup> and is applied only to situations as described in those documents (direct sound field conditions).

As the two main intrinsic acoustic characteristics of noise barriers and related devices acting on airborne sound propagation in a direct sound field, the sound reflection index and the sound insulation index, are frequency dependent, there is a need to define a reference railway noise spectrum for test purposes.

Also, the diffraction index difference, the main intrinsic acoustic characteristic of added devices, i.e. products to be added on the top of noise barriers and intended to contribute to sound attenuation acting primarily on the diffracted sound field, is frequency dependent and there is an analogous need to define a reference railway noise spectrum for test purposes.

This document defines the basic properties of railway noise measured at the rail track side in terms of a characteristic normalized railway noise spectrum, which is needed to evaluate single-number ratings of noise barriers and related devices acting on airborne sound propagation, except those used in reverberant conditions, e.g. inside tunnels or deep trenches.

---

<sup>1</sup> Under preparation. Stage at the time of publication: FprEN 16272-5:2023.

<sup>2</sup> Under preparation. Stage at the time of publication: FprEN 16272-6:2023.

## 1 Scope

This document specifies a normalized railway noise spectrum for the evaluation and assessment of the acoustic performance of devices designed to reduce airborne railway noise near railways.

All noise reducing devices different from noise barriers and related devices acting on airborne sound propagation, e.g. devices for attenuation of ground borne vibration and on board devices are outside of the scope of this document.

## 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 16272-4:2016, *Railway applications - Track - Noise barriers and related devices acting on airborne sound propagation - Test method for determining the acoustic performance - Part 4: Intrinsic characteristics - In situ values of sound diffraction under direct sound field*

EN 16272-5<sup>1</sup>, *Railway applications - Infrastructure - Noise barriers and related devices acting on airborne sound propagation - Test method for determining the acoustic performance - Part 5: Intrinsic characteristics - Sound absorption under direct sound field conditions*

EN 16272-6<sup>2</sup>, *Railway applications - Infrastructure - Noise barriers and related devices acting on airborne sound propagation - Test method for determining the acoustic performance - Part 6: Intrinsic characteristics - In situ values of airborne sound insulation under direct sound field conditions*

## 3 Terms, definitions, symbols and abbreviated terms

### 3.1 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- IEC Electropedia: available at <https://www.electropedia.org/>
- ISO Online browsing platform: available at <https://www.iso.org/obp>

NOTE For the purpose of this document, the following definitions take precedence over other definitions from the above websites.

#### 3.1.1

##### **normalized railway noise spectrum**

spectrum that is used for the calculation of the acoustic performance of noise barriers and related devices acting on airborne sound propagation near railways, in terms of single-number ratings of sound absorption and airborne sound insulation

Note 1 to entry: The spectrum is expressed in terms of relative A-weighted sound pressure levels in decibels, for one-third octave bands,  $L_i$ , in the frequency range from 100 Hz to 5 kHz.

#### 3.1.2

##### **one-third octave bands level**

$L_i$

relative A-weighted sound pressure level in decibels, of a normalized railway noise spectrum for one-third octave band with centre frequency  $f_i$