

Railway applications - Infrastructure - Noise barriers and related devices acting on airborne sound propagation - Test method for determining the acoustic performance - Part 3-1: Normalized railway noise spectrum and single number ratings for diffuse sound field applications

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

<p>See Eesti standard EVS-EN 16272-3-1:2023 sisaldab Euroopa standardi EN 16272-3-1:2023 ingliskeelset teksti.</p> <p>Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas</p> <p>Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 18.10.2023.</p> <p>Standard on kättesaadav Eesti Standardimis- ja Akrediteerimiskeskusest.</p>	<p>This Estonian standard EVS-EN 16272-3-1:2023 consists of the English text of the European standard EN 16272-3-1:2023.</p> <p>This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation and Accreditation.</p> <p>Date of Availability of the European standard is 18.10.2023.</p> <p>The standard is available from the Estonian Centre for Standardisation and Accreditation.</p>
---	---

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 93.100

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardimis- ja Akrediteerimiskeskusele. Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardimis- ja Akrediteerimiskeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardimis- ja Akrediteerimiskeskusega: Koduleht www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation and Accreditation. No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation and Accreditation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation and Accreditation: Homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

English Version

Railway applications - Infrastructure - Noise barriers and related devices acting on airborne sound propagation - Test method for determining the acoustic performance - Part 3-1: Normalized railway noise spectrum and single number ratings for diffuse sound field applications

Applications ferroviaires - Infrastructure - Dispositifs de réduction du bruit - Méthode d'essai pour la détermination de la performance acoustique - Partie 3-1 : Spectre de bruit ferroviaire normalisé et indices uniques d'évaluation pour des applications en champ sonore diffus

Bahnanwendungen - Oberbau - Lärmschutzwände und verwandte Vorrichtungen zur Beeinflussung der Luftschallausbreitung - Prüfverfahren zur Bestimmung der akustischen Eigenschaften - Teil 3-1: Produktspezifische Merkmale - Standardisiertes Schienenverkehrslärmspektrum und Einzahl-Angaben für Anwendungen im diffusen Schallfeld

This European Standard was approved by CEN on 4 September 2023.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents

Page

European foreword	3
Introduction	5
1 Scope	6
2 Normative references	6
3 Terms, definitions, symbols and abbreviations	6
3.1 Terms and definitions	6
3.2 Symbols and abbreviated terms	6
4 Normalized railway noise spectrum for diffuse sound field applications	7
5 Single-number rating of sound absorption $DL_{\alpha, NRD}$	8
6 Single-number rating of sound reduction index DL_R	8
7 Uncertainty of single-number ratings	8
8 Expression of results	9
Annex A (informative) Guidance note on use of the single-number rating of sound absorption $DL_{\alpha, NRD}$	10
Annex B (informative) Guidance note on use of the single-number rating of sound reduction index DL_R	11
Annex C (informative) Measurement uncertainty of the single-number ratings	12
C.1 General	12
C.2 Measurement uncertainty based upon reproducibility data for $DL_{\alpha, NRD}$	12
C.3 Measurement uncertainty based upon reproducibility data for DL_R	12
Bibliography	14

European foreword

This document (EN 16272-3-1:2023) has been prepared by Technical Committee CEN/TC 256 “Railway application”, the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by April 2024, and conflicting national standards shall be withdrawn at the latest by April 2024.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 16272-3-1:2012.

The main changes compared to the previous edition are listed below:

- ISO/IEC Guide 98-3, ISO 12999-1 and ISO 12999-2 have been added to the References;
- The ‘Terms, definitions, symbols and abbreviations’ clause has been updated;
- In EN 16272-1, the method for determining sound absorption coefficients in each one-third octave band, as described in EN ISO 354, has been modified: the Sabine absorption coefficient α_s has been replaced by a new absorption coefficient α_{NRD} that is specific to noise barriers and related devices acting on airborne sound propagation and which takes account of the volume of the test sample (the new coefficient α_{NRD} might be derived from α_s);
- Consequently, in this document the new absorption coefficient α_{NRD} is used to calculate the single-number rating of sound absorption $DL\alpha_{NRD}$;
- An annex with the values of the standard deviation of reproducibility and repeatability of single-number ratings has been added; this makes possible the declaration of the measurement uncertainty and the related confidence level, which is now mandatory (Annex C);
- The Bibliography has been added.

EN 16272-3-1 is part of a series and is intended to be read in conjunction with the other parts. All parts are listed in the following:

- EN 16272-1, *Railway applications — Infrastructure — Noise barriers and related devices acting on airborne sound propagation — Test method for determining the acoustic performance — Part 1: Intrinsic characteristics — Sound absorption under diffuse sound field conditions*
- EN 16272-2, *Railway applications — Infrastructure — Noise barriers and related devices acting on airborne sound propagation — Test method for determining the acoustic performance — Part 2: Intrinsic characteristics — Airborne sound insulation under diffuse sound field conditions*
- EN 16272-3-1, *Railway applications – Infrastructure — Noise barriers and related devices acting on airborne sound propagation — Test method for determining the acoustic performance — Part 3-1: Normalized railway noise spectrum and single number ratings for diffuse sound field applications (the present document)*

- EN 16272-3-2, *Railway applications – Infrastructure — Noise barriers and related devices acting on airborne sound propagation — Test method for determining the acoustic performance — Part 3-2: Normalized railway noise spectrum and single number ratings for direct sound field applications*
- EN 16272-4, *Railway applications – Track — Noise barriers and related devices acting on airborne sound propagation — Test method for determining the acoustic performance — Part 4: Intrinsic characteristics — In situ values of sound diffraction under direct sound field conditions*
- EN 16272-5, *Railway applications – Infrastructure — Noise barriers and related devices acting on airborne sound propagation — Test method for determining the acoustic performance — Part 5: Intrinsic characteristics — Sound absorption under direct sound field conditions*
- EN 16272-6, *Railway applications – Infrastructure — Noise barriers and related devices acting on airborne sound propagation — Test method for determining the acoustic performance — Part 6: Intrinsic characteristics — Airborne sound insulation under direct sound field conditions*
- CEN/TS 16272-7, *Railway applications – Track — Noise barriers and related devices acting on airborne sound propagation — Test method for determining the acoustic performance — Part 7: Extrinsic characteristics — In situ values of insertion loss*

Any feedback and questions on this document should be directed to the users' national standards body. A complete listing of these bodies can be found on the CEN website.

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.

Introduction

This document is read in conjunction with EN 16272-1 and EN 16272-2 and is applied only to situations as described in those documents (diffuse sound field).

As the two main intrinsic acoustic characteristics of noise barriers and related devices acting on airborne sound propagation in a diffuse sound field, sound absorption and airborne sound insulation, are frequency dependent, there is a need to define a reference railway noise spectrum for test purposes. This document defines the basic properties of railway noise measured at the rail track side in terms of a characteristic normalized railway noise spectrum, which is needed to evaluate single-number ratings of noise barriers and related devices acting on airborne sound propagation in reverberant conditions, e.g. inside tunnels or deep trenches.

1 Scope

This document specifies a normalized railway noise spectrum for the evaluation and assessment of the acoustic performance of devices designed to reduce airborne railway noise near railways.

All noise reducing devices different from noise barriers and related devices acting on airborne sound propagation, e.g. devices for attenuation of ground borne vibration and on board devices are outside of the scope of this document.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 16272-1, *Railway applications - Infrastructure - Noise barriers and related devices acting on airborne sound propagation - Test method for determining the acoustic performance - Part 1: Intrinsic characteristics - Sound absorption in the laboratory under diffuse sound field conditions*

EN 16272-2, *Railway applications - Infrastructure - Noise barriers and related devices acting on airborne sound propagation - Test method for determining the acoustic performance - Part 2: Intrinsic characteristics - Airborne sound insulation in the laboratory under diffuse sound field conditions*

3 Terms, definitions, symbols and abbreviations

3.1 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- IEC Electropedia: available at <https://www.electropedia.org/>
- ISO Online browsing platform: available at <https://www.iso.org/obp>

NOTE For the purpose of this document, the following definitions take precedence over other definitions from the above websites.

3.1.1

normalized railway noise spectrum

spectrum that is used for the calculation of the acoustic performance of noise barriers and related devices acting on airborne sound propagation near railways, in terms of single-number ratings of sound absorption and airborne sound insulation

Note 1 to entry: The spectrum is expressed in terms of relative A-weighted sound pressure levels in decibels, for one-third octave bands, L_i , in the frequency range from 100 Hz to 5 kHz.

3.1.2

one-third octave bands level

L_i
relative A-weighted sound pressure level in decibels, of a normalized railway noise spectrum for one-third octave band with centre frequency f_i

3.2 Symbols and abbreviated terms

For the purposes of this document, the following symbols apply.