

Aerospace series - Quality management systems -  
Variation management of key characteristics

## EESTI STANDARDI EESSÕNA

## NATIONAL FOREWORD

<p>See Eesti standard EVS-EN 9103:2023 sisaldab Euroopa standardi EN 9103:2023 ingliskeelset teksti.</p> <p>Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas</p> <p>Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 08.11.2023.</p> <p>Standard on kättesaadav Eesti Standardimis- ja Akrediteerimiskeskusest.</p>	<p>This Estonian standard EVS-EN 9103:2023 consists of the English text of the European standard EN 9103:2023.</p> <p>This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation and Accreditation.</p> <p>Date of Availability of the European standard is 08.11.2023.</p> <p>The standard is available from the Estonian Centre for Standardisation and Accreditation.</p>
---	---

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile [standardiosakond@evs.ee](mailto:standardiosakond@evs.ee).

ICS 03.100.70, 03.120.10, 49.020

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardimis- ja Akrediteerimiskeskusele. Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardimis- ja Akrediteerimiskeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardimis- ja Akrediteerimiskeskusega: Koduleht [www.evs.ee](http://www.evs.ee); telefon 605 5050; e-post [info@evs.ee](mailto:info@evs.ee)

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation and Accreditation. No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation and Accreditation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation and Accreditation: Homepage [www.evs.ee](http://www.evs.ee); phone +372 605 5050; e-mail [info@evs.ee](mailto:info@evs.ee)

English Version

## Aerospace series - Quality management systems - Variation management of key characteristics

Série aérospatiale - Systèmes de management de la  
qualité - Gestion des variations des caractéristiques  
clés

Luft- und Raumfahrt - Qualitätsmanagementsystems -  
Management der Veränderung der Haupteigenschaften

This European Standard was approved by CEN on 7 August 2023.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

## Contents

Page

European foreword .....	4
Introduction .....	5
1 Scope.....	8
1.1 General.....	8
1.2 Purpose.....	8
1.3 Convention .....	8
2 Normative references.....	9
3 Terms and definitions .....	10
4 General requirements .....	13
4.1 Flow down of product key characteristics.....	13
4.2 Preparation of control plan inputs and outputs.....	14
4.3 Conditions for performing statistical process control .....	15
4.4 Application of switching rules.....	15
4.5 Restrictions of statistical process control.....	15
4.6 Personnel competence and training.....	16
4.7 Key characteristic variation management and control documentation.....	16
5 Process model for variation management of key characteristics .....	17
5.1 General.....	17
5.2 Stage 1: conduct product performance and key characteristics review.....	19
5.2.1 Reviewing customer provided design documentation to identify product key characteristics.....	19
5.2.2 Determining process key characteristics.....	19
5.2.3 Identifying substitute product key characteristics .....	19
5.2.4 Releasing and maintaining identified key characteristics .....	20
5.2.5 Outputs of stage 1 .....	20
5.3 Stage 2: define the plan to ensure a capable process.....	20
5.3.1 Preparing the control plan .....	20
5.3.2 Developing the manufacturing or maintenance process flow diagram .....	21
5.3.3 Developing a manufacturing or maintenance process risk analysis .....	21
5.3.4 Establishing the manufacturing or maintenance process.....	22
5.3.5 Updating the control plan .....	22
5.3.6 Outputs of stage 2 .....	22
5.4 Stage 3: operate the process on trial basis to generate data.....	22
5.4.1 Developing the data collection plan.....	22
5.4.2 Producing trial parts .....	23
5.4.3 Conducting a measurement system analysis study .....	23
5.4.4 Collecting data to monitor process performance.....	24
5.4.5 Plotting collected data or summary statistics on control chart.....	24
5.4.6 Updating the control plan .....	25
5.4.7 Outputs of stage 3 .....	25
5.5 Stage 4: analyse data for action .....	25
5.5.1 Reviewing the control chart to monitor process performance.....	25
5.5.2 Periodically analysing the data to ensure on-going process capability.....	26
5.5.3 Pursuing investigation into out-of-control conditions or sources of variation .....	26
5.5.4 Updating the control plan .....	26

5.5.5	Outputs of stage 4 .....	26
5.6	Stage 5: take action from process performance study .....	26
5.6.1	Applying the control plan's reaction plan to deal with an unstable process .....	26
5.6.2	Performing measurement system analysis to deal with incapable process .....	27
5.6.3	Implementing the plan to achieve containment.....	27
5.6.4	Updating the control plan.....	27
5.6.5	Outputs of stage 5 .....	28
5.7	Stage 6: continue to monitor the process.....	28
5.7.1	Conducting verification of process performance on a regular basis .....	28
5.7.2	Continually reviewing quality and/or workmanship indicators .....	28
5.7.3	Outputs of stage 6 .....	28
5.8	Stage 7: manage process change .....	29
5.8.1	Documenting changes.....	29
5.8.2	Implementing changes, as required .....	29
5.8.3	Outputs of stage 7 .....	29
5.9	Maintaining documentation to demonstrate compliance .....	29
6	Control plan content requirements .....	29
6.1	Purpose .....	29
6.2	General control plan principles and elements.....	29
6.3	Variation management.....	31
Annex A (informative)	Acronym log .....	32
Annex B (normative)	Reaction plan guidance (use/application and content) .....	33
Bibliography	.....	34

## Figures

Figure 1 — Relationship for 9103 among other IAQG standards.....	7
Figure 2 — Key characteristics variation management model.....	18

## European foreword

This document (EN 9103:2023) has been prepared by the Aerospace and Defence Industries Association of Europe — Standardization (ASD-STAN).

After enquiries and votes carried out in accordance with the rules of this Association, this document has received the approval of the National Associations and the Official Services of the member countries of ASD-STAN, prior to its presentation to CEN.

This document shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by May 2024, and conflicting national standards shall be withdrawn at the latest by May 2024.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 9103:2014.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this document: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.

## Introduction

This document was revised to align with the latest revisions of the International Aerospace Quality Group (IAQG) standards (i.e., EN 9100, EN 9110, EN 9102, EN 9138, EN 9145) and to incorporate industry feedback. Other changes made to standard requirements presented herein were editorial in nature for increased clarity, including additional terms and definitions, and references to other relevant external standards.

To assure customer satisfaction, aviation, space, and defence industry organizations must produce and continually improve safe, reliable products that meet or exceed customer and regulatory authority requirements. The globalization of the industry, and the resulting diversity of regional/national requirements and expectations, has complicated this objective. End-product organizations face the challenge of assuring the quality of, and integrating, product purchased from external providers throughout the world and at all levels within the supply chain. Industry producers, including external providers, face the challenge of delivering product to multiple customers having varying quality expectations and requirements.

The aviation, space, and defence industry established the IAQG for the purpose of achieving significant improvements in quality and safety, and reductions in cost throughout the value stream. This organization includes representation from companies in the Americas, Asia/Pacific, and Europe.

This document standardizes requirements for the variation management of key characteristics (KCs). The establishment of common requirements, for use at all levels of the supply chain, should result in improved quality and safety, and decreased costs, due to the elimination or reduction of organization-unique requirements and the resultant variation inherent in these multiple expectations.

### General

This document establishes variation management requirements for KCs and provides a process to achieve those requirements.

The document requires a thorough assessment of the applicable manufacturing and maintenance processes with the primary goals being to control and minimize variation in characteristics generated by these processes. Specifically, the standard requires:

- understanding process elements that affect KCs;
- disciplined determination of process KCs using appropriate analysis tools for variation control and reduction to satisfy customer requirements;
- control and capability assessment to ensure variation is well understood;
- control plan (CP) that defines specific control of KCs, and manufacturing or maintenance process parameters.

Product acceptance and release are carried out according to customer requirements; this document cannot be used as the basis for product acceptance and release. This document does not:

- require rejection of any part that conforms to engineering specifications;
- inhibit shipment or use of product during production process capability assessment.

For the purpose of this document, the variation control process does not apply to lab-scale, pilot, or pre-production processes; however, particular management of some KCs might be required using methods other than those described in this document, during the various phases of a program, when required by the customer or deemed appropriate by the organization (e.g., engineering, manufacturing).

Although this document is focused on variation control of KCs for manufacturing and maintenance activities, this document can also be used as a model for other characteristics, such as those that are related to customer satisfaction (e.g., cost, on-time-delivery).

### Application

This document was created to provide requirements for the variation management of KCs when contractually invoked at any level of the supply chain. This document can also be used as guidance within the aviation, space, and defence industry in the control of KCs. This document can be invoked as a stand-alone requirement or used in conjunction with other IAQG standards (e.g., EN 9100, EN 9110, EN 9102, EN 9138, EN 9145).

For any design characteristic required by the customer (design authority or KC owner), there is a minimum probability of conformity that is needed for the product to perform its design function. Continuing to improve the process beyond that point is desirable whenever global cost-effective methods are available.

- This document provides requirements on performing that ongoing improvement.
- EN 9145 provides a structured framework for the product development process through the use of Advanced Product Quality Planning (APQP) and Production Part Approval Process (PPAP) methodologies to ensure quality product(s) are delivered on time, while satisfying cost performance targets.
- EN 9138 provides methods to ensure the minimum probability of conformity is achieved for each characteristic for which information is collected.
- EN 9102 provides the method to validate with objective evidence that product realization processes are capable of producing parts and assemblies that meet engineering and design requirements.

The relationship between these standards is conceptually illustrated in Figure 1, making the link with the development milestones and EN 9145 process phases, starting with conceptual product needs and extending throughout the product life cycle.


- The sooner KCs are identified and put under production control, the sooner the organization can start the capitalization and optimization of the processes.
- Prior to the end of EN 9145 Phase 4 (Product and Process Validation), EN 9103 methods are used to verify the capability of the production processes prior to on-going production.
- By the end of EN 9145 Phase 4, the design authority has concluded that all applicable customer commitments have been satisfied in the design of the product and that the production processes “consistently” produce conforming product. This “consistent” production can be represented by a probability of conformity value in delivered product above the minimum that is acceptable to the



design authority. Where 9138 applies, that minimum value is designated the Initial Reliability Requirement (IRR).

- During EN 9145 Phase 5 (On-Going Production, Use, and Post-Delivery Service), the focus of EN 9103 is to further improve the manufacturing or maintenance process maturity, reduce the cost of variation to the producer, and increase the probability of conformity rate in delivered product while remaining under the global cost-effectiveness limit (the point at which further improvement opportunities cost more than the improvement returns). This limit may evolve as more cost-effective improvements are discovered.

NOTE The actual duration of each phase will differ depending upon the scope and timing of the specific product and/or product development project.



**Figure 1 — Relationship for 9103 among other IAQG standards**

When a conflict between this document and the referenced standards exists, the requirements of this document take precedence. Further bibliographical information supporting EN 9103 implementation may be found in Annex A.

# 1 Scope

## 1.1 General

This document is primarily intended to apply to new parts and products intended to be produced in an on-going production phase but can also be applied to parts currently in production (e.g., manufacturing, maintenance). This document is applicable to all production processes that influence the variation of KCs, as well as maintenance and service processes in which KCs are identified. It applies to organizations for assemblies and all levels of parts within an assembly, down to the basic materials including castings and forgings, and to organizations that are responsible for producing the design characteristics of the product.

The variation control process begins with product definition, typically stated in the design documentation (e.g., digital model, engineering drawing, specification) which identifies KCs, and leads to a variation management process for those KCs. This process may also be used for producer-identified KCs (e.g., process KCs, additional/substitute product KCs).

Producers and their subcontractors are responsible for flow down of the standard requirements to those external providers, who produce design characteristics and provide production and service provisions, to ensure that KCs conform to the customer's requirements.

## 1.2 Purpose

This document is designed to drive the improvement of manufacturing and maintenance processes through adequate planning and effective management of KC variation. This focus is intended to improve uniformity (less variation or minimum variation of product KCs) and acceptance probability of the end-product.

NOTE Control of a product or process KC per this document does not constitute, nor imply acceptance of the resulting product. If variation management, under this document, is to be part of an acceptance decision, the requirements need to be specified in the applicable product acceptance plan or contract.

## 1.3 Convention

The following conventions are used in this document:

- “shall” indicates a requirement;
- “should” indicates a recommendation;
- “may” indicates a permission; and
- “can” indicates a possibility or a capability.

## 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 9100,<sup>1</sup> *Quality Management Systems — Requirements for Aviation, Space, and Defence Organizations*

EN 9101,<sup>1, 2</sup> *Quality Management Systems — Requirements for Conducting Audits of Aviation, Space and Defence Quality Management Systems*

EN 9102,<sup>1, 2</sup> *Aerospace series — Quality systems — First article inspection requirements*

EN 9110,<sup>1</sup> *Quality Management Systems — Requirements for Aviation Maintenance Organizations*

EN 9138,<sup>1</sup> *Aerospace Series — Quality Management Systems — Statistical Product — Acceptance Requirements*

EN 9145, *Aerospace Series — Requirements for Advanced Product Quality Planning and Production Part Approval Process*

ISO 3534-2,<sup>3</sup> *Statistics — Vocabulary and symbols — Part 2: Applied statistics*

ISO 9000,<sup>3</sup> *Quality management systems — Fundamentals and vocabulary*

ISO 22514-7,<sup>3</sup> *Statistical methods in process management — Capability and performance — Part 7: Capability of measurement processes*

IAQG Supply Chain Management Handbook (SCMH) — (see IAQG website — <https://iaqg.org/tools/scmh/>)

SAE AS13006,<sup>4</sup> *Process Control Methods*

---

<sup>1</sup> As developed under the auspice of the IAQG and published by various standards bodies [e.g., ASD-STAN, SAE International, European Committee for Standardization (CEN), Japanese Standards Association (JSA)/Society of Japanese Aerospace Companies (SJAC), Brazilian Association for Technical Norms (ABNT)].

<sup>2</sup> Published as ASD-STAN Standard at the date of publication of this document by AeroSpace and Defence industries Association of Europe — Standardization (ASD-STAN), <https://www.asd-stan.org/>.

<sup>3</sup> Published by: ISO International Organization for Standardization <http://www.iso.ch/>.

<sup>4</sup> Published by: SAE International (US) <https://www.sae.org/>.