
**Information technology — JPEG 2000
image coding system —**

**Part 2:
Extensions**

*Technologies de l'information — Système de codage d'images JPEG
2000 —*

Partie 2: Extensions

This document is a preview generated by EUS



COPYRIGHT PROTECTED DOCUMENT

© ISO/IEC 2023

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of document should be noted.

ISO and IEC draw attention to the possibility that the implementation of this document may involve the use of (a) patent(s). ISO and IEC take no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, ISO and IEC had received notice of (a) patent(s) which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at www.iso.org/patents and <https://patents.iec.ch>. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html. In the IEC, see www.iec.ch/understanding-standards.

This document was prepared by ITU-T (as Rec. ITU-T T.801) and drafted in accordance with its editorial rules, in collaboration with Joint Technical Committee ISO/IEC JTC 1, *Information technology, Subcommittee SC 29, Coding of audio, picture, multimedia and hypermedia information*.

This third edition cancels and replaces the second edition (ISO/IEC 15444-2:2021), which has been technically revised.

The main changes are as follows:

- Support for progression order extensions.

A list of all parts in the ISO/IEC 15444 series can be found on the ISO and IEC websites.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html and www.iec.ch/national-committees.

CONTENTS

Page

1	Scope	1
2	Normative references	1
3	Definitions	2
4	Abbreviations	4
5	Conventions	4
6	General description	4
6.1	Extensions specified by this Recommendation International Standard	5
6.2	Relation between extensions	6
Annex A	Compressed data syntax, extension	8
A.1	Extended capabilities	8
A.2	Extensions to Rec. ITU-T T.800 ISO/IEC 15444-1 marker segment parameters	8
A.3	Extended marker segments	16
Annex B	Variable DC offset, extension	35
B.1	Variable DC offset flow	35
B.2	Inverse DC offset	35
B.3	Forward DC offset (informative)	35
Annex C	Variable scalar quantization, extension	37
C.1	Variable scalar quantization	37
C.2	Variable scalar dequantization for irreversible filters	37
C.3	Variable scalar quantization for irreversible filters (informative)	37
Annex D	Trellis coded quantization extensions	39
D.1	Introduction to TCQ	39
D.2	Sequence definition	40
D.3	Forward TCQ quantization (informative)	41
D.4	Inverse quantization (normative)	42
D.5	Lagrangian rate allocation (informative)	45
Annex E	Visual masking, extensions	50
E.1	Introduction to visual masking (informative)	50
E.2	Point-wise extended non-linearity (informative)	50
E.3	Decoding with visual masking	52
E.4	Encoding with visual masking (informative)	53
E.5	Setting parameters (informative)	53
E.6	Compatibility with other technologies (informative)	53
Annex F	Arbitrary decomposition of tile-components, extensions	54
F.1	Wavelet sub-bands	54
F.2	Equation, text and decomposition updates	55
F.3	Inverse discrete wavelet transformation for general decompositions	64
F.4	Forward discrete wavelet transformation for general decompositions (informative)	71
Annex G	Whole-sample symmetric transformation of images, extensions	78
G.1	Wavelet transformation parameters, definitions and normalizations	78
G.2	Whole-sample symmetric (WS) wavelet transformations reconstruction	78
G.3	Whole-sample symmetric (WS) wavelet transformation decomposition (informative)	81
G.4	Examples of WS wavelet transformations (informative)	82
Annex H	Transformation of images using arbitrary wavelet transformations	85
H.1	Wavelet transformation parameters and normalizations	85
H.2	Arbitrary (ARB) wavelet transformation reconstruction procedures	85
H.3	Arbitrary (ARB) wavelet transformation decomposition procedures (informative)	91
H.4	Examples of ARB wavelet transformations (informative)	94

Page

Annex I – Single sample overlap discrete wavelet transform, code-block anchor point and progression order extensions	98
I.1 Introduction to single sample overlapping	98
I.2 The code-block anchor points (CBAP) extension	98
I.3 The SSO extension	102
I.4 The TSSO extension	110
I.5 Combining the SSO and TSSO extensions (informative)	111
Annex J – Multiple component transformations, extension	112
J.1 Introduction to multiple component transformation concepts	112
J.2 Overview of inverse processing	112
J.3 Transformations	118
Annex K – Non-linear transformation	128
K.1 Signalling the use of the non-linear transformations	128
K.2 Non-linear transformation specifications	129
Annex L – Region of interest coding and extraction, extensions	133
L.1 Decoding of ROI	133
L.2 Description of the Scaling based method	133
L.3 Region of interest mask generation	134
L.4 Remarks on region of interest coding	138
Annex M – JPX extended file format syntax	139
M.1 File format scope	139
M.2 Introduction to JPX	139
M.3 Greyscale/Colour/Palette/multi-component specification architecture	142
M.4 Fragmenting the codestream between one or more files	143
M.5 Combining multiple codestreams	145
M.6 Using reader requirements masks to determine how a file can be used	149
M.7 Extensions to the JPX file format	156
M.8 Differences from the JP2 binary definition	157
M.9 Conformance	157
M.10 Key to graphical descriptions (informative)	161
M.11 Defined boxes	161
M.12 Dealing with unknown boxes	210
M.13 Using the JPX file format in conjunction with other multi-media standards (informative)	210
M.14 Decomposing an XML document into multiple boxes	211
Annex N – JPX file format extended metadata definition and syntax	213
N.1 Introduction to extended metadata	213
N.2 Additional references for extended metadata	213
N.3 Scope of metadata definitions	213
N.4 Metadata syntax	214
N.5 Defined boxes	215
N.6 Metadata definitions	217
N.7 Fundamental type and element definitions	258
N.8 JPX extended metadata document type definition	284
N.9 JPX extended metadata XML Schema	304
Annex O – Examples and guidelines, extensions	347
O.1 Arbitrary decomposition examples	347
O.2 Odd Tile Low Pass First (OTLPPF) convention	368
O.3 Multiple component collection example	369
O.4 Background to enhancement of quantization	379
O.5 Wrapping JPEG XR (Rec. ITU-T T.832 ISO/IEC 29199-2) Codestreams by the JPX file format	379
O.6 Representing floating point numbers within JPEG 2000	382
O.7 Working with ROI Description boxes	383

	Page
Annex P – Block coder extensions	384
P.1 Selective arithmetic coding bypass (lazy mode)	384
P.2 Enhancement of selective arithmetic coding bypass (fast mode).....	384
Bibliography.....	386

List of Tables

Table A.1 – Syntax support for extensions	8
Table A.2 – Capability Rsiz parameter, extended	9
Table A.3 – Start of tile-part parameter values, extended.....	9
Table A.4 – Number of tile-parts, TNsot, parameter value, extended	9
Table A.5 – Coding style parameter values for the Scod parameter.....	10
Table A.6 – Coding style parameter values of the SGcod parameter	11
Table A.7 – Coding style parameter values of the SPcod and SPcoc parameters, extended	11
Table A.7bis – Progression order for the SGcod and Ppoc parameters	11
Table A.8 – Multiple component transformation for the SGcod parameters.....	11
Table A.9 – Decomposition for the SPcod and SPcoc parameters, extended	12
Table A.10 – Transformation for the SPcod and SPcoc parameters, extended.....	12
Table A.11 – SSO parameters, extended	12
Table A.11bis – SXcod parameter.....	12
Table A.11ter – Progression order change, tile parameter values.....	13
Table A.12 – Quantization default values for the Sqcd, Sqcc, Sqpd, and Sqpc parameters, extended	14
Table A.13 – Quantization values (irreversible transformation only), extended	14
Table A.14 – SPqcd, SPqcc, SPqpd, and SPqpc parameters (irreversible transformation only), extended	14
Table A.15 – SPqcd, SPqcc, SPqpd, and SPqpc parameters (irreversible transformation only), extended	15
Table A.16 – Region-of-interest parameter values for the Srgn parameter	15
Table A.17 – Component index parameter value for the Crgn parameter	15
Table A.18 – Region-of-interest values from SPrgn parameter (Srgn = 1 or Srgn = 2)	15
Table A.19 – List of markers and marker segments	16
Table A.20 – Variable DC offset parameter values	17
Table A.21 – Variable DC offset parameter values for the Sdco parameter	17
Table A.22 – Visual masking parameter values	18
Table A.23 – Component parameter value for the Cvms parameter.....	18
Table A.24 – Visual masking for the Svms parameters.....	18
Table A.25 – Downsampling factor styles parameter values.....	19
Table A.26 – Arbitrary decomposition styles parameter values	20
Table A.27 – Arbitrary transformation parameter values	21
Table A.28 – Arbitrary transformation values for the Satk parameter.....	22
Table A.29 – Component bit depth definition parameter values	23
Table A.30 – Component bit depth definition values for the Ncbd parameter	23
Table A.31 – Component bit depth definition values for the BDcbdi parameter.....	23
Table A.32 – Multiple component transformation definition parameter values	24
Table A.33 – Multiple component transformation definition values for the Imct parameter	24
Table A.34 – Multiple component collection parameter values	26
Table A.35 – Multiple component collection values for the Xmcci parameter	26

Page

Table A.36 – Multiple component collection values for the Nmcci parameter	26
Table A.37 – Multiple component collection values for the Mmcci parameter.....	27
Table A.38 – Multiple component collection values for the Tmcci parameter (array-based).....	27
Table A.39 – Multiple component collection values for the Tmcci parameter (wavelet-based)	27
Table A.40 – Multiple component intermediate collection parameter values	28
Table A.41 – Non-linearity transformation parameter values	29
Table A.42 – Non-linearity transformation parameter values for the Cnlt parameter	29
Table A.43 – Decoded image component bit depth parameter values for the BDnlt parameter	29
Table A.44 – Non-linearity transformation parameter values of the Tnlt parameter.....	30
Table A.45 – Non-linearity transformation parameter values of the STnlt parameter (Tnlt = 1)	30
Table A.46 – Non-linearity transformation parameter values of the STnlt parameter (Tnlt = 2)	30
Table A.47 – Quantization default, precinct parameter values.....	32
Table A.48 – Quantization precinct component parameter values	33
Table A.49 – Ccap2 syntax and semantics	33
Table A.50 – Precinct length, tile-part header parameter values	34
Table A.51 – Srlt values and semantics	34
Table A.52 – Semantics of Jrlti values when Srlt is in the range [0, 231 – 1]	34
Table D.1 – Parent LUTs for $k > 0$ in the trellis of Figure D.3.....	42
Table D.2 – Description of functional blocks in Figure D.4.....	42
Table D.3 – Description of functional blocks in Figure D.5.....	43
Table D.4 – Look-up table for $A(s)$	44
Table D.5 – Look-up table for $S(s, qk)$	44
Table D.6 – Description of functional blocks for Figure D.6	45
Table D.7 – Sub-band statistics required for LRA.....	46
Table D.8 – ρ_b parameters for TCQ	46
Table D.9 – Δ_b parameters for TCQ	46
Table D.10 – ρ_b parameters for SQ	47
Table D.11 – Δ_b parameters for SQ	47
Table D.12 – Description of functional blocks in Figure D.7.....	49
Table F.1 – Updates to contexts for significance propagation and cleanup coding passes.....	56
Table F.2 – Quantities for sub-band info calculation.....	60
Table F.3 – $S(ab)$ and $J(ab)$ as a function of $dS(i)$	64
Table F.4 – $S(ab)$ and $J(ab)$ as a function of $dR(i)$	64
Table F.5 – Characteristics for sample wavelet decomposition in Figure F.14	65
Table G.1 – Parameters for wavelet transformations.....	78
Table G.2 – Parameters of the 5-3 reversible wavelet transformation.....	83
Table G.3 – Parameters of the 13-7 reversible wavelet transformation.....	83
Table G.4 – Parameters of the 5-3 irreversible wavelet transformation	84
Table G.5 – Parameters of the irreversible 7-5 wavelet transformation	84
Table G.6 – Parameters of the irreversible 9-7 wavelet transformation	84
Table H.1 – Additional parameters for arbitrary wavelet transformations	85
Table H.2 – Minimum left extension length.....	89
Table H.3 – Minimum right extension length.....	89
Table H.4 – Parameters of the reversible Haar 2-2 wavelet transformation	95

Table H.5 – Parameters of the reversible 2-6 wavelet transformation.....	95
Table H.6 – Parameters of the reversible 2-10 wavelet transformation.....	95
Table H.7 – Parameters of the irreversible 6-10 wavelet transformation	96
Table H.8 – Parameters of the irreversible 10-18 wavelet transformation	96
Table M.1bis – Brand Values for JPEG XR Codestreams.....	142
Table M.1 – Example expression	151
Table M.2 – Expanded expression.....	151
Table M.3 – Example factored expression	151
Table M.4 – Example of a Reader Requirements expressions for Equations M-6 and M-7.....	153
Table M.5 – Example of a Reader Requirements box for Equations M-6 and M-7	153
Table M.6 – Reader Requirements table for Equations M-10 and M-11.....	154
Table M.7 – Reader Requirements box data for Equations M-10 and M-11.....	154
Table M.8 – Reader Requirements box data for Equations M-16 and M-17.....	155
Table M.9 – Example Reader Requirements box to test.....	155
Table M.10 – Table intentionally left blank	156
Table M.11 – Items which can be extended through Recommendations International Standards	156
Table M.12 – Items which can be extended by registration	157
Table M.13 – Boxes defined within this Recommendation International Standard.....	163
Table M.14 – Legal values of the SFi field	165
Table M.15 – Format of the contents of the Reader Requirements box	167
Table M.16 – Format of the contents of the Data Reference box	168
Table M.17 – Format of the contents of the Fragment List box	169
Table M.18 – Format of the contents of the Cross-Reference box	170
Table M.19 – Legal C values.....	171
Table M.20 – BPC and BPCi parameters	172
Table M.21 – Format of the contents of the Image Header box	172
Table M.22 – Legal METH values	176
Table M.23 – Legal APPROX values.....	177
Table M.24 – Format of the contents of the Colour Specification box.....	177
Table M.24bis – Nominal maximum sample values.....	177
Table M.25 – Additional legal EnumCS values	178
Table M.26 – Format of the contents of the METHDAT field for the Enumerated method	179
Table M.27 – Format of the contents of the METHDAT field for the Any ICC method	180
Table M.28 – Format of the contents of the METHDAT field for the Vendor Colour method.....	180
Table M.28bis – Format of the METHDAT field for the Parameterized method.....	181
Table M.29 – Standard illuminant values for CIELab.....	182
Table M.29bis – Default Offset Values and Encoding of Offsets for the CIELab Colourspace.....	182
Table M.30 – Format of the contents of the EP field for CIELab (EnumCS = 14)	183
Table M.30bis – Default Offset Values and Encoding of Offsets for the CIEJab Colourspace	184
Table M.31 – Format of the contents of the EP field for CIEJab (EnumCS = 19)	184
Table M.32 – Colours indicated by the Asoci field	185
Table M.33 – Otyp field values	186
Table M.34 – Format of the contents of the Opacity box	186
Table M.35 – Format of the contents of the Codestream Registration box	188

Page

Table M.35bis – Allowed values for the pixel format	189
Table M.35ter – Common floating point formats (informative).....	189
Table M.36 – Format of the contents of the Composition box	190
Table M.37 – Format of the contents of the Composition Options box.....	191
Table M.38 – Ityp field values.....	192
Table M.39 – Format of the contents of the Instruction Set box	192
Table M.40 – Format of the contents of the INSTi parameter in the Instruction Set box.....	194
Table M.40bis – Encoding of the ROT field	194
Table M.41 – Format of the contents of the Association box	196
Table M.42 – ANi field values	196
Table M.43 – Format of the contents of the Number List box	196
Table M.44 – Legal Filter types.....	197
Table M.45 – Format of the contents of the Binary Filter box	198
Table M.46 – Format of the contents of the Graphics Technology Standard Output box	199
Table M.47 – Legal Ri values.....	199
Table M.48 – Allowed Rtypi values	200
Table M.49 – Format of the contents of the ROI Description box	200
Table M.49bis – Interpreting the 2 bit D field of Rtypi for quadrilateral refinements.....	201
Table M.50 – Legal Styp values	202
Table M.51 – Legal Ptyp values	203
Table M.52 – Format of the contents of the Digital Signature box	203
Table M.53 – Format of the contents of the Multiple Codestream box	208
Table M.54 – Format of the contents of the Multiple Codestream Info box	209
Table N.1 – Format of the contents of the Image Creation box.....	215
Table N.2 – Format of the contents of the Content Description box	216
Table N.3 – Format of the contents of the History box	216
Table N.4 – Format of the contents of the Intellectual Property Rights box	217
Table N.5 – Format of the contents of the Image Identifier box.....	217
Table N.6 – Image Source values	219
Table N.7 – Scene type values.....	219
Table N.8 – Sensor technology values.....	222
Table N.9 – Exposure program values.....	228
Table N.10 – Metering mode values.....	228
Table N.11 – Scene illuminant values	229
Table N.12 – Back light values.....	229
Table N.13 – Auto focus values.....	230
Table N.14 – Name description values.....	252
Table N.15 – Date description values.....	254
Table N.16 – Additional name description values.....	258
Table N.17 – Address component type values.....	264
Table N.18 – Address type values	264
Table N.19 – Phone number type values	265
Table N.20 – Name component type values	268
Table N.21 – Latitude reference values	276

	Page
Table N.22 – Latitude values	276
Table N.23 – Longitude reference values	276
Table N.24 – Longitude values	277
Table N.25 – GPS Status values	277
Table N.26 – GPS Measure mode values	277
Table N.27 – GPS Speed reference unit values	277
Table N.28 – Direction reference values	278
Table N.29 – GPS Destination distance reference unit values	278
Table O.1 – Sub-band labels for Figure O.15.	352
Table O.2 – Mapping between ROT and SPATIAL_XFRM_SUBORDINATE	381
Table P.1 – Selective arithmetic coding bypass (default); (the same as Table D.9 of ITU-T T.800 ISO/IEC 15444-1)...	384
Table P.2 – Example of two bit planes (fast mode)	385

List of Figures

Figure 6-1 – Decoder block diagram	7
Figure A.1bis – Coding style default syntax	10
Figure A.1 – Variable DC offset syntax	16
Figure A.2 – Visual masking syntax	17
Figure A.3 – Downsampling factor styles syntax	18
Figure A.4 – Arbitrary decomposition styles syntax	19
Figure A.5 – Arbitrary transformation default syntax	20
Figure A.6 – Component bit depth definition syntax	22
Figure A.7 – Multiple component transformation definition syntax	23
Figure A.8 – Multiple component collection syntax	25
Figure A.9 – Multiple component transformation ordering syntax	28
Figure A.10 – Non-linearity point transformation syntax	28
Figure A.11 – Quantization default, precinct syntax	31
Figure A.12 – Quantization precinct component syntax	32
Figure A.13 – Precinct length, tile-part header syntax	34
Figure B.1 – Placement of the DC offset with multiple component transformation	35
Figure B.2 – Placement of the DC offset without multiple component transformation	35
Figure D.1 – Scalar quantizers used for TCQ	39
Figure D.2 – Union quantizers for TCQ	40
Figure D.3 – Trellis showing node indices	40
Figure D.4 – Forward TCQ processing	41
Figure D.5 – Full inverse processing for TCQ indices	43
Figure D.6 – Approximate dequantization of TCQ indices	45
Figure D.7 – Lagrangian rate allocation	48
Figure E.1 – System diagram for point-wise extended masking extension	50
Figure E.2 – Non-uniform quantization for self-contrast masking	51
Figure E.3 – Causal neighbourhood	52
Figure F.1 – Possible splits of sub-bands	55
Figure F.2 – Parameters for the GET_HOR_DEPTH and GET_VER_DEPTH procedures	56
Figure F.3 – The GET_HOR_DEPTH and GET_VER_DEPTH procedures	57

Page

Figure F.4 – Parameters for the SET_SUBBAND_INFO procedure	58
Figure F.5 – The SET_SUBBAND_INFO procedure	58
Figure F.6 – Parameters for the RECUR_INFO procedure	59
Figure F.7 – The RECUR_INFO procedure	59
Figure F.8 – Parameters for the INIT_□ procedure.....	60
Figure F.9 – Procedure for setting maximum number of sub-levels, □(lev)	61
Figure F.10 – Parameters for the INIT_S_R procedure	61
Figure F.11 – Upper level procedure for defining S(ab) and R(lev).....	62
Figure F.12 – Parameters for the LEV_S procedure.....	63
Figure F.13 – Procedure for defining S(ab)	63
Figure F.14 – Sample wavelet decomposition with labelled sub-bands	64
Figure F.15 – Parameters for the MOD_IDWT procedure	65
Figure F.16 – The MOD_IDWT procedure.....	66
Figure F.17 – Parameters for the MOD_2D_SR procedure.....	66
Figure F.18 – The MOD_2D_SR procedure.....	67
Figure F.19 – Parameters for the MOD_2D_INTERLEAVE procedure.....	67
Figure F.20 – The MOD_2D_INTERLEAVE procedure.....	68
Figure F.21 – Parameters for the 2D_HV_INTERLEAVE procedure	68
Figure F.22 – The 2D_HV_INTERLEAVE procedure	69
Figure F.23 – Parameters for the 2D_H_INTERLEAVE procedure	70
Figure F.24 – The 2D_H_INTERLEAVE procedure	70
Figure F.25 – Parameters for the 2D_V_INTERLEAVE procedure	71
Figure F.26 – The 2D_V_INTERLEAVE procedure	71
Figure F.27 – Parameters for the MOD_FDWT procedure	71
Figure F.28 – The MOD_FDWT procedure	72
Figure F.29 – Parameters for the MOD_2D_SD procedure	72
Figure F.30 – The MOD_2D_SD procedure	73
Figure F.31 – Parameters for the MOD_2D_DEINTERLEAVE procedure.....	73
Figure F.32 – The MOD_2D_DEINTERLEAVE procedure	74
Figure F.33 – Parameters for the 2D_HV_DEINTERLEAVE procedure	74
Figure F.34 – The 2D_HV_DEINTERLEAVE procedure	75
Figure F.35 – Parameters for the 2D_H_DEINTERLEAVE procedure.....	76
Figure F.36 – The 2D_H_DEINTERLEAVE procedure	76
Figure F.37 – Parameters for the 2D_V_DEINTERLEAVE procedure.....	76
Figure F.38 – The 2D_V_DEINTERLEAVE procedure.....	77
Figure G.1 – Parameters of the 1D_SR_WS procedures	79
Figure G.2 – The 1D_SR_WS procedure	79
Figure G.3 – Parameters of the 1D_FILTR_WS procedure	80
Figure G.4 – Parameters of the 1D_FILTR_WS procedure	80
Figure G.5 – Parameters of the 1D_SD_WS procedure	81
Figure G.6 – The 1D_SD_WS procedure	81
Figure G.7 – Parameters of the 1D_FILTD_WS procedure	82
Figure G.8 – Parameters of the 1D_FILTD_WS procedure	82
Figure H.1 – Parameters of the extended 1D_SR_ARB procedure	86

Figure H.2 – Extended procedure 1D_SR_ARB	87
Figure H.3 – Parameters of the 1D_SCALER procedure	87
Figure H.4 – Parameters of the 1D_STEPR procedure.....	88
Figure H.5 – Procedure 1D_STEPR.....	88
Figure H.6 – Parameters of the 1D_EXT_WS procedure.....	89
Figure H.7 – Parameters of the 1D_EXT_CON procedure	89
Figure H.8 – Parameters of the 1D_UPDATER_REV procedure	90
Figure H.9 – Parameters of the 1D_UPDATER_IRR procedure.....	90
Figure H.10 – Parameters of the extended 1D_SD_ARB procedure.....	91
Figure H.11 – Extended procedure 1D_SD_ARB.....	92
Figure H.12 – Parameters of the 1D_STEPR procedure	92
Figure H.13 – Procedure 1D_STEPR.....	93
Figure H.14 – Parameters of the 1D_UPDATED_REV procedure.....	93
Figure H.15 – Parameters of the 1D_UPDATED_IRR procedure	94
Figure H.16 – Parameters of the 1D_SCALED procedure	94
Figure H.17 – Lifting implementation for forward half-sample symmetric wavelet transformations.....	97
Figure I.1 – Precincts of one reduced resolution (modified Figure B.8 of Rec. ITU-T T.800 ISO/IEC 15444-1) ..	99
Figure I.2 – Codeblocks and precincts in sub-band b from four different tiles	100
Figure I.3 – The IDWT_SSO Procedure.....	103
Figure I.4 – The 2D_SR_SSO procedure	104
Figure I.5 – Parameters of the 1D_FILTR_SSO procedure.....	104
Figure I.6 – The FDWT_SSO procedure.....	106
Figure I.7 – The 2D_SD_SSO procedure	107
Figure I.8 – Parameters of the 1D_FILTD_SSO procedure	108
Figure I.9 – Position of SSO blocks	109
Figure I.10 – Tiling of the reference grid diagram	111
Figure J.1 – Inverse multiple component transformation processing	113
Figure J.2 – Procedure MCO_TRANSFORM.....	114
Figure J.3 – A single multiple component collection transformation (MCC_TRANS) stage	115
Figure J.4 – Procedure MCC_TRANS	116
Figure J.5 – A single component collection transformation (CC_TRANS) stage	117
Figure J.6 – Procedure CC_TRANS.....	117
Figure J.7 – SERM implementation of reversible decorrelation transformation	121
Figure J.8 – SERM implementation of forward reversible decorrelation transformation.....	122
Figure J.9 – Irreversible dependency transformation.....	123
Figure J.10 – Forward irreversible dependency transformation	124
Figure J.11 – Reversible dependency transformation.....	125
Figure J.12 – Forward reversible dependency transformation.....	126
Figure K.1 – Non-linear transformation application during decoding.....	128
Figure K.2 – Example gamma-type forward non-linear transformation.....	130
Figure L.1 – Rectangular mask on the reference grid.....	135
Figure L.2 – Elliptic mask on the reference grid	135
Figure M.1 – Example fragmented JPX file where all fragments are in the same file	144
Figure M.2 – Example fragmented JPX file where some fragments are stored in other files or resources	145

Page

Figure M.3 – Example combination of two codestreams into a single compositing layer.....	146
Figure M.4 – Example of the box description figures	161
Figure M.5 – Example of the superbox description figures.....	161
Figure M.6 – Boxes defined within a JPX file.....	162
Figure M.7 – Organization of the contents of the Reader Requirements box.....	165
Figure M.8 – Organization of the contents of a Data Reference box.....	168
Figure M.9 – Organization of the contents of a Fragment Table box	168
Figure M.10 – Organization of the contents of a Fragment List box.....	169
Figure M.11 – Organization of the contents of a Fragment table box	170
Figure M.12 – Organization of the contents of an Image Header box.....	171
Figure M.13 – Organization of the contents of a Codestream Header box.....	173
Figure M.14 – Organization of the contents of a Compositing Layer Header box.....	174
Figure M.15 – Organization of the contents of a Colour Group box.....	175
Figure M.16 – Organization of the contents of a Colour Specification box	176
Figure M.17 – Organization of the contents of the METHDAT field for the Enumerated method.....	178
Figure M.18 – Organization of the contents of the METHDAT field for the Any ICC method.....	180
Figure M.19 – Organization of the contents of the METHDAT field for the Vendor Colour method	180
Figure M.19bis – Organization of the METHDAT field for the Parameterized method	181
Figure M.20 – Organization of the contents of the EP field for the CIELab (EnumCS = 14).....	181
Figure M.21 – Organization of the contents of the EP field for the CIEJab (EnumCS = 19).....	183
Figure M.22 – Organization of the contents of an Opacity box.....	185
Figure M.23 – Organization of the contents of a Codestream Registration box.....	187
Figure M.23bis – Layout of the Pixel Format Box	188
Figure M.24 – Organization of the contents of a Composition box.....	190
Figure M.25 – Organization of the contents of a Composition Options box.....	191
Figure M.26 – Organization of the contents of an Instruction Set box.....	191
Figure M.27 – Organization of the contents of an INST field within an Instruction Set box.....	192
Figure M.28 – Example of ROI specific metadata associated with one or more images.....	195
Figure M.29 – Example of Multiple XML documents associated with one or more images	195
Figure M.30 – Example of a Labelled XML document.....	195
Figure M.31 – Example of a labelled image.....	195
Figure M.32 – Organization of the contents of an Association box	196
Figure M.33 – Organization of the contents of a Number List box.....	196
Figure M.34 – Organization of the contents of a Label box	197
Figure M.35 – Organization of the contents of a Binary Filter box.....	197
Figure M.36 – Organization of the contents of the Desired Reproductions box.....	198
Figure M.37 – Organization of the contents of the Graphics Technology Standard Output box.....	198
Figure M.38 – Organization of the contents of the ROI Description box.....	199
Figure M.39 – Organization of the contents of a Digital Signature box.....	202
Figure M.40 – Organization of the contents of a MPEG-7 Binary box	204
Figure M.41 – Organization of the contents of a Compositing Layer Extensions box	205
Figure M.42 – Organization of the Compositing Layer Extensions Info box.....	207
Figure M.43 – Organization of the contents of a Multiple Codestream box.....	208
Figure M.44 – Organization of the contents of a Multiple Codestream Offsets box	208

Figure M.45 – Organization of the contents of a Grouping box	209
Figure M.46 – Organization of the contents of a decomposed XML box	210
Figure M.47 – Organization of the contents of a XML header box	210
Figure M.48 – Example Box layout for a Decomposed XML box	212
Figure N.1 – Organization of the contents of Image Creation box	215
Figure N.2 – Organization of the contents of Content Description box	216
Figure N.3 – Organization of the contents of History box	216
Figure N.4 – Organization of the contents of Intellectual Property Rights box	216
Figure N.5 – Organization of the contents of Image Identifier box	217
Figure N.6 – Schema of the Image Creation metadata	217
Figure N.7 – Schema of the General Creation Information metadata	218
Figure N.8 – Schema of the Camera Capture metadata	220
Figure N.9 – Schema of the Device Characterization metadata	221
Figure N.10 – Schema of the Spatial Frequency Response metadata	223
Figure N.11 – Schema of the Colour Filter Array Pattern metadata	224
Figure N.12 – Schema of the Opto-electronic Conversion Function metadata	225
Figure N.13 – Schema of the Camera Capture Settings metadata	227
Figure N.14 – Schema of the Scanner Capture metadata	230
Figure N.15 – Schema of the Scanner Settings metadata	231
Figure N.16 – Schema of the Software Creation metadata	231
Figure N.17 – Schema of the Captured Item metadata	232
Figure N.18 – Schema of the Reflection Print metadata	233
Figure N.19 – Schema of the Film metadata	234
Figure N.20 – Schema of the Content Description metadata	235
Figure N.21 – Schema of the Person Description metadata	236
Figure N.22 – Schema of the Thing Description metadata	237
Figure N.23 – Schema of the Organization Description metadata	238
Figure N.24 – Schema of the Event Description metadata	239
Figure N.25 – Schema of the Participant metadata	240
Figure N.26 – Schema of the Event Relationship metadata	241
Figure N.27 – Schema of the Audio metadata	241
Figure N.28 – Schema of the Property metadata	242
Figure N.29 – Schema of the Dictionary Definition metadata	243
Figure N.30 – Schema of the History metadata	243
Figure N.31 – Schema of the Processing Summary metadata	244
Figure N.32 – Schema of the Image Processing Hints metadata	246
Figure N.33 – Schema of the Previous metadata	247
Figure N.34 – Schema of the Image Reference metadata	248
Figure N.35 – Schema of the Intellectual Property Rights metadata	249
Figure N.36 – Schema of the IPR Names metadata	252
Figure N.37 – Schema of the IPR Description metadata	252
Figure N.38 – Schema of the IPR Dates metadata	253
Figure N.39 – Schema of the IPR Exploitation metadata	254
Figure N.40 – Schema of the IPR Management Systems metadata	255

Page

Figure N.41 – Schema of the IPR Identification metadata	256
Figure N.42 – Schema of the IPR Identifier metadata	256
Figure N.43 – Schema of the License Plate metadata	257
Figure N.44 – Schema of the IPR Contact Point metadata	257
Figure N.45 – Schema of the Image Identifier metadata	258
Figure N.46 – Schema of the non-negative double type	259
Figure N.47 – Schema of the rational type	259
Figure N.48 – Schema of the string including language attribute type	259
Figure N.49 – Schema of the degree type	260
Figure N.50 – Schema of the half degree type	260
Figure N.51 – Schema of the double size type	260
Figure N.52 – Schema of the integer size type	261
Figure N.53 – Schema of the DateTime type	262
Figure N.54 – Schema of the Address type	263
Figure N.55 – Schema of the Phone number type	264
Figure N.56 – Schema of the Email address type	265
Figure N.57 – Schema of the Web address type	266
Figure N.58 – Schema of the Person type	268
Figure N.59 – Schema of the Organization type	269
Figure N.60 – Schema of the Location type	270
Figure N.61 – Schema of the Coordinate location element	271
Figure N.62 – Schema of the Raw GPS Information element	273
Figure N.63 – Schema of the Raw GPS Information element (continued)	275
Figure N.64 – Schema of the Raw GPS Information element (concluded)	276
Figure N.65 – Schema of the Direction type	279
Figure N.66 – Schema of the Position type	280
Figure N.67 – Schema of the Point type	280
Figure N.68 – Schema of the Rect type	281
Figure N.69 – Schema of the Region type	282
Figure N.70 – Schema of the Product Details type	283
Figure N.71 – Schema of the Language attribute	283
Figure N.72 – Schema of the Timestamp attribute	283
Figure N.73 – Schema of the Comment element	284
Figure O.1 – Sample wavelet decomposition: $N_L = 3$; $I_R = 3$; $d_R() = 123$; $I_0 = 2$, $d_0() = 31$; $I_S = 9$, $d_S() = 320300203$	347
Figure O.2 – Sample wavelet decomposition: $N_L = 3$; $I_R = 3$; $d_R() = \underline{1}23$; $I_0 = 2$, $d_0() = 31$; $I_S = 9$, $d_S() = 320300203$	347
Figure O.3 – Sample wavelet decomposition: $N_L = 3$; $I_R = 3$; $d_R() = 1\underline{2}3$; $I_0 = 2$, $d_0() = 31$; $I_S = 9$, $d_S() = 320300203$	348
Figure O.4 – Sample wavelet decomposition: $N_L = 3$; $I_R = 3$; $d_R() = 12\underline{3}$; $I_0 = 2$, $d_0() = 31$; $I_S = 9$, $d_S() = 320300203$	348
Figure O.5 – Sample wavelet decomposition: $N_L = 3$; $I_R = 3$; $d_R() = 123$; $I_0 = 2$, $d_0() = \underline{3}1$; $I_S = 9$, $d_S() = \underline{3}20300203$	348
Figure O.6 – Sample wavelet decomposition: $N_L = 3$; $I_R = 3$; $d_R() = 123$; $I_0 = 2$, $d_0() = 3\underline{1}$; $I_S = 9$, $d_S() = 320300203$	348
Figure O.7 – Sample wavelet decomposition: $N_L = 3$; $I_R = 3$; $d_R() = 123$; $I_0 = 2$, $d_0() = \underline{3}1$; $I_S = 9$, $d_S() = 320\underline{3}00203$	349
Figure O.8 – Sample wavelet decomposition: $N_L = 3$; $I_R = 3$; $d_R() = 123$; $I_0 = 2$, $d_0() = 3\underline{1}$; $I_S = 9$, $d_S() = 3203\underline{0}0203$	349
Figure O.9 – Sample wavelet decomposition: $N_L = 3$; $I_R = 3$; $d_R() = 123$; $I_0 = 2$, $d_0() = \underline{3}1$; $I_S = 9$, $d_S() = 32030\underline{0}203$	349

Figure O.10 – Sample wavelet decomposition: $N_L = 3$; $I_R = 3$; $d_R() = 123$; $I_0 = 2$, $d_0() = \underline{31}$; $I_S = 9$, $d_S() = 320300\underline{203}$	349
Figure O.11 – Sample wavelet decomposition: $N_L = 3$; $I_R = 3$; $d_R() = 123$; $I_0 = 2$, $d_0() = \underline{31}$; $I_S = 9$, $d_S() = 320300\underline{203}$	350
Figure O.12 – Sample wavelet decomposition: $N_L = 3$; $I_R = 3$; $d_R() = 123$; $I_0 = 2$, $d_0() = \underline{31}$; $I_S = 9$, $d_S() = 320300\underline{203}$	350
Figure O.13 – Sample wavelet decomposition: $N_L = 3$; $I_R = 3$; $d_R() = 123$; $I_0 = 2$, $d_0() = \underline{31}$; $I_S = 9$, $d_S() = 320300\underline{203}$	350
Figure O.14 – Sample wavelet decomposition: $N_L = 3$; $I_R = 3$; $d_R() = 123$; $I_0 = 2$, $d_0() = \underline{31}$; $I_S = 9$, $d_S() = 320300\underline{203}$	351
Figure O.15 – FBI decomposition: $N_L = 5$; $I_R = 0$; $d_R() = 0$ (since $I_R = 0$, I_R and $d_R()$ get reset in Figure F.11 to $I_R = 5$ and $d_R() = 11111$); $I_0 = 4$, $d_0() = 2321$; $I_S = 17$, $d_S() = 1110111111111111$	351
Figure O.16 – FBI decomposition: $N_L = 5$; $I_R = 5$ and $d_R() = \underline{11111}$; $I_0 = 4$, $d_0() = 2321$; $I_S = 17$, $d_S() = 1110111111111111$	353
Figure O.17 – FBI decomposition: $N_L = 5$; $I_R = 5$ and $d_R() = \underline{11111}$; $I_0 = 4$, $d_0() = 2321$; $I_S = 17$, $d_S() = 1110111111111111$	354
Figure O.18 – FBI decomposition: $N_L = 5$; $I_R = 5$ and $d_R() = \underline{11111}$; $I_0 = 4$, $d_0() = 2321$; $I_S = 17$, $d_S() = 1110111111111111$	355
Figure O.19 – FBI decomposition: $N_L = 5$; $I_R = 5$ and $d_R() = 11111$; $I_0 = 4$, $d_0() = \underline{2321}$; $I_S = 17$, $d_S() = \underline{1110111111111111}$	356
Figure O.20 – FBI decomposition: $N_L = 5$; $I_R = 5$ and $d_R() = 11111$; $I_0 = 4$, $d_0() = \underline{2321}$; $I_S = 17$, $d_S() = \underline{1110111111111111}$	357
Figure O.21 – FBI decomposition: $N_L = 5$; $I_R = 5$ and $d_R() = 11111$; $I_0 = 4$, $d_0() = \underline{2321}$; $I_S = 17$, $d_S() = \underline{1110111111111111}$	358
Figure O.22 – FBI decomposition: $N_L = 5$; $I_R = 5$ and $d_R() = 11111$; $I_0 = 4$, $d_0() = \underline{2321}$; $I_S = 17$, $d_S() = \underline{1110111111111111}$	359
Figure O.23 – FBI decomposition: $N_L = 5$; $I_R = 5$ and $d_R() = 11111$; $I_0 = 4$, $d_0() = \underline{2321}$; $I_S = 17$, $d_S() = \underline{1110111111111111}$	360
Figure O.24 – FBI decomposition: $N_L = 5$; $I_R = 5$ and $d_R() = 11111$; $I_0 = 4$, $d_0() = \underline{2321}$; $I_S = 17$, $d_S() = \underline{1110111111111111}$	361
Figure O.25 – FBI decomposition: $N_L = 5$; $I_R = 5$ and $d_R() = 11111$; $I_0 = 4$, $d_0() = \underline{2321}$; $I_S = 17$, $d_S() = \underline{1110111111111111}$	362
Figure O.26 – FBI decomposition: $N_L = 5$; $I_R = 5$ and $d_R() = 11111$; $I_0 = 4$, $d_0() = \underline{2321}$; $I_S = 17$, $d_S() = \underline{1110111111111111}$	363
Figure O.27 – FBI decomposition: $N_L = 5$; $I_R = 5$ and $d_R() = 11111$; $I_0 = 4$, $d_0() = \underline{2321}$; $I_S = 17$, $d_S() = \underline{1110111111111111}$	364
Figure O.28 – FBI decomposition: $N_L = 5$; $I_R = 5$ and $d_R() = 11111$; $I_0 = 4$, $d_0() = \underline{2321}$; $I_S = 17$, $d_S() = \underline{1110111111111111}$	365
Figure O.29 – FBI decomposition: $N_L = 5$; $I_R = 5$ and $d_R() = 11111$; $I_0 = 4$, $d_0() = \underline{2321}$; $I_S = 17$, $d_S() = \underline{1110111111111111}$	366
Figure O.30 – FBI decomposition: $N_L = 5$; $I_R = 5$ and $d_R() = 11111$; $I_0 = 4$, $d_0() = \underline{2321}$; $I_S = 17$, $d_S() = \underline{1110111111111111}$	367
Figure O.31 – SPACL decomposition: $N_L = 4$; $I_0 = 2$, $d_0() = 21$; $I_R = 0$, $I_S = 0$	368
Figure O.32 – Component collection example	370
Figure O.33 – Original image components	370
Figure O.34 – Encoder multiple component transformation decisions	371
Figure O.35 – Decorrelation transformation array (MCC0 component collection 0 parameters)	372
Figure O.36 – Dependency transformation (MCC0 component collection 1 parameters)	372

	Page
Figure O.37 – Passing through intermediate components (MCC0 component collection 2 parameters)	372
Figure O.38 – Component collections in MCC0, transformation processing stage 0	373
Figure O.39 – Decorrelation transformation array (MCC1 component collection 0 parameters)	373
Figure O.40 – MCC1 component collection 1 (7 components passed through)	374
Figure O.41 – Component collections in MCC1, transformation processing stage 1	374
Figure O.42 – MCO marker segment for inverse multiple component transformation	374

Introduction

This Recommendation | International Standard defines a set of lossless (bit-preserving) and lossy compression methods for coding continuous-tone, bi-level, grey-scale, colour digital still images, or multi-component images.

This Recommendation | International Standard:

- specifies extended decoding processes for converting compressed image data to reconstructed image data;
- specifies an extended codestream syntax containing information for interpreting the compressed image data;
- specifies an extended file format;
- specifies a container to store image metadata;
- defines a standard set of image metadata;
- provides guidance on extended encoding processes for converting source image data to compressed image data;
- provides guidance on how to implement these processes in practice.

**INTERNATIONAL STANDARD
ITU-T RECOMMENDATION**

Information technology – JPEG 2000 image coding system: Extensions

1 Scope

This Recommendation | International Standard defines a set of lossless (bit-preserving) and lossy compression methods for coding continuous-tone, bi-level, grey-scale, colour digital still images, or multi-component images.

This Recommendation | International Standard:

- specifies extended decoding processes for converting compressed image data to reconstructed image data;
- specifies an extended codestream syntax containing information for interpreting the compressed image data;
- specifies an extended file format;
- specifies a container to store image metadata;
- defines a standard set of image metadata;
- provides guidance on extended encoding processes for converting source image data to compressed image data;
- provides guidance on how to implement these processes in practice.

2 Normative references

The following Recommendations and International Standards contain provisions which, through reference in this text, constitute provisions of this Recommendation | International Standard. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies. At the time of publication, the editions indicated were valid. All Recommendations and Standards are subject to revision, and parties to agreements based on this Recommendation | International Standard are encouraged to investigate the possibility of applying the most recent edition of the Recommendations and Standards listed below. Members of IEC and ISO maintain registers of currently valid International Standards. The Telecommunication Standardization Bureau of the ITU maintains a list of currently valid ITU-T Recommendations.

2.1 Identical Recommendations | International Standards

- Recommendation ITU-T T.81 (1992) | ISO/IEC 10918-1:1994, *Information technology – Digital compression and coding of continuous-tone still images: Requirements and guidelines*.
- Recommendation ITU-T T.82 (1993) | ISO/IEC 11544:1993, *Information technology – Coded representation of picture and audio information – Progressive bi-level image compression*.
- Recommendation ITU-T T.84 (1996) | ISO/IEC 10918-3:1997, *Information technology – Digital compression and coding of continuous-tone still images: Extensions*, including Rec. ITU-T T.84 (1996)/Amd.1 (1999) | ISO/IEC 10918-3:1997/Amd.1:1999, *Information technology – Digital compression and coding of continuous-tone still images: Extensions – Amendment 1: Provisions to allow registration of new compression types and versions in the SPIFF header*.
- Recommendation ITU-T T.800 (2019) | ISO/IEC 15444-1:2019, *Information technology – JPEG 2000 image coding system: Core coding system*.
- Recommendation ITU-T T.805 | ISO/IEC 15444-6, *Information technology – JPEG 2000 image coding system: Compound image file format*.
- Recommendation ITU-T T.814 (2019) | ISO/IEC 15444-15:2019, *Information technology – JPEG 2000 image coding system: High-throughput JPEG 2000*.
- Recommendation ITU-T T.832 (2019) | ISO/IEC 29199-2:2020, *Information technology – JPEG XR image coding system – Image coding specification*.

2.2 Paired Recommendations | International Standards

- Recommendation ITU-T H.273 (in force), *Coding-independent code points for video signal type identification*.

ISO/IEC 23091-2: (in force), *Information technology – Coding-independent code points: Part 2: Video*.

2.3 Additional references

- Recommendation ITU-T T.42 (2003), *Continuous-tone colour representation method for facsimile*.
- Recommendation ITU-T T.45 (2000), *Run-length Colour Encoding*.
- IEC 61966-2-1 (in force), *Multimedia systems and equipment – Colour measurement and management: Part 2-1: Colour management – Default RGB colour space – sRGB*.
- IEC 61966-2-2:2003, *Multimedia systems and equipment – Colour measurement and management – Part 2-2: Colour management – Extended RGB colourspace – scRGB*.
- IETF RFC 1321 (1992), *The MD5 Message-Digest Algorithm*.
- IETF RFC 2630 (1999), *Cryptographic Message Syntax*.
- ISO 3166-1:2020, *Codes for the representation of names of countries and their subdivisions – Part 1: Country codes*.
- ISO 3166-2:2020, *Codes for the representation of names of countries and their subdivisions – Part 2: Country subdivision code*.
- ISO 10126-2:1991, *Banking – Procedures for message encipherment (wholesale) – Part 2: DEA algorithm*.
- ISO 22028-2:2013, *Photography and graphic technology — Extended colour encodings for digital image storage, manipulation and interchange — Part 2: Reference output medium metric RGB colour image encoding (ROMM RGB)*.
- ISO 15076-1:2010, *Image technology colour management – Architecture, profile format and data structure – Part 1: Based on ICC.1:2010*.
- ISO/IEC 23001-1:2006, *Information technology – MPEG systems technologies – Part 1: Binary MPEG format for XML*.
- ISO/IEC 21122-1:2019, *Information technology – JPEG XS low-latency lightweight image coding system – Part 1: Core coding system*.
- ISO/IEC 60559:2020, *Information technology — Microprocessor Systems — Floating-Point arithmetic*.
- ANSI X9.30.2:1997, *Public Key Cryptography using Irreversible Algorithms – Part 2: The Secure Hash Algorithm (SHA-1)*.
https://infostore.saiglobal.com/en-us/standards/ANSI-X9-30-2-1997-1934_SAIG_ABA_ABA_5034/#
- Federal Information Processing Standard Publication (FIPS PUB) 186-4 (2013), *Digital Signature Standard (DSS)*.
<https://nvlpubs.nist.gov/nistpubs/FIPS/NIST.FIPS.186-4.pdf>
- PIMA 7667:2001. *Photography - Electronics still picture imaging - Extended sRGB color encoding e-sRGB*.
https://www.imaging.org/ItemDetail?iProductCode=PIMA7667-2001&Category=DOWNLD_PDF&WebsiteKey=6d978a6f-475d-46cc-bcf2-7a9e3d5f8f82
- W3C Recommendation. *Extensible Markup Language (XML 1.0)*, fifth edition (26 November 2008).
<https://www.w3.org/TR/xml/>
- W3C Recommendation. *Namespaces in XML*, (14 January 1999).
<https://www.w3.org/TR/1999/REC-xml-names-19990114/>
- W3C Recommendation. *XML Schema Part 1: Structures*, second edition (28 October 2004).
<http://www.w3.org/TR/2004/REC-xmlschema-1-20041028/>
- W3C Recommendation. *XML Schema Part 2: Datatypes*, second edition (28 October 2004).
<http://www.w3.org/TR/2004/REC-xmlschema-2-20041028/>

3 Definitions

For the purposes of this Recommendation | International Standard, the following definitions apply. The definitions defined in Rec. ITU-T T.800 | ISO/IEC 15444-1, clause 3 also apply to this Recommendation | International Standard, except for the terms decomposition level, sub-band and resolution, which are redefined in this clause.

- 3.1 attribute:** XML construct that is a name-value pair extending or qualifying the meaning of an element.