

INTERNATIONAL STANDARD

**Global maritime distress and safety system (GMDSS) –
Part 4: Inmarsat-C ship earth station and Inmarsat enhanced group call (EGC)
equipment – Operational and performance requirements, methods of testing and
required test results**



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2024 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Secretariat
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews, graphical symbols and the glossary. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 500 terminological entries in English and French, with equivalent terms in 25 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.



INTERNATIONAL STANDARD

**Global maritime distress and safety system (GMDSS) –
Part 4: Inmarsat-C ship earth station and Inmarsat enhanced group call (EGC)
equipment – Operational and performance requirements, methods of testing
and required test results**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 47.020.70

ISBN 978-2-8322-8299-1

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	4
1 Scope.....	6
2 Normative references	7
3 Terms and definitions	8
4 Performance requirements.....	8
4.1 Overview.....	8
4.2 Non-operational requirements	8
4.2.1 General	8
4.2.2 Warning of radiation hazard.....	8
4.2.3 Power supply changeover.....	9
4.2.4 Installation	9
4.3 Operational requirements for ship earth stations	9
4.3.1 Capabilities.....	9
4.3.2 Ship station identity	9
4.3.3 Distress alerting	9
4.3.4 Position updating	10
4.4 Operational requirements for EGC receivers	10
4.4.1 Capabilities.....	10
4.4.2 General	11
4.4.3 Position and area code updating.....	11
4.4.4 Indication of receipt of priority message.....	11
4.4.5 Indication of tuning and synchronisation	12
4.4.6 Printing selection	12
4.4.7 Printing device.....	12
4.5 Performance related requirements from IEC 60945	12
4.6 Other requirements	13
4.7 Long-range identification and tracking.....	13
4.7.1 General	13
4.7.2 Capabilities.....	13
4.7.3 Functionality	15
4.7.4 Communication system.....	15
5 Technical characteristics	15
5.1 Overview.....	15
5.2 Environmental and electromagnetic compatibility requirement.....	15
5.3 Radiated spurious emissions	16
5.4 Interfaces.....	16
5.5 Interfering signals	17
6 Methods of testing and required test results	17
6.1 Overview.....	17
6.1.1 General	17
6.1.2 Performance requirements.....	18
6.1.3 Technical characteristics	18
6.2 Tests of non-operational requirements	18
6.3 Tests of operational requirements for ship earth stations	18
6.3.1 Capabilities.....	18
6.3.2 Ship station identity	18

6.3.3	Distress alerting	18
6.3.4	Position updating	19
6.4	Tests of operational requirements for EGC receivers	19
6.4.1	Capabilities	19
6.4.2	General	19
6.4.3	Position and area code updating	19
6.4.4	Indication of receipt of priority message	20
6.4.5	Indication of tuning and synchronisation	20
6.4.6	Printing selection	20
6.4.7	Printing device	20
6.5	Tests of performance related requirements from IEC 60945	20
6.6	Tests of other requirements	20
6.7	Long-range identification and tracking	21
6.7.1	General	21
6.7.2	Capabilities	21
6.7.3	Functionality	21
6.7.4	Communication system	21
6.8	Tests of technical characteristics	22
6.8.1	Inmarsat tests	22
6.8.2	Tests for environmental and electromagnetic compatibility	22
6.8.3	Interfaces	23
6.8.4	Interfering signals	23
Annex A	(normative) Requirements relating to installation	24
A.1	General	24
A.2	Source of electrical energy	24
A.3	Siting of antennas	24
A.4	Long-range identification and tracking	24
A.5	Requirements	24
Annex B	(normative) Radiated unwanted emissions	25
B.1	Unwanted emissions 30 MHz to 1 000 MHz	25
B.2	Unwanted emissions above 1 000 MHz	25
B.3	Unwanted emissions within the bands with carrier-on	26
B.4	Unwanted emissions within the bands with carrier-off	27
Annex C	(informative) Inmarsat RTP schedule of tests	28
Bibliography	32
Table 1	– Data to be transmitted from the shipborne equipment	15
Table 2	– Environmental conditions	16
Table B.1	– Limits of unwanted emissions up to 1 000 MHz	25
Table B.2	– Limits of unwanted emissions above 1 000 MHz	26
Table B.3	– Limits of unwanted emission within the operating band with carrier-on	27
Table C.1	– Phase I Inmarsat-C schedule of tests	28
Table C.2	– Phase I EGC receiver schedule of tests	30
Table C.3	– Phase II schedule of tests	31

INTERNATIONAL ELECTROTECHNICAL COMMISSION

GLOBAL MARITIME DISTRESS AND SAFETY SYSTEM (GMDSS) –**Part 4: Inmarsat-C ship earth station and
Inmarsat enhanced group call (EGC) equipment –
Operational and performance requirements,
methods of testing and required test results**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at <https://patents.iec.ch>. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 61097-4 has been prepared by IEC technical committee 80: Maritime navigation and radiocommunication equipment and systems. It is an International Standard.

This fourth edition cancels and replaces the third edition published in 2012, Amendment 1:2016 and Amendment 2:2019. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) the addition of a technical requirement in 5.5 for operation in the presence of an interfering signal, with associated test, resulting from new IMO performance standards given in resolution MSC.513(105).

The text of this International Standard is based on the following documents:

Draft	Report on voting
80/1102/FDIS	80/1113/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

A list of all parts in the IEC 61097 series, published under the general title *Global maritime distress and safety system (GMDSS)*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

GLOBAL MARITIME DISTRESS AND SAFETY SYSTEM (GMDSS) –

Part 4: Inmarsat-C ship earth station and Inmarsat enhanced group call (EGC) equipment – Operational and performance requirements, methods of testing and required test results

1 Scope

This part of IEC 61097 specifies the performance requirements and methods of testing for Inmarsat-C ship earth stations (SES) capable of transmitting and receiving direct-printing communications, and for enhanced group call (EGC) receivers, for use in the GMDSS and for use for long-range identification and tracking (LRIT). The available variants are:

- Class 0: An EGC receiver, either stand-alone or an element of a GMDSS installation in accordance with the Inmarsat design and installation guidelines (DIGs) for GMDSS installations.
- Class 1: A basic SES providing shore-to-ship and ship-to-shore message transfer only.
- Class 2: As class 1 but with EGC as an alternative to shore-to-ship transfer using a shared receiver.
- Class 3: As class 1 but with EGC using an independent receiver.

NOTE 1 The 34th session of the IMO Sub-Committee on Radiocommunications decided that class 2 equipment would be adequate to provide sufficient availability for the reception of maritime safety information for the GMDSS.

This document complies with IMO performance requirements stated in the normative references, Inmarsat technical characteristics and test procedures, and IEC 60945 general requirements except where modifications are explicitly stated in this document. Technical characteristics essential to GMDSS and LRIT operation as defined by the IMO are identified.

All text of this document, whose wording is identical to that in IMO SOLAS Convention 1974 as amended in 1988 and Resolutions MSC.513(105), MSC.263(84) and MSC.306(87) is printed in *italics* and reference made to the Resolution/Recommendation and subclause number.

This document covers equipment construction and testing. Matters relating to installation can be found in the Inmarsat Maritime design and installation guidelines (see Bibliography). Those to be found in IMO Resolutions MSC.513(105), MSC.263(84) and MSC.306(87) are reproduced in Annex A.

Responsibility for type approval of Inmarsat-C and Inmarsat-EGC is vested in Inmarsat by IMO Resolutions MSC.513(105) and MSC.306(87) (see 4.2.1). Therefore, this document does not reproduce Inmarsat test procedures in full but refers to where they are given in Inmarsat documentation cited in the normative references to this document (Annex C).

NOTE 2 For the purposes of this document the terms Inmarsat C, Inmarsat-C, Inmarsat Standard-C, Standard-C refer to the same equipment.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60945:2002, *Maritime navigation and radiocommunication equipment and systems – General requirements – Methods of testing and required test results*

IEC 61108 (all parts), *Maritime navigation and radiocommunication equipment and systems – Global navigation satellite systems (GNSS)*

IEC 61162-1, *Maritime navigation and radiocommunication equipment and systems – Digital interfaces – Part 1: Single talker and multiple listeners*

IEC 62923-1, *Maritime navigation and radiocommunication equipment and systems – Bridge alert management – Part 1: Operational and performance requirements, methods of testing and required test results*

IEC 62923-2, *Maritime navigation and radiocommunication equipment and systems – Bridge alert management – Part 2: Alert and cluster identifiers and other additional features*

IMO, *International Convention for the safety of life at sea (SOLAS), 1974 as amended*

IMO Resolution A.694(17):1991, *General requirements for shipborne radio equipment forming part of the global maritime distress and safety system (GMDSS) and for electronic navigational aids*

IMO Resolution MSC.263(84):2008, *Revised performance standards and functional requirements for the long-range identification and tracking of ships.*

IMO Resolution MSC.302(87):2010, *Performance standards for bridge alert management*

IMO Resolution MSC.306(87):2010, *Revised performance standards for enhanced group call (EGC) equipment as amended by resolution MSC.431(98):2017*

IMO Resolution MSC.513(105), *Performance standards for INMARSAT-C ship earth stations capable of transmitting and receiving direct-printing communications*

Inmarsat, *Inmarsat C System definition manual (SDM) Volume 2 – Part 2, Application Note 2, Position reporting service*

Inmarsat, *Inmarsat C System definition manual (SDM) Volume 2 – Part 2, Application Note 3, Application developers guide to data reporting and polling*

Inmarsat, *Inmarsat C System definition manual (SDM) Volume 3 – Part 2, Chapter 2, Mobile earth station technical requirements*

Inmarsat, *Inmarsat C System definition manual (SDM) Volume 3 – Part 2, Chapter 5, Ship earth station technical requirements*

Inmarsat, *Inmarsat C System definition manual (SDM) Volume 3 – Part 2, Chapter 8, Technical requirements for an EGC receiver*

Inmarsat, *Inmarsat C System definition manual (SDM) Change Notice CN150, ATCt signals and other adjacent interferers*

3 Terms and definitions

No terms and definitions are listed in this document.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- IEC Electropedia: available at <https://www.electropedia.org/>
- ISO Online browsing platform: available at <https://www.iso.org/obp>

4 Performance requirements

4.1 Overview

Subclauses 4.2 through 4.4 of this document describe performance requirements directly attributable to IMO Resolutions MSC.306(87) as amended by MSC.431(98) and MSC.513(105) as listed in the normative references. Subclause 4.5 is provided to highlight those requirements of IMO Resolution A.694(17) which are not included in the normal Inmarsat requirements for Inmarsat-C SES type approval. Subclause 4.6 describes other requirements which are required to make the equipment suitable for GMDSS applications. Subclause 4.7 describes performance requirements attributable to IMO Resolution MSC.263(84) for long-range identification and tracking.

4.2 Non-operational requirements

4.2.1 General

(MSC.306(87) A1.1) The enhanced group call equipment to be used in the GMDSS shall comply with the general requirements set out in Assembly resolution A.694(17) as detailed in IEC 60945 and this document.

(MSC.513(105) A1.1) The Inmarsat-C ship earth station installation provided to meet a requirement for a ship earth station in SOLAS regulations IV/8.1.4, 9.1.3.3, 9.4.2, 10.1.1 or 10.1.4.3 shall comply with the general requirements set out in resolutions A.694(17). It should be capable of transmitting and receiving automated telegraphy communications in compliance with the relevant ITU-R recommendation on direct-printing telegraphy. In addition, the Inmarsat-C ship earth station shall conform to the following minimum requirements.

(MSC.513(105) A1.2) The performance of any enhanced group call facility provided by the ship earth station shall be in accordance with the performance standards for enhanced group call equipment set out in resolution MSC.306(87) as amended by resolution MSC.431(98) and with the following minimum performance requirements.

(MSC.513(105) A2.1)/MSC.306(87) 2) The ship earth station and the EGC equipment shall be type-approved by Inmarsat and shall comply with the environmental conditions and electromagnetic compatibility requirements specified in IEC 60945.

4.2.2 Warning of radiation hazard

(MSC.513(105) A4) In order to permit a warning of potential radiation hazards to be displayed in appropriate locations, a label shall be attached to the radome indicating the distances external to the radome at which radiation levels of 100 W/m², 25 W/m² and 10 W/m² exist. However, the distances which are within the radome need not be indicated.