EESTI STANDARD

Lasers and laser-related equipment - Test methods for laser beam widths, divergence angles and beam propagation ratios - Part 2: General astigmatic s) Or a tick of a children of the tick of the tick of a children of the tick o beams (ISO 11146-2:2005)



EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

Käesolev Eesti standard EVS-EN ISO 11146- 2:2005 sisaldab Euroopa standardi EN ISO 11146-2:2005 ingliskeelset teksti. Standard on kinnitatud Eesti Standardikeskuse 28.04.2005 käskkirjaga ja jõustub sellekohase teate avaldamisel EVS Teatajas.	This Estonian standard EVS-EN ISO 11146- 2:2005 consists of the English text of the European standard EN ISO 11146-2:2005. This standard is ratified with the order of Estonian Centre for Standardisation dated 28.04.2005 and is endorsed with the notification published in the official bulletin of the Estonian national standardisation organisation.
Euroopa standardimisorganisatsioonide poolt rahvuslikele liikmetele Euroopa standardi teksti kättesaadavaks tegemise kuupäev on 15.02.2005.	Date of Availability of the European standard text 15.02.2005.
Standard on kättesaadav Eesti standardiorganisatsioonist.	The standard is available from Estonian standardisation organisation.
ICS 31.260	Q,
Võtmesõnad:	2
Standardite reprodutseerimis- ja levitamisõigus kuulub Eesti Andmete paljundamine, taastekitamine, kopeerimine, salvestamin millisel teel on keelatud ilma Eesti Standardikeskuse poolt antud k	e elektroonilisse süsteemi või edastamine ükskõik millises vormis või

Kui Teil on küsimusi standardite autorikaitse kohta, palun võtke ühendust Eesti Standardikeskusega: Aru 10 Tallinn 10317 Eesti; www.evs.ee; Telefon: 605 5050; E-post: info@evs.ee

EUROPEAN STANDARD NORME EUROPÉENNE **EUROPÄISCHE NORM**

EN ISO 11146-2

February 2005

ICS 31.260

English version

Lasers and laser-related equipment - Test methods for laser beam widths, divergence angles and beam propagation ratios -Part 2: General astigmatic beams (ISO 11146-2:2005)

Lasers et équipements associés aux lasers - Méthodes d'essai des largeurs du faisceau, angles de divergence et facteurs de limite de diffraction - Partie 2: Faisceaux astigmatiques généraux (ISO 11146-2:2005)

Laser und Laseranlagen - Prüfverfahren für Laserstrahlabmessungen, Divergenzwinkel und Beugungsmaßzahlen - Teil 2: Allgemein astigmatische Strahlen (ISO 11146-2:2005)

This European Standard was approved by CEN on 3 February 2005.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Central Secretariat has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

Ref. No. EN ISO 11146-2:2005: E

Foreword

This document (EN ISO 11146-2:2005) has been prepared by Technical Committee ISO/TC 172 "Optics and optical instruments" in collaboration with Technical Committee CEN/TC 123 "Lasers and laser-related equipment", the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by August 2005, and conflicting national standards shall be withdrawn at the latest by August 2005.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

Endorsement notice

The text of ISO 11146-2:2005 has been approved by CEN as EN ISO 11146-2:2005 without any modifications.

INTERNATIONAL STANDARD

ISO 11146-2

First edition 2005-02-15

Lasers and laser-related equipment — Test methods for laser beam widths, divergence angles and beam propagation ratios —

Part 2: General astigmatic beams

Lasers et équipements associés aux lasers — Méthodes d'essai des largeurs du faisceau, angles de divergence et des facteurs de limite de diffraction —

Partie 2: Faisceaux astigmatiques généraux

Reference number ISO 11146-2:2005(E)

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

<text> Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below

© ISO 2005

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Case postale 56 • CH-1211 Geneva 20 Tel. + 41 22 749 01 11 Fax + 41 22 749 09 47 E-mail copyright@iso.org Web www.iso.org Published in Switzerland

Contents

Forew	vord	iv
Introdu	uction	
1	Scope	1
2	Normative references	1
3	Terms and definitions	1
4	Coordinate system	5
5 5.1	Test principles General	5
5.2 5.3 5.4	Spatial second order moments of the Wigner distribution Second order moments of the Wigner distribution Derived quantities	5
6 6.1	Measurement arrangement and test equipment General	6
6.2 6.3 6.4	Preparation Control of environment Detector system	6
6.5	Beam-forming optics and optical attenuators	7
7 7.1	Measurement of the second order moments	
7.2 7.3	Measurement of the second order moments of power density distributions Measurement of all second order moments of the Wigner distribution	9
8	Determination of effective beam propagation ratio	
9	Determination of intrinsic astigmatism	
10	Determination of the twist parameter	12
11	Test report	12
Bibliog	graphy	15
		5

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

ISO 11146-2 was prepared by Technical Committee ISO/TC 172, *Optics and photonics*, Subcommittee SC 9, *Electro-optical systems*.

ISO 11146 consists of the following parts, under the general title Lasers and laser-related equipment — Test methods for laser beam widths, divergence angles and beam propagation ratios:

- Part 1: Stigmatic and simple astigmatic beams
- Part 2: General astigmatic beams
- Part 3: Intrinsic and geometrical laser beam classification, propagation, and details of test methods (Technical Report)

© ISO 2005 - All rights reserved

Introduction

The propagation properties of laser beams can be characterized by ten independent parameters when applying the method of second order moments (see ISO/TR 11146-3). Most laser beams need few parameters for a complete description due to their higher symmetry. Lasers emit beams which are stigmatic or simple astigmatic due to their resonator design.

Part 1 of ISO 11146 describes the measurement methods for stigmatic and simple astigmatic beams while this part of ISO 11146 deals with the measurement procedures for general astigmatic beams. This part of ISO 11146 is applicable to beams of unknown type. Beam characterization, based on the method of second order moments as described in Part 1 and this part of ISO 11146, is only valid within the paraxial approximation.

The theoretical description of beam characterization and propagation as well as the classification of laser beams is given in ISO/TR 11146-3, which is an informative Technical Report. The procedures for background subtraction and offset correction are also given in ISO/TR 11146-3.

In ISO 11146, the second order moments of the power (energy) density distribution function are used for the determination of beam widths. If problems are experienced in the direct measurements of these quantities, other indirect methods of measurement of second order moments may be used as long as comparable results are achievable.

In ISO/TR 11146-3, three alternative methods for beam width measurement and their correlation with the method used in this part of ISO 11146 are described. These methods are:

- variable aperture method;
- moving knife-edge method;
- moving slit method.

The problem of the dependence of the measuring result on the truncation limits of the integration area was investigated and evaluated by an international interlaboratory experiment carried out in 1997. The results of this interlaboratory testing were taken into consideration in this document.

The International Organization for Standardization (ISO) draws attention to the fact that it is claimed that compliance with this document may involve the use of a patent concerning the determination of beam characteristics by measuring along the beam caustic of the transformed beam produced by a lens as described in 5.3 and 5.4.

ISO takes no position concerning the evidence, validity and scope of this patent right.

The holder of this patent right (U.S. No. 5,267,012) has assured ISO that he is willing to negotiate licences under reasonable and non-discriminatory terms and conditions with applicants throughout the world. In this respect, the statement of the holder of this patent right is registered with the ISO. Information may be obtained from:

Coherent Inc. 5100 Patrick Henry Drive Santa Clara, CA 95056-0980 USA

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights other than those identified above. ISO shall not be held responsible for identifying any or all such patent rights.

this document is a preview denenated by the

Lasers and laser-related equipment — Test methods for laser beam widths, divergence angles and beam propagation ratios —

Part 2: General astigmatic beams

1 Scope

This part of ISO 11146 specifies methods for measuring beam widths (diameter), divergence angles and beam propagation ratios of laser beams. This part of ISO 11146 is applicable to general astigmatic beams or unknown types of beams. For stigmatic and simple astigmatic beams, ISO 11146-1 is applicable.

Within this part of ISO 11146, the description of laser beams is accomplished by means of the second order moments of the Wigner distribution rather than physical quantities such as beam widths and divergence angles. However these physical quantities are closely related to the second order moments of the Wigner distribution. In ISO/TR 11146-3, formulae are given to calculate all relevant physical quantities from the measured second order moments.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 11145, Optics and optical instruments — Lasers and laser-related equipment — Vocabulary and symbols

ISO 11146-1:2005, Lasers and laser-related equipment — Test methods for laser beam widths, divergence angles and beam propagation ratios — Part 1: Stigmatic and simple astigmatic beams

IEC 61040:1990, Power and energy measuring detectors, instruments and equipment for laser radiation