





EC/TR 60146-1-2:2011(E)



THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2011 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.

If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de la CEI ou du Comité national de la CEI du pays du demandeur.

Si vous avez des questions sur le copyright de la CEI ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de la CEI de votre pays de résidence.

IEC Central Office 3, rue de Varembé CH-1211 Geneva 20 Switzerland Email: inmail@iec.ch Web: www.iec.ch

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

Catalogue of IEC publications: www.iec.cn/searchpub

The IEC on-line Catalogue enables you to search by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, withdrawn and replaced publications.

IEC Just Published: www.iec.ch/online_news/justpub

Stay up to date on all new IEC publications. Just Published details twice a month all new publications released. Available on-line and also by email.

■ Electropedia: <u>www.electropedia.org</u>

The world's leading online dictionary of electronic and electrical terms containing more than 20 000 terms and definitions in English and French, with equivalent terms in additional anguages. Also known as the International Electrotechnical Vocabulary online.

Customer Service Centre: www.iec.ch/webstore/custserv

If you wish to give us your feedback on this publication or need further assistance, please visit the Customer Service Centre FAQ or contact us:

Email: csc@iec.ch Tel.: +41 22 919 02 11 Fax: +41 22 919 03 00



IEC/TR 60146-1-2

Edition 4.0 2011-01



Semiconductor converters – General requirements and line commutated converters –

Part 1-2: Application guide

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ICS 29.045; 29.200

ISBN 978-2-88912-313-1

CONTENTS

| FO | REWC |)RD | | 7 | | | |
|-----|-------------------------|----------|---|----|--|--|--|
| 1 | Scop | e | | 9 | | | |
| 2 1 | Normative references | | | | | | |
| 3 | 3 Terms and definitions | | | | | | |
| | 3.1 | Definiti | ons related to converter faults | 10 | | | |
| | 3.2 | | ons related to converter generated transients | | | | |
| | 3.3 | | ons related to temperature | | | | |
| 4 | Appli | | f semiconductor power converters | | | | |
| | 4.1 | Applica | ation | 12 | | | |
| | | 4.1.1 | Conversion equipment and systems | | | | |
| | | 4.1.2 | Supply source conditioning (active and reactive power) | | | | |
| | 4.2 | Equipm | nent specification data | | | | |
| | | 4.2.1 | Main items on the specification | 13 | | | |
| | | 4.2.2 | Terminal markings | 13 | | | |
| | | 4.2.3 | Additional information | 13 | | | |
| | | 4.2.4 | Unusual service conditions | 14 | | | |
| | 4.3 | Conver | rter transformers and reactors | 15 | | | |
| | 4.4 | Calcula | ation factors | 15 | | | |
| | | 4.4.1 | General | 15 | | | |
| | | 4.4.2 | Voltage ratios | 19 | | | |
| | | 4.4.3 | Line side transformer current factor | 19 | | | |
| | | 4.4.4 | Valve-side transformer current factor | | | | |
| | | 4.4.5 | Voltage regulation | 20 | | | |
| | | 4.4.6 | Magnetic circuit | 20 | | | |
| | | 4.4.7 | Power loss factor | 20 | | | |
| | 4.5 | Paralle | el and series connections | | | | |
| | | 4.5.1 | Parallel or series connection of valve devices | | | | |
| | | 4.5.2 | Parallel or series connection of assemblies and equipment units | | | | |
| | 4.6 | Power | factorGeneral | 21 | | | |
| | | | | | | | |
| | | 4.6.2 | Symbols used in the determination of displacement factor | 22 | | | |
| | | 4.6.3 | Circle diagram for the approximation of the displacement factor | | | | |
| | | | $\cos \varphi_{1N}$ and of the reactive power Q_{1LN} for rectifier and inverter operation | 23 | | | |
| | | 4.6.4 | operation | 24 | | | |
| | | 4.6.5 | Conversion factor | 26 | | | |
| | 4.7 | | voltage regulation | 26 | | | |
| | | 4.7.1 | General | 26 | | | |
| | | 4.7.2 | Inherent direct voltage regulation | | | | |
| | | 4.7.3 | Direct voltage regulation due to a.c. system impedance | | | | |
| | | 4.7.4 | Information to be exchanged between supplier and purchaser about direct voltage regulation of the converter | 10 | | | |
| | 4.8 | Voltage | e limits for reliable commutation in inverter mode | _ | | | |
| | 4.9 | _ | oltage waveform | | | | |
| 5 | Appli | | nformation | | | | |
| | 5.1 | Practic | al calculation of the operating parameters | 33 | | | |
| | | 5.1.1 | General | | | | |

| | | 5.1.2 | Assumptions | 34 |
|---|------------|----------------|---|------------|
| | | 5.1.3 | Preliminary calculations | 34 |
| | 7 | 5.1.4 | Calculation of the operating conditions | 35 |
| | 5.2 | Supply | system voltage change due to converter loads | 37 |
| • | 9 . | 5.2.1 | Fundamental voltage change | 37 |
| | | 5.2.2 | Minimum R _{1SC} requirements for voltage change | 38 |
| | U | 5.2.2 5.2.3 | Converter transformer ratio | 38 |
| | | 5.2.4 | Transformer rating | 39 |
| | 5.3 | Compe | ensation of converter reactive power consumption | 40 |
| | | 5.3.1 | Average reactive power consumption | 40 |
| | | 5.3.2 | Required compensation of the average reactive power | 40 |
| | | 5.3.3 | Voltage fluctuations with fixed reactive power compensation | 41 |
| | 5.4 | Supply | voltage distortion | 41 |
| | | 5.4.1 | Commutation notches | 41 |
| | | 5.4.2 | Operation of several converters on the same supply line | 44 |
| | 5.5 | Quantit | ties on the line side | |
| | | 5.5.1 | R.M.S. value of the line current | 45 |
| | | 5.5.2 | Harmonics on the line side, approximate method for 6-pulse converters | <i>1</i> E |
| | | 5.5.3 | Minimum R _{1SC} requirements for harmonic distortion | |
| | | 5.5.4 | Estimated phase shift of the harmonic currents | |
| | | 5.5.5 | Addition of harmonic currents | |
| | | 5.5.6 | Peak and average harmonic spectrum | |
| | | 5.5.7 | Transformer phase shift | |
| | | 5.5.8 | Sequential gating, two 6-pulse converters | |
| | 5.6 | | factor compensation and harmonic distortion | |
| | | 5.6.1 | | |
| | | 5.6.2 | General | 51 |
| | | 5.6.3 | Directly connected capacitor bank | 51 |
| | | 5.6.4 | Estimation of the resonant frequency | 51 |
| | | 5.6.5 | Estimation of the resonant frequency Detuning reactor | 53 |
| | | 5.6.6 | Ripple control frequencies (Carrier frequencies) | 54 |
| | 5.7 | Direct | voitage Hailifolic content | 52 |
| | 5.8 | Other o | considerations | 55 |
| | | 5.8.1 | Random control angle | |
| | | 5.8.2 | Sub-harmonic instability | 55 |
| | | 5.8.3 | Harmonic filters | 56 |
| | | 5.8.4 | Approximate capacitance of cables | 56 |
| | 5.9 | | ation of d.c. short-circuit current of converters | 56 |
| | 5.10 | Guide-l | lines for the selection of the immunity class | 56 |
| | | | General | 56 |
| | | 5.10.2 | Converter Immunity class | 57 |
| | | 5.10.3 | Selection of the immunity class | 57 |
| 6 | Test | requiren | ments | 60 |
| | 6.1 | Guidan | ice on power loss evaluation by short-circuit test | 60 |
| | | 6.1.1 | Single-phase connections | |
| | | 6.1.2 | Polyphase double-way connections | 61 |
| | | 6.1.3 | Polyphase single-way connections | 61 |
| | 6.2 | Proced | lure for evaluation of power losses by short-circuit method | 61 |

| | 6.3 | Test m | nethods | 62 |
|-----|---------|----------------|---|----|
| | | 6.3.1 | Method A1 | 62 |
| | 1 | 6.3.2 | Method B | 63 |
| | | 6.3.3 | Method C | 63 |
| | 1 | € 6.3.4 | Method D | 63 |
| | | 6.3.5 | Method E | 65 |
| | Q | 6.3.6 | Method A2 | 66 |
| 7 | Perfo | ormance | e requirements | 66 |
| | 7.1 | Prese | ntation of rated peak load current values | 66 |
| | 7.2 | Letter | symbols related to virtual junction temperature | 67 |
| | 7.3 | | nination of peak load capability through calculation of the virtual | 68 |
| | | 7.3.1 | General | |
| | | 7.3.2 | Approximation of the shape of power pulses applied to the semiconductor devices | |
| | | 7.3.3 | The superposition method for calculation of temperature | |
| | | 7.3.4 | Calculation of the virtual junction temperature for continuous load | |
| | | 7.3.5 | Calculation of the virtual junction temperature for cyclic loads | |
| | | 7.3.6 | Calculation of the virtual junction temperature for a few typical applications | |
| | 7.4 | valve (| operating conditions affecting the voltage applied across converter devices | 73 |
| 8 | Conv | erter o | peration | 74 |
| | 8.1 | Stabili | perationzation | 74 |
| | 8.2 | Static | properties | 74 |
| | 8.3 | Dynan | nic properties of the control system | 75 |
| | 8.4 | | of operation of single and double converters | |
| | | 8.4.1 | Single converter connection | 75 |
| | | 8.4.2 | Double converter connections and limits for rectifier and inverter | |
| | | | operationtion current | 78 |
| | 8.5 | Transi | tion current | 78 |
| | 8.6 | Suppre | ession of direct current circulation in double converter connections | 79 |
| | | 8.6.1 | General Limitation of delay angles Controlled circulating current | 79 |
| | | 8.6.2 | Limitation of delay angles | 79 |
| | | 8.6.3 | Controlled circulating current | 80 |
| | | 8.6.4 | Blocking of trigger pulses | |
| | 8.7 | | ole of operation for reversible converters for control of d.c. motors | |
| | | 8.7.1 | General | |
| | | 8.7.2 | Motor field reversal | 80 |
| | | 8.7.3 | Motor armature reversal by reversing switch | 80 |
| | | 8.7.4 | Double converter connection to motor armature | 80 |
| 9 | Conv | | ults | |
| | 9.1 | | al | |
| | 9.2 | | inding | |
| | 9.3 | | tion from fault currents | |
| Bib | oliogra | phy | | 83 |
| | | | | |
| Fig | gure 1 | – Volta | ges at converter faults | 11 |
| Fic | ure 2 | – Circle | diagram for approximation of the displacement factor | 23 |

| Figure 3 – Displacement factor as a function of d_{xN} for $p = 6$ | 25 |
|---|-----|
| Figure 4 – Displacement factor as a function of d_{xN} for $p = 12$ | |
| Figure 5 – d_{LN} as a function of d_{xN} for $p = 6$ and $p = 12$ | |
| Figure 6 – A.C. voltage waveform | |
| Figure 7 – Harmonic current spectrum on the a.c. side for p = 6 | |
| Figure 8 Influence of capacitor rating and a.c. motor loads on the resonant frequency | |
| and amplification factor | 52 |
| Figure 9 – Direct voltage harmonic content for $p = 6$ | 55 |
| Figure 10 – Example of power distribution | 58 |
| Figure 11 – Test method A1 | 62 |
| Figure 12 – Test method D | 64 |
| Figure 13 – Single peak oad | 67 |
| Figure 14 – Repetitive peak loads | 67 |
| Figure 15 – Approximation of the shape of power pulses | 70 |
| Figure 16 – Calculation of the virtual junction temperature for continuous load | 71 |
| Figure 17 – Calculation of the virtual junction temperature for cyclic loads | 72 |
| Figure 18 – Circuit operating conditions affecting the voltage applied across converter | |
| valve devices | |
| Figure 19 – Direct voltage waveform for various delay angles | |
| Figure 20 – Direct voltage for various loads and delay angles | |
| Figure 21 – Direct voltage limits in inverter operation | 78 |
| Figure 22 – Direct voltage at values below the transition current | 79 |
| Figure 23 – Operating sequences of converters serving a reversible d.c. motor | 81 |
| Table 1 – Connections and calculation factors | 4.0 |
| | _ |
| Table 2 – List of symbols used in the determination of displacement factor | |
| Table 3 – List of symbols used in the calculation formulae | |
| Table 4 – Example of operating conditions | 37 |
| Table 5 – Example of operating conditions | 37 |
| Table 6 – Example of operating conditions | |
| Table 7 – Result of the iteration | |
| Table 8 – Example of calculation results of active and reactive power consumption | |
| | 43 |
| Table 10 – Example of notch depth by one converter with a common transformer | |
| Table 11 – Example of notch depth by ten converters operating at the same time | 44 |
| Table 12 – The values of $I_{\rm L}^*(lpha,\mu)\!/I_{\rm L}$ | 45 |
| Table 13 – Minimum R _{1SC} requirement for low voltage systems | 49 |
| Table 14 – Transformer phase shift and harmonic orders | 50 |
| Table 15 – Approximate kvar/km of cables | 56 |
| Table 16 – Short-circuit values of converter currents | 56 |
| Table 17 – Calculated values for the example in Figure 10 | 60 |

| Table 1 | 18 – | Letter syr | nbols r | related t | o virtual | junction | temperature | 6 | 3. |
|---------|------|-------------|----------|-----------|-----------|----------|-------------|-------|----|
| Table 1 | ın | Virtual iur | notion : | tompora | turo | | | - | 7 |

able 18 - L. Table 19 - Virt.

This document is a previous denotated by the same rated by the same rat

INTERNATIONAL ELECTROTECHNICAL COMMISSION

SEMICONDUCTOR CONVERTERS – GENERAL REQUIREMENTS AND LINE COMMUTATED CONVERTERS –

Part 1-2: Application guide

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of EC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter
- 5) IEC itself does not provide any attestation of conformity, independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

The main task of IEC technical committees is to prepare International Standards. However, a technical committee may propose the publication of a technical report when it has collected data of a different kind from that which is normally published as an International Standard, for example "state of the art".

IEC/TR 60146-1-2, which is a technical report, has been prepared by IEC technical committee 22: Power electronic systems and equipment.

This fourth edition cancels and replaces the third edition published in 1991. This fourth edition constitutes a technical revision.

This fourth edition includes the following main changes with respect to the previous edition:

- a) re-edition of the whole document according to the current Directives;
- b) correction of some errors.

The text of this technical report is based on the following documents:

| Enquiry draft | Report on voting | | |
|---------------|------------------|--|--|
| 22/170/DTR | 22/173/RVC | | |

Full information on the voting for the approval of this technical report can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of the IEC 60146 series, under the general title: Semiconductor converters – General requirements and line commutated converters, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

/issued A bilingual version of this standard may be issued at a later date.

SEMICONDUCTOR CONVERTERS – GENERAL REQUIREMENTS AND LINE COMMUTATED CONVERTERS –

Part 1-2: Application guide

1 Scope

This part of IEO 60146 gives guidance on variations to the specifications given in IEC 60146-1-1:2009 to enable the specification to be extended in a controlled form for special cases. Background information is also given on technical points which should facilitate the use of IEC 60146-1-1:2009.

This technical report primarily covers line commutated converters and is not in itself a specification, except as regards certain auxiliary components, in so far as existing standards may not provide the necessary data.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050-521:2002, International Electrotechnical Vocabulary – Part 521: Semiconductor devices and integrated circuits

IEC 60050-551:1998, International Electrotechnical Vocabulary – Part 551: Power electronics

IEC 60050-551-20:2001, International Electrotechnical Vocabulary – Part 551-20: Power electronics – Harmonic analysis

IEC 60146-1-1:2009, Semiconductor converters – General requirements and line commutated converters Part 1-1: Specification of basic requirements

IEC 60146-1-3:1991, Semiconductor converters – General requirements and line commutated converters Part 1-3: Transformers and reactors

IEC 60529, Degrees of protection provided by enclosures (IP Code)

IEC 60664-1, Insulation coordination for equipment within low-voltage systems-Part 1: Principles, requirements and tests

IEC 61378-1, Convertor transformers - Part 1: Transformers for industrial applications

IEC 61148, Terminal markings for valve device stacks and assemblies and for power converter equipment

3 Terms and definitions

For the purposes of this document, the terms and definitions given in IEC 60146-1-1:2009, IEC 60050-551, IEC 60050-551-20, several of which are repeated here for convenience, and the following apply.