**Eurocode 3: Design of steel structures** 

Part 2: Steel bridges

Aru.

Oliono

Oliono Eurokoodeks 3: Teraskonstruktsioonide projekteerimine

Osa 2: Terassillad



### **EESTI STANDARDI EESSÕNA**

### **NATIONAL FOREWORD**

See Eesti standard EVS-EN 1993-2:2006+NA:2008 sisaldab Euroopa standardi EN 1993-2:2006 identset ingliskeelset teksti ning rahvuslikku lisa NA:2008.

This Estonian Standard

EVS-EN 1993-2:2006+NA:2008 consists of the identical English text of the European Standard EN 1993-2:2006 and the Estonian National Annex NA:2008.

Standard on jõustunud sellekohase teate avaldamisel EVS Teatajas.

This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.

Euroopa standardimisorganisatsioonide poolt rahvuslikele liikmetele Euroopa standardi teksti kättesaadavaks tegemise kuupäev on 25.10.2006.

Date of Availability of the European Standard is 25.10.2006.

Standard on kättesaadav Eesti Standardikeskusest.

This standard is available from the Estonian Centre for Standardisation.

ICS 91.010.30, 91.080.10, 93.040

#### Standardite reprodutseerimis- ja levitamisõigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonilisse süsteemi või edastamine ükskõik millises vormis või millisel teel on ilma Eesti Standardikeskuse kirjaliku loata keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega: Aru 10, 10317 Tallinn, Eesti; <a href="mailto:www.evs.ee">www.evs.ee</a>; telefon: 605 5050; e-post: <a href="mailto:info@evs.ee">info@evs.ee</a>

#### The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about standards copyright, please contact the Estonian Centre for Standardisation:

Aru 10, 10317 Tallinn, Estonia; www.evs.ee; phone: 605 5050; e-mail: info@evs.ee

# EUROPEAN STANDARD NORME EUROPÉENNE

EN 1993-2

EUROPÄISCHE NORM

October 2006

ICS 91.010.30; 91.080.10; 93.040

Supersedes ENV 1993-2:1997

#### **English Version**

# Eurocode 3 - Design of steel structures - Part 2: Steel Bridges

Eurocode 3 - Calcul des structures en acier - Partie 2: Ponts métalliques Eurocode 3 - Bemessung und konstruktion von Stahlbauten - Teil 2: Stahlbrücken

This European Standard was approved by CEN on 9 January 2006.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Central Secretariat has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

Contents			
1	Ge	eneral	9
	1.1 1.2 1.3 1.4 1.5 1.6 1.7	Scope Normative references Assumptions Distinction between principles and application rules Terms and definitions Symbols Conventions for member axes	9 10 10 10 11
2	Ba	nsis of design	11
	2.1 2.2 2.3 2.4 2.5	Requirements Principles of limit state design Basic variables Verification by the partial factor method Design assisted by testing	11 12 13 13 13
3	Ma	aterials	13
	3.1 3.2 3.3 3.4 3.5 3.6	General Structural steel Connecting devices Cables and other tension elements Bearings Other bridge components	13 13 15 16 16
4	Du	ırability	17
5	Stı	ructural analysis	18
	5.1 5.2 5.3 5.4 5.5	Structural modelling for analysis Global analysis Imperfections Methods of analysis considering material non-linearities Classification of cross sections	18 18 19 19
6	Ultimate limit states		
	6.1 6.2 6.3 6.4 6.5	General Resistance of cross sections Buckling resistance of members Built-up compression members Buckling of plates rviceability limit states	20 20 23 27 27
7	Sei	rviceability limit states	28
	7.1 7.2 7.3 7.4 7.5 7.6 7.7 7.8 7.9 7.10 7.11	General Calculation models Limitations for stress Limitation of web breathing Limits for clearance gauges Limits for visual impression Performance criteria for railway bridges Performance criteria for road bridges Performance criteria for pedestrian bridges Performance criteria for the effect of wind Accessibility of joint details and surfaces Drainage	28 28 29 29 30 30 30 30 31 31 31
8		steners, welds, connections and joints	
		Connections made of bolts, rivets and pins	32

8.2	Welded connections	34
9 F	Fatigue assessment	36
9.1 9.2 9.3 9.4 9.5 9.6 9.7	Fatigue loading Partial factors for fatigue verifications Fatigue stress range Fatigue assessment procedures Fatigue strength	36 37 37 38 40 47 48
10	Design assisted by testing	48
10.2	<ul><li>1 General</li><li>2 Types of tests</li><li>3 Verification of aerodynamic effects on bridges by testing</li></ul>	48 48 48
Anne	x A [informative] – Technical specifications for bearings	50
A.1 A.2 A.3 A.4 A.5	<ul> <li>Symbols</li> <li>General</li> <li>Preparation of the bearing schedule</li> </ul>	50 51 51 54 64
Anne	x B [informative] – Technical specifications for expansion joints for road bridges	66
B.1 B.2 B.3	2 Technical specifications	66 67 69
Anne	${f x}$ C [informative] – Recommendations for the structural detailing of steel bridge decks	70
C.1 C.2 C.3	2 Railway bridges	70 80 83
	x D [informative] – Buckling lengths of members in bridges and assumptions for geometric	al 91
D.1 D.2 D.3		91 91 96
	x E [informative] – Combination of effects from local wheel and tyre loads and from global c loads on road bridges	101
E.1 E.2	Combination rule for global and local load effects	101 102

### **Foreword**

This European Standard EN 1993-2, Eurocode 3: Design of steel structures Part 2: Steel bridges, has been prepared by Technical Committee CEN/TC250 « Structural Eurocodes », the Secretariat of which is held by BSI. CEN/TC250 is responsible for all Structural Eurocodes.

This European Standard shall be given the status of a National Standard, either by publication of an identical text or by endorsement, at the latest by April 2007 and conflicting National Standards shall be withdrawn at latest by March 2010.

This Eurocode supersedes ENV 1993-2.

According to the CEN-CENELEC Internal Regulations, the National Standard Organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

# **Background of the Eurocode programme**

In 1975, the Commission of the European Community decided on an action programme in the field of construction, based on article 95 of the Treaty. The objective of the programme was the elimination of technical obstacles to trade and the harmonisation of technical specifications.

Within this action programme, the Commission took the initiative to establish a set of harmonised technical rules for the design of construction works which, in a first stage, would serve as an alternative to the national rules in force in the Member States and, ultimately, would replace them.

For fifteen years, the Commission, with the help of a Steering Committee with Representatives of Member States, conducted the development of the Eurocodes programme, which led to the first generation of European codes in the 1980's.

In 1989, the Commission and the Member States of the EU and EFTA decided, on the basis of an agreement I between the Commission and CEN, to transfer the preparation and the publication of the Eurocodes to the CEN through a series of Mandates, in order to provide them with a future status of European Standard (EN). This links de facto the Eurocodes with the provisions of all the Council's Directives and/or Commission's Decisions dealing with European standards (e.g. the Council Directive 89/106/EEC on construction products - CPD - and Council Directives 93/37/EEC, 92/50/EEC and 89/440/EEC on public works and services and equivalent EFTA Directives initiated in pursuit of setting up the internal market).

The Structural Eurocode programme comprises the following standards generally consisting of a number of Parts: 6

EN 1990 Eurocode 0: Basis of structural design

EN 1991 Eurocode 1: Actions on structures

EN 1992 Eurocode 2: Design of concrete structures

EN 1993 Eurocode 3: Design of steel structures

EN 1994 Eurocode 4: Design of composite steel and concrete structures

EN 1995 Eurocode 5: Design of timber structures

EN 1996 Eurocode 6: Design of masonry structures

EN 1997 Eurocode 7: Geotechnical design

<sup>&</sup>lt;sup>1</sup> Agreement between the Commission of the European Communities and the European Committee for Standardisation (CEN) concerning the work on EUROCODES for the design of building and civil engineering works (BC/CEN/03/89).

EN 1998 Eurocode 8: Design of structures for earthquake resistance

EN 1999 Eurocode 9: Design of aluminium structures

Eurocode standards recognise the responsibility of regulatory authorities in each Member State and have safeguarded their right to determine values related to regulatory safety matters at national level where these continue to vary from State to State.

## Status and field of application of Eurocodes

The Member States of the EU and EFTA recognise that Eurocodes serve as reference documents for the following purposes:

- as a means to prove compliance of building and civil engineering works with the essential requirements of Council Directive 89/106/EEC, particularly Essential Requirement N°1 - Mechanical resistance and stability - and Essential Requirement N°2 - Safety in case of fire;
- as a basis for specifying contracts for construction works and related engineering services;
- as a framework for drawing up harmonised technical specifications for construction products (ENs and ETAs)

The Eurocodes, as far as they concern the construction works themselves, have a direct relationship with the Interpretative Documents<sup>2</sup> referred to in Article 12 of the CPD, although they are of a different nature from a harmonised product standard<sup>3</sup>. Therefore, technical aspects arising from the Eurocodes work need to be adequately considered by CEN Technical Committees and/or EOTA Working Groups working on product standards with a view to achieving a full compatibility of these technical specifications with the Eurocodes.

The Eurocode standards provide common structural design rules for everyday use for the design of whole structures and component products of both a traditional and an innovative nature. Unusual forms of construction or design conditions are not specifically covered and additional expert consideration will be required by the designer in such cases.

### **National Standards implementing Eurocodes**

The National Standards implementing Eurocodes will comprise the full text of the Eurocode (including any annexes), as published by CEN, which may be preceded by a National title page and National foreword, and may be followed by a National annex (informative).

The National Annex (informative) may only contain information on those parameters which are left open in the Eurocode for national choice, known as Nationally Determined Parameters, to be used for the design of buildings and civil engineering works to be constructed in the country concerned, i.e.:

- values for partial factors and/or classes where alternatives are given in the Eurocode,
- values to be used where a symbol only is given in the Eurocode,
- geographical and climatic data specific to the Member State, e.g. snow map,
- the procedure to be used where alternative procedures are given in the Eurocode,
- references to non-contradictory complementary information to assist the user to apply the Eurocode.

<sup>&</sup>lt;sup>2</sup> According to Art. 3.3 of the CPD, the essential requirements (ERs) shall be given concrete form in interpretative documents for the creation of the necessary links between the essential requirements and the mandates for hENs and ETAGs/ETAs.

<sup>&</sup>lt;sup>3</sup> According to Art. 12 of the CPD the interpretative documents shall:

a) give concrete form to the essential requirements by harmonising the terminology and the technical bases and indicating classes or levels for each requirement where necessary;

b) indicate methods of correlating these classes or levels of requirement with the technical specifications, e.g. methods of calculation and of proof, technical rules for project design, etc.;

c) serve as a reference for the establishment of harmonised standards and guidelines for European technical approvals.

The Eurocodes, *de facto*, play a similar role in the field of the ER 1 and a part of ER 2.

# Links between Eurocodes and product harmonised technical specifications (ENs and ETAs)

There is a need for consistency between the harmonised technical specifications for construction products and the technical rules for works<sup>4</sup>. Furthermore, all the information accompanying the CE Marking of the construction products which refer to Eurocodes should clearly mention which Nationally Determined Parameters have been taken into account.

### Additional information specific to EN 1993-2

EN 1993-2 is the second part of six parts of EN 1993 - Design of Steel Structures - and describes the principles and application rules for the safety and serviceability and durability of steel structures for bridges.

EN 1993-2 gives design rules which are supplementary to the generic rules in EN 1993-1-1.

EN 1993-2 is intended to be used with Eurocodes EN 1990 - Basis of design, EN 1991 - Actions on structures and the parts 2 of EN 1992 to EN 1998 when steel structures or steel components for bridges are referred to.

Matters that are already covered in those documents are not repeated.

EN 1993-2 is intended for use by

- committees drafting design related product, testing and execution standards,
- clients (e.g. for the formulation of their specific requirements),
- designers and constructors,
- relevant authorities.

Numerical values for partial factors and other reliability parameters are recommended as basic values that provide an acceptable level of reliability. They have been selected assuming that an appropriate level of workmanship and quality management applies.

#### National annex for EN 1993-2

This standard gives alternative procedures, values and recommendations with notes indicating where national choices may have to be made. The National Standard implementing EN 1993-2 should have a National Annex containing all Nationally Determined Parameters to be used for the design of steel structures to be constructed in the relevant country. 

National choice is allowed in EN 1993-2 through:

- 2.1.3.2(1)
- 2.1.3.3(5)
- 2.1.3.4(1)
- 2.1.3.4(2)
- 2.3.1(1)
- 3.2.3(2)
- 3.2.3(3)
- 3.2.4(1)
- 3.4(1)
- 3.5(1)
- 3.6(1)

 $<sup>^4</sup>$  See Art.3.3 and Art.12 of the CPD, as well as clauses 4.2, 4.3.1, 4.3.2 and 5.2 of ID 1.

- 3.6(2)
- 4(1)
- 4(4)
- 5.2.1(4)
- 5.4.1(1)
- 6.1(1)P
- 6.2.2.3(1)
- 6.2.2.4(1)
- 6.3.2.3(1)
- 6.3.4.2(1)
- 6.3.4.2(7)
- 7.1(3)
- 7.3(1)
- 7.4(1)
- 8.1.3.2.1(1)
- 8.1.6.3(1)
- 8.2.1.4(1)
- 8.2.1.5(1)
- 8.2.1.6(1)
- 8.2.10(1)
- 8.2.13(1)
- 8.2.14(1)
- 9.1.2(1)
- 9.1.3(1)
- 9.3(1)P
- 9.3(2)P
- 9.4.1(6)
- 9.5.2(2)
- 9.5.2(3)
- 9.5.2(5)
- 9.5.2(6)
- 9.5.2(7)
- Thronk is a provide age of the same of the 9.5.3(2) (two places)
- 9.6(1) (two places)
- 9.7(1)
- A.3.3(1)P
- A.3.6(2)
- A.4.2.1(2)
- A.4.2.1(3)
- A.4.2.1(4)
- A.4.2.4(2)
- C.1.1(2)

- C.1.2.2(1)
- C.1.2.2(2)

1.2.2, 2.1.2.2(2)
E.2(1)

This document is a breview of the property of the pr

### 1 General

### 1.1 Scope

### 1.1.1 Scope of Eurocode 3

(1) See 1.1.1(1), (2), (3), (4), (5) and (6) of EN 1993-1-1.

### 1.1.2 Scope of Part 2 of Eurocode 3

- (1) EN 1993-2 provides a general basis for the structural design of steel bridges and steel parts of composite bridges. It gives provisions that supplement, modify or supersede the equivalent provisions given in the various parts of EN 1993-1.
- (2) The design criteria for composite bridges are covered in EN 1994-2.
- (3) The design of high strength cables and related parts are included in EN 1993-1-11.
- (4) This European Standard is concerned only with the resistance, serviceability and durability of bridge structures. Other aspects of design are not considered.
- (5) For the execution of steel bridge structures, EN 1090 should be taken into account.

NOTE: As long as EN 1090 is not yet available a provisional guidance is given in Annex C.

- (6) Execution is covered to the extent that is necessary to indicate the quality of the construction materials and products that should be used and the standard of workmanship needed to comply with the assumptions of the design rules.
- (7) Special requirements of seismic design are not covered. Reference should be made to the requirements given in EN 1998, which complements and modifies the rules of EN 1993-2 specifically for this purpose.

#### 1.2 Normative references

- (1) This European Standard incorporates, by dated or undated reference, provisions from other publications. These normative references are cited at the appropriate places in the text and the publications are listed hereafter. For dated references, subsequent amendments to or revisions of any of these publications apply to this European Standard only when incorporated in it by amendment or revision. For undated references the latest edition of the publication applies (including amendments).
- (2) In addition to the normative references given in EN 1990 and EN 1993-1 the following references should apply:

EN 1090 Execution of steel structures and aluminium structures

EN 1337 Structural bearings

EN 10029:1991 Specification for tolerances on dimensions, shape and mass for hot rolled steel plates 3

mm thick or above.

EN 10164 Steel products with improved deformation properties perpendicular to the surface of the

product - Technical delivery conditions.

EN ISO 5817 Arc-welded joints in steel - Guidance on quality levels for imperfections.

EN ISO 12944-3 Paints and varnishes - Corrosion protection of steel structures by protective paint

systems - Design considerations.

EN ISO 9013:2002 Thermal cutting - Classification of thermal cuts - Geometrical product specification and

quality tolerances.

EN ISO 15613 Specification and qualification of welding procedures for metallic materials -

Qualification based on pre-production welding test

EN ISO 15614-1 Specification and qualification of welding procedures for metallic materials - Welding

procedure test - Part 1: Arc and gas welding of steels and arc welding of nickel and

nickel alloys

### 1.3 Assumptions

(1) See 1.3(1) of EN 1993-1-1.

### 1.4 Distinction between principles and application rules

(1) See 1.4(1) of EN 1993-1-1.

### 1.5 Terms and definitions

(1) The terms and definitions given in EN 1990, EN 1993-1 and the following apply:

#### 1.5.1

#### bridges

civil engineering construction works mainly intended to carry traffic or pedestrian loads over a natural obstacle or a communication line

**NOTE:** Railway bridges and bridges which carry canals, service pipes or other vehicles such as an aircraft are also covered.

#### 1.5.2

#### abutment

any end support of a bridge

**NOTE:** A distinction is made between rigid abutments and flexible abutments where relevant.

### 1.5.3

#### integral abutment

abutment that is connected to the deck without any movement joint

#### 1.5.4

### pier

intermediate support of a bridge, situated under the deck

### 1.5.5

### bearing

structural support located between the superstructure and an abutment or pier of the bridge that transfers loads from the deck to the abutment or pier

#### 1.5.6

### cable stay

tensioned element which connects the deck of a bridge to the pylon or pylons above the deck

#### 1.5.7

#### prestress

permanent effect due to controlled forces and /or controlled deformations imposed within a structure

**NOTE:** Various types of prestress are distinguished from each other as relevant (such as prestress by tendons or prestress by imposed deformation of supports).

#### 1.5.8

### headroom

clear height available for traffic