

Edition 2.0 2013-02

# INTERNATIONAL STANDARD

# NORME INTERNATIONALE

**Environmental testing –** 

Part 2-65: Tests - Test Fg: Vibration - Acoustically induced method

Essais d'environnement -

Partie 2-65: Essais – Essai Fg: Vibrations – Méthode induite acoustiquement





### THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2013 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.

If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de la CEI ou du Comité national de la CEI du pays du demandeur.

Si vous avez des questions sur le copyright de la CEI ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de la CEI de votre pays de résidence.

IEC Central Office Tel.: +41 22 919 02 11 3, rue de Varembé Fax: +41 22 919 03 00

CH-1211 Geneva 20 info@iec.ch Switzerland www.iec.ch

#### About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

### **About IEC publications**

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

#### **Useful links:**

IEC publications search - www.iec.ch/searchpub

The advanced search enables you to find IEC publications by a variety of criteria (reference number, text, technical committee,...).

It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available on-line and also once a month by email.

### Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 30 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary (IEV) on-line.

Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

### A propos de la CEI

La Commission Electrotechnique Internationale (CEI) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

### A propos des publications CEI

Le contenu technique des publications de la CEI est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

### Liens utiles:

Recherche de publications CEI - www.iec.ch/searchpub

La recherche avancée vous permet de trouver des publications CEI en utilisant différents critères (numéro de référence, texte, comité d'études,...).

Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

Just Published CEI - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications de la CEI. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

#### Electropedia - www.electropedia.org

Le premier dictionnaire en ligne au monde de termes électroniques et électriques. Il contient plus de 30 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans les langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (VEI) en ligne.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: csc@iec.ch.



Edition 2.0 2013-02

### INTERNATIONAL STANDARD

### NORME INTERNATIONALE

**Environmental testing –** 

Part 2-65: Tests - Test Fg: Vibration - Acoustically induced method

Essais d'environnement -

Partie 2-65: Essais – Essai Fg: Vibrations - Méthode induite acoustiquement

INTERNATIONAL **ELECTROTECHNICAL** COMMISSION

COMMISSION **ELECTROTECHNIQUE** INTERNATIONAL F

PRICE CODE CODE PRIX

ISBN 978-2-83220-641-6

ICS 19.040; 29.020

Warning! Make sure that you obtained this publication from an authorized distributor.

Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.

### CONTENTS

FOI	REW	ORD		4			
INT	RODI	UCTION	١	6			
1	Scope						
2	Normative references						
3	Terms, definitions, symbols and abbreviations						
	3.1 Terms and definitions						
	3.2 Symbols and abbreviations						
4	Acoustic environments and requirements for testing						
	4.1 Acoustic environment for testing						
		4.1.1	General				
		4.1.2	Reverberant field				
		4.1.3	Progressive wave field				
		4.1.4	Cavity resonance				
		4.1.5	Standing wave				
	4.2	Sound	sources				
	4.3	Measuring apparatus					
		4.3.1	General	14			
		4.3.2	Acoustic measurements				
		4.3.3	Vibration response measurements	15			
		4.3.4	Analysis of results	15			
	4.4	Requi	rements for testing				
		4.4.1	Type of facility	15			
		4.4.2	Mounting				
		4.4.3	Specimen instrumentation	16			
		4.4.4	Preparation of test control				
5 Recommended severities							
6	Prec	ondition	ning	18			
7	Initia	l measi	urements	19			
8	Testing						
	8.1 Normal testing						
	8.2		erated testing				
9			e measurements				
10							
11	Recovery						
12							
13			to be given in the test report				
			ative) Guidance for the test requirements				
Bib	liogra	phy		30			
				10			
Figi	ure 1	– Third	octave band spectrum for aeronautical applications	12			
			ve band spectra for fans derived from [4]				
_	Figure 3 – Octave band spectrum for noisy industrial machinery derived from [4]						
_			al locations of microphone checkpoints (1 – 6) on a fictitious surface	13			
			ien	17			

Figure A.1 – Typical microphone arrangement around a specimen in a reverberation chamber	22
Figure A.2 – Typical microphone checkpoint arrangement around a long cylindrical specimen	
	20
Table 1 – Tolerances for acoustic measurement	14
Table 2 – Overall sound pressure level and duration of exposure	
Table A.1 – Octave band/room volume relationship	
Table A.2 – Reverberation room, ratios of dimensions	
Table A.3 – Examples of sound sources with waveforms and typical power outputs	
Table A.4 – Typical OASPL and exposure durations	
Tontis a Diation Seneral alea of the	

### INTERNATIONAL ELECTROTECHNICAL COMMISSION

### **ENVIRONMENTAL TESTING -**

Part 2-65: Tests –
Test Fg: Vibration –
Acoustically induced method

#### **FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicity Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60068-2-65 has been prepared by IEC technical committee 104: Environmental conditions, classification and methods of test.

This second edition cancels and replaces the second edition, published in 1993, and constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- minor technical and editorial changes were made throughout the document as originally requested by the DE National Committee;
- following comments at the CD stage, particularly from the UK National Committee, significant technical and editorial additions were made to the standard for acoustic testing employing the progressive wave tube technique.

The text of this standard is based on the following documents:

FDIS	Report on voting	
104/591/FDIS	104/597/RVD	

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all the parts in the IEC 60068 series, published under the general title *Environmental* testing, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- · withdrawn,
- · replaced by a revised edition, or
- amended.

### INTRODUCTION

Acoustic noise may produce significant vibration in components and equipment. In the acoustic noise field, sound pressure fluctuations impinge directly on the specimen and the response may be different to that produced by mechanical excitation.

Items particularly sensitive to acoustic noise include relatively lightweight items whose dimensions are comparable to an acoustic wavelength in the frequency range of interest and whose mass per unit area is low, such as dish antennas and solar panels, electronic devices, printed circuit boards, optical elements, etc.

Acoustic testing is applicable to components, equipment, functional units and other products, hereinafter referred to as "specimens", which are liable to be exposed to and/or are required to function in conditions of high sound pressure levels. It should be noted that, under service conditions, the specimen may be subjected to simultaneous mechanical and acoustical excitation.

High sound pressure levels may be generated by jet engines and other aircraft propulsion systems, rocket motors, high-powered gas circulators, turbulent gas flow around aircraft or launchers, etc. This part of IEC 60068 deals with acoustic testing in compressible gases and can also be used to simulate the excitation response caused by turbulence resulting from high-velocity separated gas flows.

The intent of the test procedure contained in this standard is to produce a high intensity acoustic noise field by either reverberant methods (known as reverberant chamber testing) or by progressive wave methods (known as progressive wave tube testing).

Testing for the effects of vibration caused by acoustic noise demands a certain degree of engineering judgement and this should be recognized both by the manufacturer/supplier and the purchaser of the specimen. Based on the guidance provided in this standard, the writer of the relevant specification is expected to select the most appropriate method of test and values of severity, taking account of the nature of the specimen and its intended use.

Since the acoustic levels occurring during testing are high enough to be damaging to human hearing, appropriate protective measures need to be taken to reduce the noise exposure of operators performing the test to a level regarded as permissible from the standpoint of hearing conservation.

### **ENVIRONMENTAL TESTING -**

Part 2-65: Tests –
Test Fg: Vibration –
Acoustically induced method

### 1 Scope

This part of IEC 60068 provides standard procedures and guidance for conducting acoustic tests in order to determine the ability of a specimen to withstand vibration caused by a specified sound-pressure level environment to which it is, or is liable to be, subjected.

For sound pressure level environments of less than 120 dB acoustic tests are not normally required.

This standard determines the mechanical weakness and/or degradation in the performance of specimens and to use this information, in conjunction with the relevant specification, to decide on their acceptability for use. The methods of test may also be used as a means of establishing the mechanical robustness or fatigue resistance of specimens.

Two procedures are described for conducting tests and for measurement of the sound pressure levels within the acoustic noise field and considers the need for measurement of the vibration responses at specified points on the specimen. It also gives guidance for the selection of the acoustic noise environment, spectrum, sound pressure level and duration of exposure.

The progressive wave tube method is relevant to material where aerodynamic turbulence will excite part, or all, of the total external surface. Such applications include aircraft panel assemblies where the excitation exists on one side only. The reverberant chamber method is relevant where it is preferable to induce vibration onto the entire external surface of equipment by distributed excitation rather than fixed points by means of electro-dynamic shakers.

### 2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 61672-1, Electroacoustics – Sound level meters – Part 1: Specifications

ISO/IEC 17025:2005, General requirements for the competence of testing and calibration laboratories

### 3 Terms, definitions, symbols and abbreviations

### 3.1 Terms and definitions

For the purposes of this document, the following terms and definitions apply.