Health informatics - Service architecture - Part 3: Computational viewpoint (ISO 12967-3:2009)



FESTI STANDARDI FESSÕNA

NATIONAL FOREWORD

Käesolev Eesti standard EVS-EN ISO 12967-3:2011 sisaldab Euroopa standardi EN ISO 12967-3:2011 ingliskeelset teksti.

Standard on kinnitatud Eesti Standardikeskuse 30.04.2011 käskkirjaga ja jõustub sellekohase teate avaldamisel EVS Teatajas.

Euroopa standardimisorganisatsioonide poolt rahvuslikele liikmetele Euroopa standardi teksti kättesaadavaks tegemise kuupäev on 30.03.2011.

Standard on kättesaadav Eesti standardiorganisatsioonist.

This Estonian standard EVS-EN ISO 12967-3:2011 consists of the English text of the European standard EN ISO 12967-3:2011.

This standard is ratified with the order of Estonian Centre for Standardisation dated 30.04.2011 and is endorsed with the notification published in the official bulletin of the Estonian national standardisation organisation.

Date of Availability of the European standard text 30.03.2011.

The standard is available from Estonian standardisation organisation.

ICS 35.240.70

Standardite reprodutseerimis- ja levitamisõigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonilisse süsteemi või edastamine ükskõik millises vormis või millisel teel on keelatud ilma Eesti Standardikeskuse poolt antud kirjaliku loata.

Kui Teil on küsimusi standardite autorikaitse kohta, palun võtke ühendust Eesti Standardikeskusega: Aru 10 Tallinn 10317 Eesti; www.evs.ee; Telefon: 605 5050; E-post: info@evs.ee

Right to reproduce and distribute belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without permission in writing from Estonian Centre for Standardisation.

If you have any questions about standards copyright, please contact Estonian Centre for Standardisation: Aru str 10 Tallinn 10317 Estonia; www.evs.ee; Phone: 605 5050; E-mail: info@evs.ee

EUROPEAN STANDARD NORME EUROPÉENNE

EUROPÄISCHE NORM

EN ISO 12967-3

March 2011

ICS 35.240.70

Supersedes EN 12967-3:2007

English Version

Health informatics - Service architecture - Part 3: Computational viewpoint (ISO 12967-3:2009)

Informatique de santé - Architecture de service - Partie 3: Point de vue informatique (ISO 12967-3:2009)

Medizinische Informatik - Servicearchitektur - Teil 3: Verarbeitungssicht (ISO 12967-3:2009)

This European Standard was approved by CEN on 10 March 2011.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

Foreword

The text of ISO 12967-3:2009 has been prepared by Technical Committee ISO/TC 215 "Health informatics" of the International Organization for Standardization (ISO) and has been taken over as EN ISO 12967-3:2011 by Technical Committee CEN/TC 251 "Health informatics" the secretariat of which is held by NEN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by September 2011, and conflicting national standards shall be withdrawn at the latest by September 2011.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 12967-3:2007.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

Endorsement notice

The text of ISO 12967-3:2009 has been approved by CEN as a EN ISO 12967-3:2011 without any modification.

Contents

Page

5 Methodological principles 2 5.1 General 2 5.2 Clusters of objects 2 5.3 Computational language 3 5.4 The computational objects and interfaces 4 5.5 Interaction 5 6 General characteristics of the model 5 6.1 The two types of computational objects for handling the information 5 6.2 The basic methods 6 6.2.1 General requirement 6 6.2.2 "Add" basic methods 7 6.2.3 "Update" basic methods 7 6.2.4 "Delete" basic methods 10 6.2.5 "Detail" basic methods 10 6.2.6 "List" basic methods 13 6.3 General purpose interface 15 6.3.1 General 15 6.3.2 List of methods 15 6.3.3 Behavioural specifications 16 6.4 The complex interfaces of the workflow related computational objects	Forew	ord	iv
2 Normative references 2 3 Terms and definitions 2 4 Abbreviations 2 5 Methodological principles 2 5.1 General 2 5.2 Clusters of objects 2 5.3 Computational language 3 5.4 The computational objects and interfaces 4 6.1 The two types of computational objects for handling the information 5 6.2 The basic methods 6 6.2.1 General requirement 6 6.2.2 "Add" basic methods 8 6.2.3 "Update" basic methods 8 6.2.4 "Delete" basic methods 10 6.2.5 "Detail" basic methods 11 6.2.6 "Delete" basic methods 13 6.2.5 "Detail" basic methods 13 6.3 General purpose interface 15 6.3.1 General purpose interface 15 6.3.1 General purpose interface 15	Introd	uction	v
3 Terms and definitions 2 4 Abbreviations 2 5 Methodological principles 2 5.1 General 2 5.2 Clusters of objects 2 5.2 Computational language 3 5.4 The computational objects and interfaces 4 5.5 Interaction 5 6 General characteristics of the model 5 6.1 The two types of computational objects for handling the information 5 6.2 The basic methods 6 6.2.1 General requirement 6 6.2.2 "Add" basic methods 7 6.2.3 "Update" basic methods 7 6.2.4 "Delete" basic methods 8 6.2.4 "Delete" basic methods 10 6.2.5 "Detail" basic methods 11 6.3 General purpose interface 15 6.3.1 General methods 13 6.3.2 Beneral methods 13 6.3.1 General methods 13 6.3.2 List of metho	1	Scope	1
4 Abbreviations 2 5 Methodological principles 2 5.1 General 2 5.2 Clusters of objects 2 5.3 Computational language 3 5.4 The computational objects and interfaces 4 5.5 Interaction 5 6 General characteristics of the model 5 6.1 The two types of computational objects for handling the information 5 6.2 The basic methods 6 6.2.1 General requirement 6 6.2.2 "Add" basic methods 7 6.2.3 "Update" basic methods 7 6.2.4 "Delete" basic methods 10 6.2.5 "Detail" basic methods 11 6.2.6 "List" basic methods 13 6.3 General purpose interface 15 6.3.1 General 15 6.3.2 List of methods 15 6.3.3 Elemental 15 6.3.1 General 15 6.3.2 List of methods 15 <td>2</td> <td>Normative references</td> <td>2</td>	2	Normative references	2
5 Methodological principles 2 5.1 General 2 5.2 Clusters of objects 2 5.3 Computational language 3 5.4 The computational objects and interfaces 4 5.5 Interaction 5 6 General characteristics of the model 5 6.1 The two types of computational objects for handling the information 5 6.2 The basic methods 6 6.2.1 General requirement 6 6.2.2 "Add" basic methods 7 6.2.3 "Update" basic methods 8 6.2.4 "Delete" basic methods 10 6.2.5 "Detail" basic methods 11 6.2.6 "List" basic methods 11 6.3 General purpose interface 15 6.3.1 General 15 6.3.2 List of methods 15 6.3.3 List of methods 15 6.3.1 General 15 6.3.2 <td< td=""><td>3</td><td>Terms and definitions</td><td>2</td></td<>	3	Terms and definitions	2
5.1 General 2 5.2 Clusters of objects 2 5.3 Computational language 3 5.4 The computational objects and interfaces 4 5.5 Interaction 5 6 General characteristics of the model 5 6.1 The two types of computational objects for handling the information 5 6.2 The basic methods 6 6.2.1 General requirement 6 6.2.2 "Add" basic methods 7 6.2.3 "Update" basic methods 7 6.2.4 "Delete" basic methods 10 6.2.5 "Detail" basic methods 11 6.2.6 "List" basic methods 13 6.3 General purpose interface 15 6.3.1 General 15 6.3.2 List of methods 15 6.3.3 Behavioural specifications 15 6.4.1 General 16 6.4.2 Complex services managing healthcare workflows 16 6.4.3 Interfaces supporting the "Gativity management workflow" 16 </td <td>4</td> <td>Abbreviations</td> <td>2</td>	4	Abbreviations	2
6.1 The two types of computational objects for handling the information 5 6.2 The basic methods 6 6.2.1 General requirement 6 6.2.2 "Add" basic methods 7 6.2.3 "Update" basic methods 8 6.2.4 "Delete" basic methods 10 6.2.5 "Detail" basic methods 11 6.2.6 "List" basic methods 13 6.3 General purpose interface 15 6.3.1 General purpose interface 15 6.3.2 List of methods 15 6.3.3 Behavioural specifications 16 6.4 The complex interfaces of the workflow related computational objects 16 6.4.1 General 16 6.4.2 Complex services managing healthcare workflows 16 6.4.3 Interfaces supporting the "Subject of care workflow" 16 6.4.4 Interfaces supporting the "Clinical information workflow" 18 6.4.5 Interfaces supporting the "Activity management workflow" 18 6.5.1 Interface documentation and organization workflow" 23 <t< td=""><td>5 5.1 5.2 5.3 5.4 5.5</td><td>General Clusters of objects Computational language The computational objects and interfaces</td><td>2 3 4</td></t<>	5 5.1 5.2 5.3 5.4 5.5	General Clusters of objects Computational language The computational objects and interfaces	2 3 4
6.4.1 General	6.1 6.2 6.2.1 6.2.2 6.2.3 6.2.4 6.2.5 6.2.6 6.3.1 6.3.2 6.3.3	The two types of computational objects for handling the information The basic methods General requirement "Add" basic methods "Update" basic methods "Delete" basic methods "Detail" basic methods "List" basic methods General purpose interface General List of methods Behavioural specifications	5 6 10 13 15 15
Bibliography27	6.4.1 6.4.2 6.4.3 6.4.4 6.4.5 6.4.6 6.5 6.5.1 6.5.2 6.5.3 6.5.4	The complex interfaces of the workflow related computational objects	161618192323
		· · · · · · · · · · · · · · · · · · ·	
	Biblio		

Introduction

ISO 12967 is a multi-part standard that provides guidance for the description, planning and development of new systems as well as for the integration of existing information systems, both within one enterprise and across different healthcare organizations through an architecture integrating the common data and business logic into a specific architectural layer (i.e. the middleware), distinct from individual applications and accessible throughout the whole information system through services, as shown in Figure 1.




Figure 1 — Scope of this International Standard

The overall architecture is formalized according to ISO/IEC 10746 (all parts)^[10] [11]^[12][13] and is therefore structured through the following three viewpoints.

a) Enterprise viewpoint: specifies a set of fundamental common requirements at enterprise level with respect to the organizational purposes, scopes and policies that must be supported by the information and functionality of the middleware. It also provides guidance on how one individual enterprise (e.g. a regional healthcare authority, a large hospital or any other organization where this model is applicable) can specify and document additional specific business requirements, with a view to achieving a complete specification, adequate for the characteristics of that enterprise.

Enterprise viewpoint is specified in ISO 12967-1.

b) Information viewpoint: specifies the fundamental semantics of the information model to be implemented by the middleware to integrate the common enterprise data and to support the enterprise requirements formalized in ISO 12967-1. It also provides guidance on how one individual enterprise can extend the standard model with additional concepts needed to support local requirements in terms of information to be put in common.

Information viewpoint is specified in ISO 12967-2.

c) Computational viewpoint: specifies the scope and characteristics of the services that must be provided by the middleware for allowing access to the common data as well as the execution of the business logic supporting the enterprise processes identified in the information viewpoint and in ISO 12967-1. It also provides guidance on how one individual enterprise can specify additional services needed to support local specific requirements in terms of common business logic to be implemented.

Computational viewpoint is specified in this part of ISO 12967.

Health informatics — Service architecture —

Part 3:

Computational viewpoint

1 Scope

HISA specifies fundamental requirements for 'information infrastructure' and healthcare specific middleware services.

This part of ISO 12967 specifies the fundamental characteristics of the computational model to be implemented by a specific architectural layer of the information system (i.e. the middleware) to provide a comprehensive and integrated interface to the common enterprise information and to support the fundamental business processes of the healthcare organization, as defined in ISO 12967-1. The computational model is specified without any explicit or implicit assumption about the physical technologies, tools or solutions to be adopted for its physical implementation in the various target scenarios. The specification is nevertheless formal, complete and non-ambiguous enough to allow implementers to derive an efficient design of the system in the specific technological environment which will be selected for the physical implementation.

The computational model provides the basis for ensuring consistency between different engineering and technology specifications (including programming languages and communication mechanisms) since they must be consistent with the same computational object model. This consistency allows open inter-working and portability of components in the resulting implementation.

This specification does not aim at representing a fixed, complete, specification of all possible interfaces that may be necessary for any requirement of any healthcare enterprise. It specifies only a set of characteristics – in terms of overall organization and individual computational objects, identified as fundamental and common to all healthcare organizations, and that are satisfied by the computational model implemented by the middleware.

Preserving consistency with the provisions of this part of ISO 12967, physical implementations shall allow extensions to the standard computational model in order to support additional and local requirements. Extensions shall include both the definition of additional properties in the objects of the standard model and the implementation of entirely new objects.

Also this standard specification shall be extendable over time according to the evolution of the applicable standardization initiatives. The specification of extensions shall be carried out according to the methodology defined in Clause 7 of ISO 12967-1:2009, which identifies a set of healthcare common information services, describing their need and the methodology through which they will be used. These are only the minimal identifiable set of services according to the needs of the healthcare enterprise, and constituting the "middleware" platform (i.e. integration platform) to serve as the basis for healthcare applications, e.g. EHR or patient administration.

© ISO 2009 – All rights reserved

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 12967-1:2009, Health informatics — Service architecture — Part 1: Enterprise viewpoint

ISO 12967-2:2009, Health informatics — Service architecture — Part 2: Information viewpoint

3 Terms and definitions

For the purposes of this document the following terms and definitions apply.

3.1

interface

abstraction of the behaviour of an object which consists of a subset of the possible interaction mechanisms of that object, together with the set of constraints when that interaction occurs

3.2

computational object

object as seen in a computational viewpoint representing the functional decomposition of a system showing a state and behaviour as well as interactions through interfaces with other computational objects

4 Abbreviations

EHR Electronic Health Record

HISA Health Informatics Service Architecture

ODP Open Distributed Processing

UML Unified Modelling Language

5 Methodological principles

5.1 General

This part of ISO 12967 encompasses the computational viewpoint, which is concerned in answering HISA middleware design aspects through the functional decomposition of the system into a set of computational objects that interact at interfaces, also enabling distribution. The Health Informatics Service Architecture will thus be further specified in terms of computational objects, which manage information and provide services, and their interfaces, starting from the clusters of objects identified in ISO 12967-1 and further detailed in ISO 12967-2.

5.2 Clusters of objects

ISO 12967-1 has identified the scope, need for, and use of the HISA standard by both developers and end users. It has described the scope of the business objects from the organization's viewpoint, by summarising the related user activities and requirements through natural language. During this process the main healthcare common clusters of objects have been identified:

1) Subject of care objects

These objects handle the information necessary for supporting the users' activities identified in the "Subject of Care workflow" of ISO 12967-1.